



Nyinggulu (Ningaloo) coastal reserves

Red Bluff to Winderabandi

joint management plan No. 101

2022



Parks and Wildlife Service
Department of Biodiversity, Conservation and Attractions
17 Dick Perry Avenue
Technology Park, Western Precinct
KENSINGTON WA 6151

Phone (08) 9219 9000
Fax (08) 9334 0498
www.dbca.wa.gov.au

© State of Western Australia 2022
October 2022

ISBN 978-1-925978-53-7 (print)
ISBN 978-1-925978-54-4 (online)

Warning: This plan shows photographs of, mention names, and/or refer to quotations from Aboriginal people who may have passed away. Nganhurra Thanardi Garrbu Aboriginal Corporation have given approval for all photographs, mentions and quotations within this joint management plan, including those of Aboriginal people who have passed away.

This work is copyright. All traditional and cultural knowledge in this joint management plan is the cultural and intellectual property of the Baiyungu and Thalanyji traditional owners and is published with the consent of Nganhurra Thanardi Garrbu Aboriginal Corporation. Written consent from Nganhurra Thanardi Garrbu Aboriginal Corporation must be obtained for use or reproduction of any such materials. Any unauthorised dealing may be in breach the Commonwealth *Copyright Act 1968*.

NB: The spelling of some of the language words for country and species of plants and animals may vary. Baiyungu should be seen to encompass the Payungu, Baiong, By-yung, By-oong and similar spellings and Thalanyji to encompass the Thalanyii, Talangi, Thananj, Tallinjee, Talandji and similar spellings and Yinikurtura to encompass the Yinikurtira, Yinigudura, Yinkutura, Jinigudira and similar spellings.

Questions regarding this plan should be directed to:

Planning Unit
Parks and Wildlife Service
Department of Biodiversity, Conservation and Attractions
Locked Bag 104
Bentley Delivery Centre WA 6983

The recommended reference for this publication is:

DBCA (2022). *Nyinggulu (Ningaloo) Coastal Reserves: Red Bluff to Winderabandi joint management plan 101*. Parks and Wildlife Service, Department of Biodiversity, Conservation and Attractions, Perth, Western Australia.

Front cover photos

Main photo: Aerial view over the Nyinggulara National Park to the southern end of Cape Range. Photo - DBCA
Top left: Sand sculpture of a turtle by Nova Walgar. Photo - Hazel Walgar
Top right: Traditional owner explaining the use of grinding stones. Photo - Aberline Attwood/DBCA

All photos where not credited throughout the document were taken by Aberline Attwood/DBCA.

This document is available in alternative formats on request.

Nyinggulu (Ningaloo) coastal reserves

Red Bluff to Winderabandi

joint management plan 101

2022



Department of Biodiversity, Conservation and Attractions
Conservation and Parks Commission

Nganhurra Thanardi Garrbu Aboriginal Corporation

Dedication

The Nyinggulu coastal reserves joint management plan document is dedicated to our strong Baiyungu elder Glenda Cooyou Morrison.

We shared many on country trips with traditional owners and DBCA.

The first on country trip was August 2016. This trip was special, our sister Glenda made herself available and was overly excited when our journey began on Baiyungu country. Glenda had so much knowledge she couldn't wait to share, many stories and photos of Glenda in this document she was so proud of.

When our sister became ill I handed her the draft document—you couldn't wipe the smile off her face, showing off and continuously mentioning this is my home to medical staff in SCG hospital—this booklet lifted her spirit!!

Sadly, our sister Glenda passed 12 May 2020. I strongly feel and know her spirit is home in Nyinggulu Baiyungu country. She's guiding us and still looking after our country!!

Hazel Walgar, traditional owner, June 2020



Glenda Morrison home on country August 2016.

Acknowledgements

The Department of Biodiversity, Conservation and Attractions wishes to thank the traditional owners for their contributions to the planning for the *Nyinggulu* (Ningaloo) coastal reserves: for the sharing of cultural knowledge by elders, the field trips, the spirit of collaboration, the enthusiasm for joint management and the long yarns around maps discussing country along with the guidance and direction provided by Yamatji Marlpa Aboriginal Corporation.

Particular thanks and acknowledgement is given to Gwen Peck, Hazel Walgar, Glenda Morrison, Deborah Dodd, Laurie Tittums, Jamie Tittums and Paul Baron for their sharing of knowledge during the on-country trips as well as to the younger generation of traditional owners who are keen to get involved in joint management.

We also recognise and acknowledge all past and present traditional owners for their knowledge, leadership and guidance in the management of country. We acknowledge the Nganhurra Thanardi Garrbu Aboriginal Corporation as being the Native Title holders of the planning area and enter into this joint management with them looking forward to working together to manage this country.

This joint management plan was prepared by a Department of Biodiversity, Conservation and Attractions planning team consisting of Aberline Attwood (Planning Officer), Arvid Hogstrom (former Exmouth District Manager), Scott Thomson (former Parks and Visitor Services Officer), Ray DeJong (former Regional Leader Parks and Visitor Services), Roger Syme (former Ranger), Heather Barnes (District Conservation Coordinator), Peter Barnes (Marine Program Coordinator), Emma West (Landscape Architect), Tom Nagle (former Joint Management Officer), Todd Quartermaine (former Senior Operations Officer – Ningaloo Coast) and Derek Sandow (former District Conservation Coordinator). Thanks also go to specialist branches within the department who have also contributed and those individuals and organisations who took the time to comment on the draft joint management plan (DBCA 2019).



Traditional owners and departmental staff during an on-country planning trip August 2017. Photo - DBCA

Executive summary

This joint management plan provides direction for the joint management of coastal conservation and recreation reserves along the *Nynggulu* (Ningaloo) Coast (the planning area). This includes Nynggulara National Park and Nynggulu Coastal Reserve, both created in 2020 fulfilling long-standing reserve proposals, as well as the terrestrial portion of Ningaloo Marine Park, which is a reserve 40m landward of high water mark north from Amherst Point, and Coral Bay Foreshore Reserve.

This joint management plan aims to conserve and protect the values of the planning area in the long term. It provides a summary of operations proposed to be undertaken in the planning area and the vision includes a desire to maintain a low-key recreation experience, welcoming and encouraging visitors to enjoy, understand and respect the culture and other values of the area.

Values



Camping at Sandy Point.

The *Nynggulu* (Ningaloo) Coast is highly valued by the many visitors to the area seeking to enjoy the marine park and low-key remote recreation experience. The planning area and adjacent marine park are major tourism attractions along the North-West Cape with visitation steadily increasing since the 1980s and economic benefits flowing into the local communities of Carnarvon, Coral Bay and Exmouth. Many of the visitors are long-term repeat visitors with strong attachments to the coast and have a desire to be able to continue their experience into the future.

The planning area is highly valued by the traditional owners of the area with many significant cultural values, including cultural heritage sites and places of ceremonial and mythological significance. Undertaking customary activities on country is central to maintaining the cultural heritage of the land. Such activities are an important part of traditional owner and wider Aboriginal culture, enabling maintenance of traditional relationships with the land and water; sharing of knowledge; engagement in traditional practices; and accessing and looking after significant places.

There are also plants and animals of cultural significance such as sacred totems or animals and plants related to creation stories, ceremonies or that are used as medicine or food. There are also significant *thalu* sites along the coast, places for ceremonies and rituals for the increase in numbers of a particular species.

Other key values of the planning area include those associated with the Ningaloo Coast World Heritage Area, namely, karst environments and interglacial fossil reefs as well as various landscape values of the varying rocky shores and sandy beaches adjacent to the marine park. There are populations of the threatened black-flanked rock wallaby, turtle

nesting areas, seabird and shorebird roosting and breeding areas, priority flora, vegetation complexes underrepresented in the conservation reserve system, transitional habitats between the temperate and tropical zones with range end species, and a high level of endemism for reptiles and land snails.



Termite mound.

There is a rich European heritage associated with the early exploration of the North West cape, shipping, pastoralism and settlement as well as the Afghan and North Indian cameleers and traders and the whaling, rock lobster and turtle harvesting industries. Remains of this heritage can still be found throughout the planning area and pastoralists still manage adjacent land for stock, the tourism enclaves within the planning area and adjoining homestead accommodation.

Management

The Department of Biodiversity, Conservation and Attractions (the department) on behalf of the State Government and Conservation and Parks Commission have entered into an Indigenous Land Use Agreement with the Native Title holders of the land: the Nganhurra Thanardi Garrbu Aboriginal Corporation. This provides for joint management for the reserves to occur with the formation of a Joint Management Body (JMB). The representatives from the Nganhurra Thanardi Garrbu Aboriginal Corporation on the JMB will ensure that the traditional owners will have an opportunity to make decisions about how their country is looked after and be able to discuss the implementation of this joint management plan in further operational detail.

The Nyinggulu (Ningaloo) coastal reserves have statutory protection under the *Conservation and Land Management Act 1984*, which enables conservation of the significant natural and cultural values within the planning area. The public conservation and recreation reserves will importantly provide ongoing access for all Western Australians, and national and international visitors and a basis for integrated management across the marine and terrestrial environments.



The public conservation and recreation reserves provide ongoing access for all and protect the cultural, natural and recreational values of the coast.

This joint management plan includes strategies within the *People on country* section that will ensure affordable low-key camping and caravanning along the coast is maintained at current levels, with a key focus on continuing the current experience, and sense of remoteness and high level of self-sufficiency prized by visitors. Short to medium term management effort will be directed towards rehabilitating tracks and degraded areas around camping and day use areas while keeping development to a minimum, with no built accommodation proposed.

This joint management plan also includes strategies within the *Connection to country* section and throughout ensuring cultural sites will be protected and monitored with further cultural planning to be undertaken. Aboriginal place names and language translations will be incorporated as appropriate and the cultural heritage values and protocols will be communicated to the visitors to ensure visitation is culturally sensitive and appropriate. The traditional owners will be

supported to maintain their connection to, and responsibilities for, country by facilitating customary activities, and native title rights and interests. Traditional owners will be involved in the trainee ranger program in addition to other business and employment opportunities. Cultural traditional knowledge will inform management activities, research and monitoring programs.



Trainee Ranger Cody Farrell participating in the *Ningaloo Turtle Program* as part of his Conservation and Land Management traineeship. Employing traditional owners as Trainee Rangers is an important part of joint management in the planning area. Photo – Tom Nagle/DBCA

To protect the natural values of the planning area, the joint management plan outlines strategies in the *Caring for country* section to prepare for climate change, collect more biodiversity data including flora and fauna baseline surveys, establish and conduct research and monitoring programs, implement species recovery plans, rehabilitate dune areas, implement an integrated predator control program, control weeds, manage goats and other introduced herbivores, respond to pollution incidents, seek to reduce marine and coastal debris and manage fire in an appropriate way to protect the key values. Strategies in the *Managing people on country* section will also contribute to protecting the natural values of the planning area and adjacent marine park.

Key performance indicators

Key performance indicators (KPIs) have been selected for each value identified as the highest priority for management over the next 10 years (some of these link into other reporting requirements of other plans such as the adjacent marine park and species recovery plans). These KPIs, identified throughout the joint management plan, will be reported against during the life of the plan, providing a measure of success of the joint management plan. They include the following measurement areas:

- joint management
- protection of significant cultural and heritage places including sites
- traditional law and knowledge
- customary activities and connection to country
- protection of other Australian cultural heritage sites
- protection of geological features including cultural significant features, coastal beach processes, karst and interglacial fossil reefs
- watering points of cultural significance
- water quality and quantity of groundwater, soaks and receiving waters
- health and condition of plant and animal species of cultural significance

- knowledge of plant and animal diversity
- conservation status of threatened and priority flora
- coastal vegetation cover and density
- health and condition of fauna species and *thalu* of cultural significance
- range and population size of threatened and other conservation significant fauna
- conservation status of threatened fauna species
- nesting turtles and hatchlings
- diversity and abundance of seabirds, migratory shorebirds and waders
- World Heritage values
- weed control
- introduced animal control
- bushfire risk mitigation and size of large, intense fires
- knowledge of fire ecology within the planning area
- the condition of nominated fire-sensitive habitats and communities
- the persistence of fire-sensitive species within the planning area
- cultural knowledge shared appropriately
- visitor satisfaction levels of nature-based experiences
- the extent of visitor management settings and recreation site classes
- knowledge of natural values
- track density and proliferation
- track erosion and rehabilitation
- visitor impacts from camping and day use
- visitor compliance with regard to disposal of portable camping toilet waste, general waste disposal and other visitor activities
- traditional owner enterprises
- numbers of goats, sheep and cattle within the planning area.

Public consultation and implementation

This joint management plan was published as a draft for public comment, has been changed accordingly and has now been approved by the Minister for Environment. The joint management plan will be implemented by the JMB comprising the department and the Nganhurra Thanardi Garrbu Aboriginal Corporation. This joint management plan will guide management of the planning area for 10 years. At the end of the 10-year period (or sooner) the joint management plan may be reviewed and a new plan prepared, otherwise it will remain in force until a new plan is approved.

In addition to joint managers, key stakeholders and the wider community such as Ningaloo Coast World Heritage Advisory Committee, neighbouring land managers, relevant government agencies, universities, research institutions, conservation groups, tour operators, recreational peak bodies and volunteers can contribute to the management of the planning area through liaison, co-operative work programs, research and monitoring.



Maggies campsite. Photo – DBCA

Contents

Dedication	ii
Acknowledgements.....	iii
Executive summary	iv
Introduction	1
1. Management plan area	1
2. Key values and management issues	3
Management direction and context	5
3. Management context.....	5
4. Strategic direction.....	12
5. Performance assessment.....	13
Connection to country (managing cultural values)	14
6. Aboriginal cultural heritage.....	14
7. Other Australian cultural heritage.....	28
Caring for country (managing natural values)	33
8. Climate and projected climate change.....	33
9. Geology, landforms and soils	35
10. Hydrology	39
11. Native plants and plant communities	42
12. Native animals and habitats.....	47
13. Ecological communities	55
14. Weeds.....	56
15. Introduced and other problem animals.....	61
16. Plant and animal diseases.....	64
17. Marine and other pollution	64
18. Fire.....	66
People on country (managing recreation, tourism and community values)	70
19. Visitor planning.....	70
20. Visitor access.....	79
21. Visitor activities.....	85
22. Commercial operations	95
23. Community involvement.....	98
Using resources from country (managing economic and resource use)	99
24. Grazing.....	99
25. Mineral and petroleum exploration and development.....	100
26. Water resource use.....	101
27. Flora harvesting.....	101
28. Utilities and services.....	102
Keeping country healthy (monitoring and assessment).....	103
29. Research and monitoring.....	103

References.....	105
Appendices.....	115
Appendix 1. Tenure of the planning area.....	115
Appendix 2. Performance assessment.....	119
Appendix 3. Vegetation associations of the planning area.....	123
Appendix 4. Plants, animals and habitats of cultural significance.....	124
Appendix 5. Native animal records of the planning area.....	126
Appendix 6. Summary of fire management for Carnarvon Fire Management Area by vegetation type.....	133
Appendix 7. Guiding principles for fire management in landscapes dominated by spinifex grasslands.....	134
Appendix 8. Visitor numbers.....	135
Appendix 9. Visitor management settings criteria.....	137
Appendix 10. Recreation site classification.....	139
Appendix 11. Ningaloo Coast camping areas and day use sites.....	142
Tables	
Table 1. Key values, management issues and opportunities.....	3
Table 2. Summary of World Heritage values of the planning area and Ningaloo Marine Park as inscribed 2011.....	10
Table 3. Environmental weeds within or adjacent to the planning area.....	56
Table 4. Estimated visit days to the Ningaloo Coast (planning area and adjacent tourism lease areas).....	73
Figures	
Figure 1. Nynggulu (Ningaloo) coastal reserves.....	x
Figure 2. Native title within the planning area.....	6
Figure 3. Strategic direction within management plans.....	12
Figure 4. Aerial flight data for the Ningaloo Coast 2008-2019.....	72
Figure 5. Distribution of Ningaloo Coast campsites by location based on 2016 aerial flight data (not including Coral Bay).....	73
Maps	
Map 1. Locality.....	147
Map 2a. Visitor management settings (north).....	148
Map 2b. Visitor management settings (south).....	149
Map 3a. Recreation site classification and access.....	150
Map 3b. Recreation site classification and access.....	151
Map 3c. Recreation site classification and access.....	152
Map 3d. Recreation site classification and access.....	153




Figure 1. Nyinggulu (Ningaloo) coastal reserves



Introduction

This area was always known as “*Nyinggulu*” which means in our Baiyungu language – Nose.

The *Nyinggulu* coastal reserve joint management plan is a document we Baiyungu people are proud of. Stories passed down say that the *Nyinggulu* area would attract many people from other tribes especially from the Pilbara and Gascoyne and that they would gather for ceremonies and holidays.

Still to this day *Nyinggulu* is a gathering place it attracts many people of many cultures. The beauty of our traditional country is so unique we Baiyungu people are proud to share it with the world.

Baiyungu people's strong statement

Respect and look after our country
Our country will respect and look after you!!

Hazel Walgar, traditional owner, June 2020

This joint management plan for the *Nyinggulu* (Ningaloo) coastal reserves has been prepared by the Conservation and Parks Commission of Western Australia (Conservation and Parks Commission) through the Parks and Wildlife Service of the Department of Biodiversity, Conservation and Attractions (the department; or DBCA) jointly with the Nganhurra Thanardi Garrbu Aboriginal Corporation with support from Yamatji Marlpa Aboriginal Corporation (YMAC).

This joint management plan will guide management of the planning area for 10 years from the date the plan is gazetted. During this time, the department, together with the Nganhurra Thanardi Garrbu Aboriginal Corporation and the Conservation and Parks Commission may make amendments to the plan under section 61 of the *Conservation and Land Management Act 1984* (CALM Act), with any proposed changes first released for public comment. If the plan is not reviewed and replaced by the end of the 10-year period, this plan will remain in force until a new plan is approved.

1. Management plan area

The planning area (approximately 70,400ha) is located within the Gascoyne area of Western Australia, along the coast adjacent to and including part of Ningaloo Marine Park and the Ningaloo Coast World Heritage Area, south of the main Cape Range National Park and the Commonwealth Defence land (see Figure 1, Map 1 and Appendix 1). The planning area, to be known as the *Nyinggulu* (Ningaloo) coastal reserves, includes all of the existing and proposed conservation reserves of the Ningaloo Coast landward of the high water mark between Red Bluff and near Winderabandi Point:

- Nyinggulara National Park (A53770, 27,094ha)
- Nyinggulu Coastal Reserve (R53686, 21,362ha)
- the coastal strip¹ of Ningaloo Marine Park (A40079², 557ha) which extends 40m landward from high water mark between Amherst Point and just to the north of Winderabandi Point (the southern boundary of the Commonwealth Defence Land)
- Point Cloates (Perth Hill) Lighthouse Reserve (A44892, 0.14ha)
- Coral Bay Foreshore Reserve (C37500, 6ha)
- proposed additions such as the remainder of former Ningaloo Station (21,210ha) and unallocated Crown land adjacent to Coral Bay townsite (21ha).

¹ This coastal strip is included in the *Management Plan for the Ningaloo Marine Park and Muiron Islands Marine Management Area* (CALM 2005a) but is now included in the planning area for this joint management plan. Once this plan is gazetted it will replace CALM (2005a) as the guiding document for the reserve.

² This land was reserved for foreshore protection under the *Land Act 1933* in 1987. All terrestrial access to the Ningaloo Marine Park must occur through this coastal strip between Amherst Point and Winderabandi Point; apart from *Murlanda* (Mauds Landing) and Coral Bay townsite.



Cape Farquhar area.

Nyinggulara National Park and Nyinggulu Coastal Reserve were created in October 2020 as the result of successive State governments, since the 1970s, identifying the need to create public conservation and recreation reserves along the Ningaloo coast. The coastal land was identified in the Environmental Protection Authority's *Conservation Through Reserves Committee* recommendations, other planning documents and CALM Act management plans (CTRC 1974, CALM 1987, WHCC 2004, CALM 2005a, CALM 2005b, DEWHA 2007, DEC 2010 and Ecoscape 2010).

They were created from the coastal unallocated Crown land strip 40m (two chains) landward of the high water mark from Red Bluff to Amherst Point, Mauds Landing ex-townsite and Point Maud unallocated Crown land, the foreshore reserve adjacent to 3 Mile Camp (C41869) and land previously part of the adjacent pastoral stations³ (see Section 7 *Other Australian cultural heritage*). Either prior or during lease negotiations, Quobba, Gnaraloo and Cardabia pastoral lease holders secured tourism leases under the *Land Administration Act 1997* for camping enclaves within the planning area (Red Bluff, 3 Mile Camp and Bruboodjoo). These camping enclaves will continue to be tourism opportunities along with homestead accommodation within and alongside the planning area.

To create Nyinggulara National Park and Nyinggulu Coastal Reserve (and other additions to Cape Range National Park and Ningaloo Marine Park) in accordance with the Commonwealth *Native Title Act 1993*, the Western Australian Government has entered into an Indigenous Land Use Agreement (ILUA) with the Nganhurra Thanardi Garrbu Aboriginal Corporation (see Section 3 *Joint management*).

Nyinggulara National Park protects the southern extent of the Cape Range formation and south of Jane Bay the Nyinggulu Coastal Reserve (a CALM Act section 5(1)(h) reserve for 'conservation and recreation'⁴) incorporates the coastal land adjacent to Ningaloo Marine Park (Appendix 1). This will provide contiguous management between Ningaloo Marine Park and the planning area and the ability to manage cross boundary issues effectively. Management of the intertidal area⁵ between reserves will be complementary with regards to waste management, interpretation and educational themes, track management, turtle and seabird conservation, feral animal control and coastal revegetation. Nyinggulara National Park and Nyinggulu Coastal Reserve are jointly vested⁶ in the Conservation and Parks Commission and the Nganhurra Thanardi Garrbu Aboriginal Corporation (see Section 3 *Management context - Joint management*).

Proposed additions within the planning area include the unallocated Crown land adjacent to Coral Bay townsite and the remainder of former Ningaloo Station (Figure 1, Appendix 1). These will be incorporated into the conservation estate through the negotiation of a further ILUA.

The creation of the public conservation and recreation reserves will now provide statutory protection under the CALM Act across the Ningaloo Coast and enable a joint management framework with the traditional owners to conserve and protect the values of the area. Having these reserves will provide ongoing access for all Western Australians, and national and international visitors, and will enable conservation of the significant natural and cultural values within the planning area and contiguous integrated management across the marine and terrestrial environments. The reserves will also provide for investments in nature-based tourism such as tours and walking trails and opportunities for employment and commercial partnerships with traditional owners. Affordable low-key camping and caravanning along the coast will be retained.

³ The process included determining future State land requirements through consultation with state and local government agencies and the then Minister (for lands) notifying all affected pastoral lessees (of Ningaloo, Cardabia, Warroora, Gnaraloo and Quobba stations) of areas to be excluded from a renewed or extended lease from 1 July 2015 as early as in November 2002.

⁴ The creation of these reserves does not extinguish native title and traditional owners can continue to exercise their native title right unless inconsistent with the management and operation of the reserves.

⁵ Within the planning area, *Nyinggulu* coastal reserve extends either landwards from the existing coastal strip of Ningaloo Marine Park (north of Amherst Point) or from high water mark (south of Amherst Point) with the intent that the area between high and low water mark to be included in the adjoining Ningaloo Marine Park where it is not already.

⁶ Vesting is a process where a reserve is placed under the care, control and management of an appropriate body/bodies.

2. Key values and management issues

This joint management plan focuses on the conservation and protection of the cultural heritage, natural environment, recreation and tourism values within the planning area. This will include developing, supporting and promoting traditional owner involvement, joint management, employment and career development.

This plan identifies management strategies to protect these values and opportunities which will continue to be informed by research and monitoring to enable adaptive management decisions. Management issues are pressures, threats, risks or challenges that have already or may in the future impact on the protection of key values. The key values and management issues are summarised in Table 1, which also highlights some of the opportunities within the planning area. Background text in each section supports and further explains these values, management issues and opportunities. The management strategies in this plan have been developed to address the potential impacts of these management issues on the protection of key values.

Table 1. Key values, management issues and opportunities

Values	Management issues	Opportunities
Culture and heritage		
<ul style="list-style-type: none"> • Connection to country • Traditional cultural knowledge • Significant sites (registered and otherwise) • Plants and animals of cultural significance • Customary activities, including ceremonial and hunting activities • European heritage associated with early explorers, shipping, pastoralism, whaling, rock lobster and turtle fisheries as well as heritage associated with the afghan and north Indian cameleers and traders 	<ul style="list-style-type: none"> • Impacts from inappropriate visitor access or activities • Traditional owners may feel disconnected to country • Impacts from introduced animals • Impacts from weeds • Historical impacts to the environment from pastoralism • Mining and mineral exploration • Visitor risk at European heritage sites 	<ul style="list-style-type: none"> • Joint management between DBCA and traditional owners • Access for traditional owners to country for customary activities • Employment of traditional owners on country • Increased cultural awareness of DBCA • Development of new education and interpretation programs • Tourism and commercial opportunities for traditional owners • Greater ability to integrate marine and terrestrial management
Natural		
<ul style="list-style-type: none"> • Landscape and coastal scenery values • Geological features of national heritage and cultural significance • Freshwater soaks • Watering points of cultural significance • Conservation significant plants, animals and communities e.g turtles, rock wallabies, shorebirds and cave fauna • Food and medicinal plants • Culturally significant animals and <i>thalu</i> e.g. totems, bush tucker • Habitat values (e.g. karst, turtle nesting areas, seabird and shorebird roosting and breeding areas) • Area of transition between temperate and tropical zones 	<ul style="list-style-type: none"> • Need to incorporate traditional ecological knowledge • Inappropriate fire regimes • Impacts from weeds • Impacts from introduced animals, in particular foxes, feral cats and goats • Environmental impacts e.g dune erosion, vegetation removal, habitat destruction, turtle and/or seabird disturbance, marine and coastal pollution • Biodiversity knowledge gaps • Coastal erosion, changing climate and extreme weather events • Surface water run-off impacting on the quality 	<ul style="list-style-type: none"> • Joint management between DBCA and traditional owners • Sharing of traditional ecological knowledge • Integrated landscape-scale approach for the management of issues e.g. weeds, introduced animals and fire, in collaboration with neighbouring land managers • Greater ability to integrate marine and terrestrial management • Research and monitoring of the values to inform adaptive management • Dune rehabilitation works to restore natural vegetation • Promotion of the world heritage natural values

Values	Management issues	Opportunities
<ul style="list-style-type: none"> High level of diversity and endemism for reptiles and land snails 	<ul style="list-style-type: none"> of the receiving waters of the marine park Mining and exploration 	
Recreation, tourism and community		
<ul style="list-style-type: none"> Low-key remote recreational experiences, the 'Ningaloo experience' Landscapes and cultural heritage providing opportunities for a diverse range of cultural and nature-based visitor experiences including four-wheel driving and camping Terrestrial base for accessing, exploring and appreciating the adjacent Ningaloo Reef Commercial nature-based tourism operations 	<ul style="list-style-type: none"> Environmental impacts from inappropriate visitor access or activities e.g four-wheel driving, pressure from recreational fishing, firewood collection, inappropriate waste disposal Duplication of access and vegetation clearing associated with recreational use Light pollution and effects of artificial light on fauna Maintaining four-wheel drive road access routes Managing visitor risk issues associated with access and activities Extreme weather events 	<ul style="list-style-type: none"> Joint management between DBCA and traditional owners Continued sustainable public access to the Ningaloo Coast Social and economic benefits for traditional owners and local communities Communication with visitors, commercial operators and external organisations Continuing education and interpretation programs Maintain a spectrum of recreation opportunities along the coast Greater ability to integrate marine and terrestrial management Easier management of the marine environment through managing visitors and access on land Establish 'dark sky' experiences New commercial operations of appropriate type, style, size and scale Existing and ongoing social research



South Lefroy. Photo – Josh Baker.



Management direction and context

This joint management plan aims to conserve and protect the values of the planning area in the long term. It provides a summary of operations proposed to be undertaken in the planning area as guided by the department, traditional owners and Conservation and Parks Commission policies and guidelines⁷. This joint management plan also provides guidance for operational documents that provide more specific on-ground management direction that allow for adaptive management.

The planning area will be managed through a landscape-scale approach that seeks to enable a coordinated management of visitors, fire, weeds and introduced animals in collaboration with neighbouring land managers. This joint management plan should be viewed as part of a wider management framework for the lands and waters that occur within and around the planning area, in particular the adjoining Ningaloo Marine Park and nearby Cape Range National Park. Existing management plans for these areas include the *Management Plan for the Ningaloo Marine Park and Muiron Islands Marine Management Area* (CALM 2005a) and *Cape Range National Park Management Plan* (DEC 2010). All State and local government planning strategies have been considered when preparing this management plan.

3. Management context

Legislation and policy

The planning area will be managed in accordance with the provisions of the CALM Act, *Biodiversity Conservation Act 2016*, the Commonwealth *Environment Protection and Biodiversity Conservation Act 1999* (EPBC Act) and other relevant legislation and policies⁸ mentioned throughout this plan.

In preparing a management plan for any land, the department has the legislative objective of achieving or promoting the purpose for which the land is reserved and in particular for this planning area the management plan shall be designed in the case of:

- Nyinggulara National Park, to fulfil so much of the demand for recreation by members of the public as is consistent with the proper maintenance and restoration of the natural environment, the protection of indigenous flora and fauna and the preservation of any feature of archaeological, historic or scientific interest (section 56(1)(c) of the CALM Act)
- the Ningaloo Marine Park coastal strip, to achieve, or to promote as far as possible, the purposes of allowing only that level of recreational and commercial activity which is consistent with the proper conservation and restoration of the natural environment, the protection of indigenous flora and fauna and the preservation of any feature of archaeological, historic or scientific interest (section 56(1)(db) of the CALM Act)
- Nyinggulu Coastal Reserve and other section 5(1)(g) and (h) reserves, to achieve the purpose for which the land was vested in, or for which the care, control and management of the land were placed with, the Conservation and Parks Commission, whether solely or jointly (section 56(e) of the CALM Act).

In preparing a management plan for any land, the department also has a second objective under the CALM Act of:

- protecting and conserving the value of the land to the culture and heritage of Aboriginal persons, in particular from any material adverse effect caused by (i) entry on or the use of the land by other persons; or (ii) the taking or removal of the land's fauna, flora or forest produce; but in a manner that does not have an adverse effect on the protection or conservation of the land's fauna and flora.

If the first objective conflicts or is inconsistent with the second objective, the latter prevails.

⁷ Departmental policies can be found at: www.dpaw.wa.gov.au/about-us/36-policies-and-legislation. The Conservation and Parks Commission Position Statements can be found at www.conservation.wa.gov.au/publications/position-statement.

⁸ Relevant legislation can be found on the State Law Publisher's website: www.slp.wa.gov.au

Under the Commonwealth Government’s EPBC Act, actions that have, or are likely to have, a significant impact on a matter of national environmental significance (e.g. threatened species and ecological communities, migratory species, world heritage properties and national heritage places), need approval from the responsible Australian Government Minister, in addition to any approval that may be needed in Western Australia.

Native title

On 17 December 2019, it was determined by consent⁹ that the Baiyungu and/or Thalanyji people had exclusive and non-exclusive native title over lands and waters in the determination area that includes the majority of the planning area (see Figure 2).




Figure 2. Native title within the planning area

⁹ A consent determination is a decision made by a court, usually the Federal Court of Australia, where there is agreement (consent) between the parties about native title rights and interests in relation to lands and waters, consistent with the *Native Title Act 1993* (Commonwealth).

The nature and extent of the native title rights and interests in relation to the determination area are that they confer the following non-exclusive rights and interests¹⁰ on the Baiyungu and/or Thalanyji native title holders including the right to conduct activities necessary to give effect to them:

- the right to enter and remain on the Non-Exclusive Areas, camp, erect temporary shelters, and to travel over and visit any part of the Non-Exclusive Areas
- the right to hunt, fish, gather, take and use the resources of the Non-Exclusive Areas
- the right to take and use water
- the right to engage in cultural activities on the Non-Exclusive Areas, including:
 - visiting places of cultural or spiritual importance, protecting and maintaining those places by carrying out activities to preserve their physical or spiritual integrity
 - conducting and participating in ceremony and ritual, including burials, burial rites and the transmission of cultural knowledge
- the right to light contained and controlled fires for domestic, cultural and spiritual purpose but not for the clearance of vegetation
- the right to be accompanied on to the area by those people who, though not native title holders and who (for the avoidance of doubt) cannot themselves exercise any native title right in the area, are either:
 - the spouses, partners, parents or children of the native title holders
 - people who are members of the immediate family of a spouse, partner, parent or child of a native title holder
 - people entering the Non-Exclusive Area in connection with the performance of ceremonies or cultural activities in accordance with traditional laws and customs.

The nature and extent of the native title rights and interests in relation to the Exclusive Areas are:

- except in relation to flowing and underground water, the right to possession, occupation, use and enjoyment to the exclusion of all others
- in relation to flowing and underground water, the right to use and enjoy the flowing and underground water, including:
 - the right to hunt on, fish from, take and use the traditional resources of the flowing and underground water
 - the right to take and use the flowing and underground water.

The Exclusive Areas within the planning area include: *Gabarlawangganyja* (Dog Rock), *Nyilleri* (Oyster Bridge), *Murlanda* (Mauds Landing), *Mini Minimara* (Five Fingers) and *Bulbarli*.



Traditional owners outside the Gwoonwardu Mia Gascoyne Aboriginal Heritage and Cultural Centre in Carnarvon after the witnessing the historic native title determination hearing 17 December 2019 where they were formally recognised as the native title holders. Photo – Simon Choo

¹⁰ There are some specific qualifications on these rights and interests contained within the native title determination www.judgments.fedcourt.gov.au/judgments/Judgments/fca/single/2019/2019fca2090.

The Baiyungu and/or Thalanyji native title holders have nominated the Nganhurra Thanardi Garrbu Aboriginal Corporation (ICN 9183) pursuant to section 56(2)(a) of the Native Title Act to hold the determined native title in trust for the Baiyungu and/or Thalanyji native title holders.

Joint management

The planning area will be jointly managed by the traditional owners and the department. Joint management will be given effect under the CALM Act through a section 56A Joint Management Agreement (JMA) between the department and the native title holders; the Nganhurra Thanardi Garrbu Aboriginal Corporation. The Western Australian Government is negotiating ILUAs¹¹ with the Nganhurra Thanardi Garrbu Aboriginal Corporation to ensure the creation of the reserves meets the requirements of the Native Title Act. The first ILUA was registered 1 October 2020 and allowed the creation and joint vesting of the Nyinggulara National Park and Nyinggulu Coastal Reserve as well as other additions to Cape Range National Park and Ningaloo Marine Park. Another ILUA is being negotiated that includes further additions to the Nyinggulu Coastal Reserve. The management plans for Cape Range National Park and Ningaloo Marine Park will be amended to allow for joint management and vesting.

Joint management

Let's work together to protect our unique coastline because it is very important to us traditional owners and future generations.

Hazel Walgar, traditional owner, January 2017

Informal joint management with the traditional owners commenced during the preparation for the creation of the reserves, drafting of the joint management plan and several aboriginal rangers were employed in 2018 for the planning area and other conservation estate within the Exmouth District. Formal joint management for the planning area can commence once the JMA has been signed and attached to this management plan. The JMA will outline the establishment of a Joint Management Body (JMB) with representatives from the Nganhurra Thanardi Garrbu Aboriginal Corporation and the department to manage the planning area in accordance with the agreement and the CALM Act. The representatives from the Nganhurra Thanardi Garrbu Aboriginal Corporation on the JMB will ensure the traditional owners will have an opportunity to make decisions about how their country is looked after and be able to set priorities for implementing this management plan.



Traditional owners and departmental staff during an on-country planning trip January 2017. Photo - Emma West/DBCA

The JMB will oversee management of the planning area, make management decisions, provide strategic input into how management strategies are implemented, and monitor implementation of the plan. Operational responsibility will be

¹¹ An ILUA can be negotiated over areas where native title has, or has not yet, been determined. They can be part of a native title determination, or settled separately from a native title claim. An ILUA can be negotiated and registered whether there is a native title claim over the area or not.

coordinated by the department, under the guidance of the JMB and as agreed in the JMA (see Section 6 *Aboriginal cultural heritage*).

Applying a joint management framework will enhance the protection of culture and heritage, geology and landforms, plants, animals and habitats, while allowing culturally appropriate opportunities for recreation and tourism. The joint management framework will also apply to research and monitoring and the management of fire, weeds, introduced animals, resources and utilities.

World Heritage

The Ningaloo Coast including Cape Range National Park and Ningaloo Marine Park (State and Commonwealth waters) was inscribed on the World Heritage List in June 2011 for its outstanding natural values (UNESCO 2011). The World Heritage listing recognises the outstanding universal value of the area's diverse and abundant marine life, its unique cave fauna and the spectacular contrast between the colourful underwater scenery and the arid and rugged land of the Cape Range.

Within the planning area, the Ningaloo Marine Park coastal strip (A40079) is part of the Ningaloo Coast World Heritage Area¹². Management of the planning area needs to protect and conserve the World Heritage values of the Ningaloo Marine Park coastal strip as well as not impact the remainder of the Ningaloo Coast World Heritage Area. Any action within or adjacent to the planning area that may have a significant impact on the listed property's World Heritage values will need to be assessed under the EPBC Act (see above *Legislation and policy*).

It is proposed to amend the Ningaloo Coast World Heritage Area boundary to include the remainder of the planning area as per the intent of the original nomination (DEWHA 2010) and in keeping with the recommendations of the World Heritage Committee (UNESCO 2011) (see Section 12 *Native animals and habitats*). This will ensure all the conservation estate along the Ningaloo Coast is within the World Heritage boundary.

The fundamental criterion for a place to be entered in the World Heritage List is that it should be "of outstanding universal value" – cultural and/or natural significance so exceptional that it transcends national boundaries and is of common importance for present and future generations of all humanity.

This concept of outstanding universal value has been teased apart in the *Operational Guidelines*¹³ for different categories of value to produce a total of 10 specific criteria.

The Ningaloo Coast area was deemed to meet the following two criteria (WHC 2008, UNESCO 2011):

- criterion (vii) contain superlative natural phenomena or areas of exceptional natural beauty and aesthetic importance

*The landscapes and seascapes of the property are comprised of mostly intact and large-scale marine, coastal and terrestrial environments. The lush and colourful underwater scenery provides a stark and spectacular contrast with the arid and rugged land. The property supports rare and large aggregations of whale sharks (*Rhincodon typus*) along with important aggregations of other fish species and marine mammals. The aggregations in Ningaloo following the mass coral spawning and seasonal nutrient upwelling cause a peak in productivity that leads approximately 300-500 whale sharks to gather, making this the largest documented aggregation in the world.*
- criterion (x) contain the most important and significant natural habitats for in-situ conservation of biological diversity, including those containing threatened species of outstanding universal value from the point of view of science or conservation

In addition to the remarkable aggregations of whale sharks the Ningaloo Reef harbours a high marine diversity of more than 300 documented coral species, over 700 reef fish species, roughly 650 mollusc species, as well as around 600 crustacean species and more than 1,000 species of marine algae. The high numbers of 155 sponge species and 25 new species of echinoderms add to the significance of the area. On the ecotone, between tropical and temperate waters, the Ningaloo Coast hosts an unusual diversity of marine turtle species with an estimated 10,000 nests deposited along the coast annually.

The majority of subterranean species on land, including aquatic species in the flooded caves are rare, taxonomically diverse and not found elsewhere in the southern hemisphere. The combination of relict rainforest

¹² The remaining areas of the Ningaloo Coast World Heritage Area include Ningaloo Marine Park (State and Commonwealth waters), Cape Range National Park, the Commonwealth Defence land, Bundegi and Jurabi coastal parks, Murion Islands and marine management area.

¹³ The *Operational Guidelines* are periodically revised to reflect the decisions of the World Heritage Committee. At the time of inscription, the latest English version was dated January 2008. At the time of writing this management plan the latest version is July 2017, and the criteria remain the same. However, the criteria may change during the life of the plan. The latest version can be accessed here: whc.unesco.org/en/guidelines (English).

fauna and small fully aquatic invertebrates within the same cave system is exceptional. The subterranean fauna of the peninsula is highly diverse and has the highest cave fauna (troglomorphic) diversity in Australia and one of the highest in the world. Above ground, the diversity of reptiles and vascular plants in the drylands is likewise noteworthy.

The World Heritage Committee recommended (UNESCO 2011) that the area be re-nominated to include criterion:

- (ix) be outstanding examples representing significant on-going ecological and biological processes in the evolution and development of terrestrial, fresh water, coastal and marine ecosystems and communities of plants and animals.

There also may be basis for also including cultural criterion to the listing.

It is the role of the State Government (primarily through DBCA) to assist the Commonwealth Government in meeting Australia’s obligations under the World Heritage Convention, to identify, protect, conserve, present and transmit the outstanding universal value of the Ningaloo Coast World Heritage Area to future generations. In 2013 by agreement between the Commonwealth and Western Australia governments the Ningaloo Coast World Heritage Committee (NCWHAC) was established as a representative stakeholder group. Membership aims to cover a wide range of expertise and community interests including indigenous heritage, planning, tourism and recreation, science, conservation and business. The role of the NCWHAC is to:

- provide advice to the Commonwealth and State Environment Ministers on the protection, conservation, presentation and management of the values of the World Heritage area
- develop and provide input into initiatives and opportunities for the promotion and presentation of the World Heritage area values to the local, national and international communities
- contribute to enhancing the stewardship and connection of the community to the World Heritage area
- nominate members from the NCWHAC to represent the Committee on the Australian World Heritage Advisory Committee and the Australian World Heritage Indigenous Network.

In terms of liaison between the department and the NCWHAC, the department will consult with NCWHAC (and relevant State and Commonwealth governments) regarding amendments to the World Heritage Area boundary to include the remainder of the planning area, investigate additional criteria and report regularly on management of the World Heritage values. The department will ensure that the NCWHAC includes two traditional owner members of the JMB and the JMB will ensure that World Heritage obligations are met through appropriate management of the planning area. Table 2 is an attempt to highlight the World Heritage values of the planning area against the broader picture of the World Heritage area. These World Heritage values are also incorporated into the key values in Section 2 *Key Values and management issues*. Further values may be included in the renomination process.

Table 2. Summary of World Heritage values of the planning area and Ningaloo Marine Park as inscribed 2011

World Heritage values	Planning Area (landward of HWM)	Ningaloo Marine Park (seaward of HWM)
Superlative natural phenomena or areas of exceptional natural beauty and aesthetic importance	<ul style="list-style-type: none"> • Landscapes of intact coastal and terrestrial environments • Arid and rugged land in contrast to the lush and colourful underwater scenery 	<ul style="list-style-type: none"> • Seascapes of intact and large-scale marine environments • Lush and colourful underwater scenery in contrast to the arid and rugged land • Rare and large aggregations of whale sharks along with important aggregations of other fish and marine mammals
Important and significant natural habitats for in-situ conservation of biological diversity	<ul style="list-style-type: none"> • Marine turtle diversity • Subterranean species including the combination of relict rainforest fauna and small fully aquatic invertebrates* • Cave fauna (troglomorphic) diversity* • Dryland reptile and vascular plant diversity* 	<ul style="list-style-type: none"> • Remarkable whale shark aggregations • High marine diversity^ • Marine turtle diversity

* This is subject to further surveying and investigation within the planning area.

^ Some crustacean species such as crabs may utilise the planning area landward of HWM.

National Heritage

Although not all the planning area is yet covered by the World Heritage listing, all of the planning area is covered within the Ningaloo Coast National Heritage Place which was listed on the *National Heritage List* in 2010 (AHDB 2010). Any action within the planning area that may have a significant impact on the listed property's National Heritage values will also need to be assessed under the EPBC Act (see above *Legislation and policy*).

The Ningaloo Coast National Heritage Place includes the Exmouth Peninsula and the Ningaloo Reef and it is considered to have outstanding natural heritage value, meeting several criteria:

- (a) the place has outstanding heritage value to the nation because of the place's importance in the course, or pattern, of Australia's natural or cultural history
The uplifted terraces and fossil reefs in immediate juxtaposition with the modern Ningaloo Reef and Tantabiddi Terrace have outstanding natural heritage value to the nation for their contribution to understanding mechanisms which led to the modern character of the west coast of Australia (see Section 9 *Geology, landforms and soils*). *The rock shelters of Exmouth Peninsula provide the best evidence in Australia for the use of marine resources during the Pleistocene including their uses as food and for personal adornment* (see Section 6 *Aboriginal cultural heritage*).
-
- Monument Cliffs, including some fossilised reefs 116,000 to 117,000 years old.
- (b) the place has outstanding heritage value to the nation because of the place's possession of uncommon, rare or endangered aspects of Australia's natural or cultural history
As the only example in Australia of a Tertiary orogenic karst and a rare example of active marine karst solution, the Ningaloo Coast contains rare aspects of Australia's natural history (see Section 8 *Geology, landforms and soils*).
 - (c) the place has outstanding heritage value to the nation because of the place's potential to yield information that will contribute to an understanding of Australia's natural or cultural history
The Exmouth Peninsula subterranean estuary has outstanding heritage value to the nation for supporting the most diverse and the richest anchialine and groundwater fauna in Australia, among the richest in the world. These ecosystems and the troglobites and stygofauna they support have the potential to yield information about biogeography, evolution and changing climates in Australia over hundreds of millions of years, from the late Palaeozoic to the present. Given that only a handful of the caves and rock shelters of the Exmouth Peninsula region has been investigated the place has outstanding heritage value to the nation because of its potential to provide further insights into marine resource use by Aboriginal people in the Pleistocene and the less well understood last glacial maximum (see Section 12 *Native animals and habitats*).
 - (d) the place has outstanding heritage value to the nation because of the place's importance in demonstrating the principal characteristics of:
 1. a class of Australia's natural or cultural places; or
 2. a class of Australia's natural or cultural environments.

The Ningaloo Coast demonstrates the principal characteristics of a Tertiary karst environment in Australia, including a high concentration of karst features and subterranean ecosystems of global importance, unparalleled in Australia and a geological, hydrological and ecological unity which harmonises the region's present ecosystem functions with its evolutionary history as a time-series of coral reefs and an evolving karst system (see Section 8 *Geology, landforms and soils*).
 - (f) the place has outstanding heritage value to the nation because of the place's importance in demonstrating a high degree of creative or technical achievement at a particular period.
The evidence for standardisation in size and manufacture of the shell beads found at Mandu Mandu Creek rockshelter, coupled with the fact they provide the earliest unequivocal evidence for the creation of personal ornaments in Australia, demonstrates a high degree of creative and technical achievement (see Section 6 *Aboriginal cultural heritage*).

4. Strategic direction

Vision

To jointly manage the *Nynggulu* (Ningaloo) coastal reserves with traditional owners to protect the rich cultural heritage and conserve the coastal reserves' outstanding natural values. Together we will maintain a low-key recreation experience, welcoming and encouraging visitors to enjoy, understand and respect the culture and other values of the area. Throughout the life of the plan, our focus will be on having a healthy country and healthy people.

Objectives

In addition to the legislative objectives of the management plan (see Section 3 *Management context*), the following objectives have been developed for the management plan.

Strategic objectives

The following strategic objectives state the overarching direction for management of the planning area and provide a link between the vision statement and management objectives:

- To protect and conserve the cultural and heritage values of the land while supporting traditional owner customary activities, employment and career progression, and business opportunities.
- To protect and conserve biodiversity and geological, hydrological and ecological integrity of the planning area and the adjoining Ningaloo Marine Park.
- To support and enhance compatible recreation and tourism experiences for the appreciation of the planning area's remote landscape, natural and cultural heritage values.
- To minimise impacts from economic and resource use on the values of the planning area.
- To increase understanding of the values and management issues of the planning area, and gain knowledge to guide, adapt and improve management.

The following parts of the management plan (e.g. *Connection to country*) follow these strategic objectives.

Management objectives

Within each part, the values and management issues are organised into sections (e.g. Section 11 *Native plants and plant communities*) and each one has a management objective. The strategies within each section are presented to deliver on these management objectives. A selection of the values and management issues have Key Performance Indicators (KPIs) assigned to them to measure performance and adequacy of the management plan (see Section 5 *Performance assessment*). See Figure 3 for more details.



Figure 3. Strategic direction within management plans

5. Performance assessment

Assessment is an important component of an adaptive management framework and can signal where management may need to be altered if it is not successfully meeting management objectives. Monitoring and evaluating the outcomes of management strategies, and reporting against the KPIs¹⁴ allows the implementation of the plan and management effectiveness to be assessed.

Research and monitoring and other strategies (see Section 29 *Research and monitoring*) will include gaining a better understanding of those values identified over the life of the plan as being most at risk and the threats most likely to impact on cultural, natural, recreation and tourism values. This will inform and improve management of those values.

The Conservation and Parks Commission is the statutory body responsible for periodic assessment of this management plan and will measure the success of this plan in accordance with section 19(1)(g)(iii) of the CALM Act. The JMB, Nganhurra Thanardi Garbu Aboriginal Corporation and the department will provide information to the Conservation and Parks Commission on request to enable an assessment of the plan's implementation as well as an assessment of how the plan is performing against the strategic and management objectives. The assessment may be carried out in conjunction with the JMB.

This dual output and outcome-based approach provides a robust framework to support adaptive national park management. Other than the Conservation and Parks Commission's periodic assessment of the plan, the JMB will seek departmental reports on the implementation of the plan and the KPIs at the required reporting intervals stated within this plan. The department will continually assess the adequacy of the plan and any need to amend the plan during the life of the plan.

Key performance indicators

A set of KPIs¹⁵ has been chosen to target key components of the plan. The application of a KPI is identified throughout the plan and presented with performance measures, targets and reporting requirements at the end of each section's strategies where applicable. The KPIs are linked to management objectives and strategies, and reflect the highest conservation and management priorities of the Conservation and Parks Commission, the department, joint management partners and the community for this planning area. For a summary of objectives and KPIs see Appendix 2.

Some of the KPIs in this management plan measure changes in populations. Monitoring trends in populations should include monitoring of pressure trends and natural variance as well so that any sustained change (i.e. a continuous decrease or increase) will trigger the requirement for, and type of, management intervention.

Portfolio of evidence

The department will establish and maintain a portfolio of evidence relating to the KPIs throughout the life of the plan to enable measurement of implementation and management effectiveness of actions. The first step is establishing protocols for collecting data and adequate baseline data for each indicator. The next step is to regularly monitor the performance measure so that when the reporting requirement is reached (e.g. in this plan annually or every two to five years), the data has already been collected and some preliminary analysis has already occurred. The results should be reported to the JMB at least at the nominated reporting intervals and then to the Conservation and Parks Commission on request. The Conservation and Parks Commission may audit the management plan at the end of a ten-year period or mid-term depending on their audit schedule.

The implementation of this plan and any assessment for amendment or review is under direction of the local District office, so the portfolio of evidence for this management plan will be collected by the Exmouth District office of the department in consultation with other areas of the department such as Parks and Visitor Services, Biodiversity and Conservation Science and Conservation and Ecosystem divisions.

Some examples of evidence that may be used to assess implementation of this plan include:

- specific, quantitative monitoring of significant assets such as conservation significant flora and fauna
- series of photographs, mapping or other imagery that show whether spatial and temporal changes have occurred
- checklists
- surveys
- incident reports or records
- other written documents or correspondence.

¹⁴ KPIs encompass a performance measure, target and reporting requirements.

¹⁵ Refer to Conservation Commission (2014a) for guidelines on selecting KPIs.

Connection to country (managing cultural values)

Strategic objective

To protect and conserve the cultural and heritage values of the land while supporting traditional owner customary activities, employment and career progression, and business opportunities.

6. Aboriginal cultural heritage

Aboriginal people of the planning area

The planning area covers the traditional lands of the Baiyungu, the (west) Thalanyji and Yinikurtura who lived on the North West Cape and its peninsula (Bates 1913, Brandenstein 1967, Tindale 1974, Austin 1992).

Evidence suggests that these Aboriginal people have inhabited the area of the North West Cape and Ningaloo Coast for at least 32,000 years (Morse 1993a, b, c). They were predominantly coastal dwelling peoples with an economy that focused on marine resources including turtles, turtle eggs, fish and shellfish such as terebralia, melo and rock oyster (McGann 1999, Chisholm 2013).

The Aboriginal people camped primarily in open-air sites in the dunes adjacent to the tidal mudflats and mangroves (there is evidence for mangroves once existing in the planning area) which provided the majority of their food resources (Lantze, Murphy and Hammond 1995). The local environment also provided rock overhangs and rockshelters in the gorges and along the coast that would also have been used for habitation and as a refuge during inclement weather (Lantze, Murphy and Hammond 1995).

The Aboriginal people also exploited a variety of vegetation for both food and medicinal purposes. For example, when Francis Gregory explored the Gascoyne region in 1858 he observed local Aboriginal people collecting and processing seeds, roots and other plant matter (Petkovic 2007).



Shell fragments including fragments of the large baler shell (*Melo* species) which was used for carrying water at one of the many unsurveyed Aboriginal heritage sites.

The Aboriginal people also manufactured a wide range of tools including lithic artefacts made from the local silicified limestone as well as imported 'exotic' materials. Shells (in particular baler shell) were used to carry water and also worked into tools. The presence of adzes and adze slugs in some of the artefact scatters is also possible evidence of wood working activities undertaken by the groups (Lantze *et al.* 1995). Ethnographically, boomerangs and spears were very important to the Aboriginal people who used them for hunting and warfare (Clark 1992). Composite barbed spears in particular were very important for fishing. Gregory, also observed the Aboriginal people using wooden 'scoops' to carry grain and root vegetables. This grain (most likely spinifex or native grass seeds) could then be processed using a grindstone and muller to produce flour that could be made into flat bread and baked in the fire (Petkovic 2007).

The close proximity of the North West Cape to colonial shipping routes meant the Aboriginal people may have been familiar with the sight of European ships on their way north prior to white contact. While the coastline was first sighted in 1616, no Europeans settled in the planning area until 1889 (see Section 7 *Other Australian cultural heritage*).

First recorded contact within the planning area occurred in October 1875 when the barque *Stefano* wrecked on the coast towards the south of the Cape. Two crew members of the *Stefano* survived after relying on the local Aboriginal people for their survival for several months (Petkovic 2007).

“When we arrived, natives who were already camped there greeted us with joy and, more importantly, with food and water. We were somewhat restored. Our benefactors, taking care to allow space for our abdomens which were distended from starvation, dug holes in the sand where we were to sleep.”

“The next day we were further improved, even though we were too feeble to walk much. We rested and ate and drank as much as we wanted. The men fished most of the day while the women and children gathered berries, fruit, and firewood. Periodically, they took some water to the men. Toward evening when the men returned, they made it clear to us that they wanted us to stay with the tribe and go with them when they resumed their wanderings. We knew our basic needs were food and water and they made us realise these would best be provided by them..., even though we knew it wouldn't be easy because they had to move far and fast each day in order to gather enough from the scant supply to keep from starving. We rested at the well-site meeting ground for about a week. We were learning a lot about the daily routine of these people. Their needs were few; they were in perfect balance with nature. There was no surplus nor waste and, although they occasionally went hungry, there didn't seem to be periods of famine.”

Account January 1876 by the survivors of the wreck of the barque *Stefano* (Rathe 1990)

The 1870s onward brought pastoralism to the larger Gascoyne area (see Section 7 *Other Australian cultural heritage*), with physically able Aboriginal people being solicited to perform stock and housework for the white station owners, in return for often meagre rations (Clark 1992, Goode *et al.* 2014). The introduction of pastoral settlements brought foreign animals and fenced lands, forcing the Aboriginal people away from their traditional runs, hunting places and ceremonial sites. Cattle stations and later sheep stations spread over tribal lands, depleting and fouling water supplies and declining the numbers of native animals in the area (Machin 1998).

The introduction of new diseases that the European settlers brought with them was often fatal for the Aboriginal people and in particular the population was severely impacted through the introduction of disease and other aspects associated with colonisation (Turner 1985, Berndt and Berndt 1999, Chisholm 2013).



The removal of Aboriginal children from their families into missions, such as those around Carnarvon and the Moore River Native Settlement, affected many traditional family and kin group social patterns. The resulting changes due to this displacement of the Aboriginal people from their traditional land led to fragmented family groups and loss of traditional language and identity. Those who continued to live on pastoral properties followed an adapted lifestyle allowing the Aboriginal people to live on or close to country, and maintain knowledge and connection despite living away from their land (Dagmar 1984, Clarke 1992).

The remains of the jetty at *Murlanda* (Mauds Landing) historically used for the wool trade but also, where Aboriginal people were taken by ship to Moore River.

Inset The jetty in 1919. Source: National Library of Australia, Michael Terry collection of negatives of his expeditions and travel, 1918-1971.

The introduction of the *Federal Pastoral Industry Award* (1968) that required pastoralists to pay their Aboriginal workers the same wages as their other staff led to the majority of the Aboriginal pastoral workers being laid off (Edmunds 1989). As a result, even more Aboriginal people were drawn into missions and developing towns, such as Onslow, Exmouth and Carnarvon (Wangka Maya Pilbara Aboriginal Language Centre 2007).

The pearling industry, which developed in Exmouth Gulf at the same time as the pastoral industry, also tended to relocate Aboriginal people, although in this case displacement meant that individuals were often taken a long way from their traditional lands and recruitment was often forced.

Twenty two years after the first Native Title claim, the traditional owners of today, the Baiyungu and Thalanyji people had their native title formally recognised over lands and waters that include the majority of the planning area (see Section 3 *Management context – Native title*). The Baiyungu and Thalanyji people will continue to have a role in looking after their Country through exercising their relevant procedural rights, such as the right to consultation, and the right to negotiate in relation to development in the determination area. DBCA is committed to managing the planning area and wider conservation lands jointly with the Baiyungu and Thalanyji people through the Nganhurra Thanardi Garrbu Aboriginal Corporation to protect the cultural values of the land for Aboriginal and other people and to involve them in overall decision making for their Country (see Section 3 *Management context – Joint management*).



Traditional owners Ethan Cooyou, Hazel Walgar, Glenda Morrison, Ronnie Johnston, Cape Farquhar.

Our identity

We belong to one language group, the Ganyara which comprises the Baiyungu, Thalanyji, Binnigura and Budurna languages. The Baiyungu and the Binnigura belong to the emu and the Thalanyji and the Budurna belong to the rain. We identify ourselves wherever we go as our language, our clan and our skin.

Hazel Walgar, traditional owner, January 2017

Dreamtime and traditional law

Many Aboriginal people refer to the creative period as ‘The Dreaming’. As the mythological ancestors travelled they carved out ‘runs,’ leaving clearly marked landscape features across the country. Radcliffe-Brown (1926) was one of the earliest researchers who wrote about one of these mythological ancestors, the Rainbow Serpent myth of Australia. He wrote that throughout Aboriginal Australia there is a common belief in the powers of a huge serpent, which controls the rain cycles and governs the vitality of water sources through totemic increase rituals. The name given to the rainbow serpent by the Baiyungu is *Wanamangura* (Radcliffe-Brown 1926).

Gajalbu or emu

The gajalbu is the sacred bird. He’s the sacred bird for the Baiyungu people...to us he is the Creator.

Hazel Walgar, traditional owner speaking about her totem the *gajalbu* (emu), January 2017

Traditional law is a set of rules that guides the area’s traditional owners in all aspects of their life. The physical environment, plants and animals have been inseparable from traditional law, culture, language and knowledge since creation-time and this is integral to the maintenance and protection of country. Under traditional law, Aboriginal people have a binding responsibility to care for country and keep culture strong. Country is the source of spirit, culture and language and is where spirits return when they die.

Aboriginal people traditionally obeyed a system of rights and obligations, transmitted through birth and marriage, which gave individuals rights to the use and economic benefits of the land over which they also acted as custodians. Daisy Bates, an anthropologist in documenting the Aboriginal tribes of Western Australia, states that the groups of the North-West Nation, including the Baiyungu, followed a four-class system of organisation (also known as the ‘skin system’), the Boorong, Banaka, Kaimera and Paljeri (Bates 1985). These four-class systems dictated appropriate marriage laws and laws of descent (often matrilineal), as well as influencing individual *jalnga* (totem) associations (often patrilineal) (Bates 1985).

Initiation ceremonies were also very important, through these ceremonies boys became men and important cultural knowledge was transmitted to the next generation (Clark 1992). Corroborees provided valuable opportunities for people to meet, share stories, perform ceremonies and transmit important cultural knowledge (Clark 1992).

Radcliffe-Brown states that within the “*territory of each horde are found a number of totemic centres, called Thalu, each of which is specially associated with one or more species of natural object*” (Radcliffe-Brown 1931). These totemic-centres are believed to have been the creation of mythological ancestors and the “*spirit-homes of the many different varieties of plant and animals, left there by the Dreaming beings*” (Tonkinson 1991). *Thalu* sites are utilised as

places for ceremonies and rituals surrounding that totemic species, including ceremonies for the increase in numbers of a particular totem. *Thalu* sites within and adjacent to the planning area include *thalu* for *majun* (turtles), *nhuga* (shark), *yambarna* (rays), *bilyguru* (fish), *wuruwurugaja* (squid), *manimanira* (octopus), *bigurda* (euro/hill kangaroo *Macropus robustus*), and *gajalbu* (emu *Dromaius novaehollandiae*) (see Section 12 *Native animals and habitats*). Those who inherited ownership of the land and custodianship of the Dreaming sites were, in return, entrusted with a responsibility to care for the country (Radcliffe-Brown 1931, Clark 1992). Berndt and Berndt (1999) note that the *thalu* rituals are part of an intricate belief system that is “concerned with defining and establishing or sustaining man’s relationship with his environment”. *Thalu* sites further epitomised the link between totemic descent systems and country. Daniel (1990) clarifies this, stating:

Thalu sites are places set aside as a focus for ceremonies that will ensure the continuation or proliferation of particular species of animals, plants and natural phenomena. The ceremonies to achieve this are aimed at “taming” and then driving or directing the spiritual forces inherent in the landscape (Daniel 1990).

Thalu ceremonies typically can only be performed by a member of a particular totemic association, often seen as the descendent or reincarnation of that totem (Berndt and Berndt 1999). Each member of a kin group was seen as having a totemic association and subsequent *thalu* site, all of which belonged to the head of each family, descending from father to son (Withnell 1901). If, for example, a Banaka man had the totem and *thalu* of an eagle hawk, and wished for them to multiply, that Banaka man and any number of other Banaka men would journey to the appropriate *thalu* site for the eagle hawk to conduct an increase ceremony. When the elder Banaka man died, the eagle totem and *thalu* site would then descend to his sons or daughters, the eldest in particular, who would be of the Paljari class group (Withnell 1901). Withnell (1901) also reported that each of the Boorong, Paljari, Banaka and Kaimera classes have other totems dedicated to their care and these totems, along with *thalu* sites, are also intrinsically woven into descent systems and class organisations.



Gabarlawangganyja (Dog Rock)

By the sea, all ladies, one boy who was mute. He had a pet dog. He went out on the reef when the tide was out. The ladies called to him to come out, but the boy didn’t hear. The dog spoke out to the boy and when he heard the dog the boy turned to stone. Today, the rock formation is seen at low tide.

Glenda Morrison, traditional owner, January 2017

Left There will be many opportunities to incorporate stories and language names along the coast, for example *Gabarlawangganyja* (Dog Rock), Ningaloo Marine Park. Todd Quartermaine (DBCA) and traditional owners Paul Baron and Hazel Walgar.

Traditional knowledge

Traditional owners, collectively hold an extensive body of cultural and ecological knowledge that, in accordance with traditional law, they are responsible and obliged to transfer to the younger generation. This is typically undertaken while spending time on country camping, telling stories, performing song and dance, participating in ceremonies and rituals, making tools, fishing, hunting, learning about bush tucker and natural medicine and generally through everyday life. Traditional ecological knowledge is underpinned by seasonal calendars and the life cycles of individual species, as well as a deep spiritual attachment to country.

That’s one thing I’ll say to you fellas, we had a good teacher, that was our old dad. His name was Bujigurru, that was his Aboriginal name and he was our good teacher...that’s why we got that knowledge, from him. And we so proud of it.

Gwen Peck, traditional owner, January 2017



To support the traditional owners in passing their traditional knowledge on in the future, management of this value will focus on:

- facilitating the traditional owners to go on country to share their traditional knowledge with the younger generations
- entering into a JMA between the Ngunhurra Thanardi Garrbu Aboriginal Corporation and the department (see Section 3 *Joint management*)
- providing employment opportunities for rangers and fee for service arrangements to assist in all areas of land management.

Left Traditional owner, Hazel Walgar doing *gulbayamarnu* (bush medicine) for internal illness, Cardabia Station.
Photos - provided by Hazel Walgar

This will aid the department to gain a better understanding of traditional knowledge applicable to the planning area, and foster opportunities for integration of traditional knowledge with contemporary conservation science and management. Successful integration of traditional knowledge requires an understanding and appreciation that traditional knowledge is part of a complementary worldview with its associated values, institutions and management systems. The department also recognises that traditional knowledge is owned by traditional owners (see Section 27 *Flora harvesting*).



Traditional owners Ethan Cooyou, Sarah Johnstone, Deborah Dodd, Hazel Walgar, Jermaine Baron, Cody Farrell and Joint Management Operations Officer Tom Nagle at Cape Farquhar during a planning trip with the new Trainee Rangers and elders, November 2017.
Photo - Todd Quartermaine/DBCA

Significant Law and cultural sites

The most common sites in the planning area are open air and rock shelter sites with an accompanying midden of predominantly shell as well as lithic artefacts and sometimes terrestrial mammal bones. There are 25 registered Aboriginal heritage sites and 14 other heritage places within the planning area (Department of Planning, Lands and Heritage *Aboriginal Heritage Inquiry System*¹⁶ 2020 data). These include shell middens, artefact scatters, skeletal material/burial sites, camps, meeting places, hunting places and water sources.

The Holocene (the last 10,000 years) has been characterised by a warmer climate resulting in a gradual increase in sea levels. Most of the current midden sites are located on or very near to the coast and have been dated to be 5,000 to 8,000 years old. Many of the older midden sites within the planning area from the earlier Pleistocene (10,000BP to 1.26 million years BP) would also have been located on or very near the coast and as such these sites would have been inundated during the Holocene sea level rise and would now be lost. However, some of the Pleistocene sites are preserved in the rock shelters to the north of the planning area (such as Mandu Mandu Creek Rockshelter, Cape Range National Park), which have been dated between 35,000 and 17,000 years ago (Morse 1992, Morse 1993a, b, c and Przywolnik 2005). At the height of last glacial maximum, the Aboriginal people were episodically occupying these rock shelters and as the shoreline would have only been about 10km away they still utilised a diverse range of marine resources together with the arid plains fauna (Morse 1999). The discovery of shell beads within a rock shelter at Cape Range dated to more than 32,000 years BP provides the earliest evidence of human use of decorative ornaments in Australia, to a time comparable with the earliest such evidence from Europe (Morse 1993b).

The archaeological record from current midden sites near Coral Bay and elsewhere along the coast within the planning area, has provided important evidence for the presence and subsequent decline during the middle Holocene of a more diversified intertidal environment along the coast of the planning area than exists today and provides valuable information on climate change (see Section 8 *Climate and projected climate change*) (Wells 1980, Morse 1993a, b, c, Morse 1996, McGann 1999, DPI 2002). The presence of *Terebralia* shells at several locations within the planning area (e.g. within the potential addition north of Point Cloates) and the earliest known shell middens (in the Coral Bay area) are seen to be evidence for the existence of mangroves within the planning area during the early to middle Holocene (Morse 1996). *Terebralia* (*Terebralia sulcata* and *Terebralia palustris*) are mud whelks that are strictly associated with soft substrates of the intertidal mangrove environment of tropical Australia. Today the nearest known population of both *T. palustris* and *T. sulcata* is in the Bay of Rest in Exmouth Gulf, and there is an outlier of *T. sulcata* at the mouth of the Gascoyne River, over 200km south of Coral Bay (Morse 1996).

Archaeological evidence suggests that an intensification of occupation began around 6,000 BP when sea levels stabilised at their current levels. Rock shelters and shell middens show a similar marine faunal assemblage to that of the Pleistocene with the addition of more turtle bone and shell, and an expanded terrestrial faunal assemblage (Morse 1993a). There is also a change in the type of stone used during this period with exotic fine-grained stone being introduced to sites and a new tool assemblage, including tula adzes, burren adzes and backed artefacts and points. Tula adzes and burren adzes were used for woodworking, while backed artefacts and points were used in hunting. New rock art motifs painted in red rather than white ochre also appear, showing stylistic similarities with rock art found in the Pilbara and Murchison regions (Przywolnik 2005). These late Holocene developments are indicative of growing social and economic networks with groups from outside the peninsula. During the Holocene, changes in technology and food preferences conform to the established sequence in the Pilbara and other parts of northern Australia.

The registered sites within the planning area only represent a small proportion of the actual sites that occur there as the majority of Aboriginal heritage places that appear on the register have been identified and reported as a result of cultural resource management surveys undertaken as part of the legislative responsibilities of development projects. When going on country, it is apparent that there are many more sites to be surveyed and recorded so that they can be protected and managed appropriately. It is recommended that during the life of the plan all sites encountered during on country visits by departmental staff and/or traditional owners are documented by the department and the JMB and protected, which may or may not include registering with the Department of Planning, Lands and Heritage, as there is some concern that registration of sites may lead to unwanted access and less confidentiality of location.

In June 2019, following on from preliminary discussions with traditional owners, an initial series of heritage surveys were carried out to assess heritage values within select areas within the planning area. The heritage team, coordinated by YMAC, identified 16 newly identified heritage places from seven recreation areas including artefact scatters, shell middens, lore and meeting grounds, camping places, rockshelters, stone arrangements and modified freshwater sources (Forsey and Morgan 2019). The survey highlighted that further analysis of some of these sites could provide important information regarding the extent of trade routes, the function of the tools and their role in cultural practices and other important information on hydrology.

¹⁶ www.dplh.wa.gov.au/ahis.

Some sites both registered and unregistered are being and have been impacted by feral animals, livestock, four-wheel driving, camping and other activities associated with recreational use such as building campfires or cairns, shell collecting/souveniring (see sections 20 *Visitor access – Vehicle access*, 21 *Visitor activities* and 22 *Commercial operations*). Results from the 2019 heritage surveys and future surveys will guide location and management of recreation sites and access to minimise impacts and protect values. The JMB may identify additional areas within the planning area that are of priority for further heritage survey and/or pursuing registering of sites during the life of the plan.



Track currently going through Aboriginal heritage site.



Inset Stone artefacts including a grindstone within the Aboriginal heritage site. Artefact scatters are a very common type of heritage place and are thought to be the archaeological remains of habitation camps or task specific camps. They may or may not have shell middens associated with them. Grindstones indicate food preparation beyond the exploitation of marine resources.

Other threats to Aboriginal sites include the effects of cyclones in the area. Cyclone Vance (see Section 8 *Climate and project climate change*) had a devastating effect on the coastal middens on the Cape Range peninsula. More than 70% of the total amount of archaeological material was removed from all shell middens analysed in a study of Vlamingh Head north of Cape Range National Park with a mean loss of 86% (Przywolnik 2002). Three of the seven middens surveyed had less than 10% of their archaeological material remaining. Sites within reach of storm surge, particularly those afforded only minimal protection by low foredunes, tended to have loose surface sediment, artefacts and faunal material either removed out to sea or redeposited lower down on the beach. In all middens the material that tended to survive the cyclone was typically the largest and heaviest objects, or the most numerous. Baler shell, giant clam, artefactual stone and chiton were the most prevalent archaeological materials contained in the post-cyclone middens. In some cases, small and fragmentary faunal remains such as turban opercula and bone fragments were still present, when most other small and fragmentary artefacts had been removed entirely.

The impact of extreme seasonal weather on archaeological sites located on high-energy, exposed coastlines in northern Australia is the most likely explanation for the lack of mounded midden sites in such areas. Whilst the impacts of cyclones on coastal middens have not been specifically studied in the planning area, it is likely that archaeological material would still be removed or redistributed with sites closer to the coast most affected by the storm surge and wave action. The implication of the Przywolnik study for cultural heritage management is that dune rehabilitation and stabilisation is vital for the preservation of vulnerable midden sites. This would be achieved by limiting human and stock access to degraded dunes to prevent further deterioration, and revegetating dunes to assist with stability (see sections 9 *Geology, landforms and soils*, 20 *Visitor access* and 25 *Grazing*). This would provide a buffer for exposed sites and reduce the impact of wind and water erosion during extreme weather occurrences (Przywolnik 2002).

Other Aboriginal cultural sites include sites of ceremonial and mythical significance. For example, former meeting places such as *Murlanda* (Mauds Landing) where the young people would go to meet their future husband or wife. As there were rules about which skin groups could marry, this would be a meeting place of the appropriate groups.

Murlanda (Mauds Landing)

Its where people used to come from the North, South and East, that was a main meeting place. It is a very significant place, not just for the Baiyungu. You had people from Thalanji come there for ceremonies and dances and things. That was the place to be.

That was the place and you met the people, and dances and songs and marriage in terms of people coming in and you were given away. That's where the kids met their future wives.

Hazel Walgar, Glenda Morrison, Gwen Peck, Paul Baron traditional owners, January 2017

Hunting places and increase sites known as *thalu* are also significant cultural sites along the coast. With hunting places in the northern end of the planning area and *thalu* for *majun* (turtles), *nhuga* (shark), *yambarna* (rays), *bilyguru* (fish), *wuruwurugaja* (squid), *manimanira* (octopus), *bigurda* (euro/hill kangaroo), and *gajalbu* (emu) occurring in or adjacent to the planning area (see *Dreamtime and traditional law* above). The coastline adjacent to Warroora Station is a *thalu* for green turtles and the traditional owners recall collecting many turtle eggs from there in the past, whereas now it is not a known breeding site for green turtles (see Section 12 *Native animals and habitats*).

Juburda (The Sandbar)

The sand, that white represents the beard of an old man, you can see it when the tide goes out.

Gwen Peck, Glenda Morrison, traditional owners, January 2017

There is a strong connection to the adjacent coastal pastoral stations, associated with long-term employment dating back to the 1870s, as well as birthplace, ceremonial areas and burial sites, the latter of which are highly vulnerable to disturbance. Most burial sites are unfenced and traditional owners would like to protect them from damage caused from inappropriate recreation and access. Some of the known sites where skeletal remains¹⁷ have been relocated need to be formally registered and protected as an Aboriginal heritage site.



Traditional owner, Hazel Walgar with a grinding stone, Ningaloo Coast.

Grinding stones

Old people might have dropped it or it got too heavy so they left it to next time to come back to know where it is. That's why they leave a lot of heavy ones behind. They will come back later on, on their way through they use it again. But they will always carry little teeny one.

Gwen Peck, traditional owner January 2017

¹⁷ In 2015/16 Aboriginal skeletal remains were transferred and reburied from Coral Bay to *Gurdbardu* (Skeleton Bay).

All Aboriginal sites, registered or otherwise, are protected under the *Aboriginal Heritage Act 1972*. Depending on the cultural sensitivity, these sites can be vulnerable to a variety of management issues (e.g. weeds, introduced animals, inappropriate visitation and development) that are discussed in more detail in the relevant sections of this plan. In many cases, maintaining confidentiality and restricting access to persons who have special cultural authority in culturally sensitive areas will be imperative to ensure site integrity is retained. Some access restrictions have been recommended in this plan accordingly.

Plants and animals of significance

Plants and animals have sustained Aboriginal people living on country for many years, providing them with food, water and *gulbayamarnu* (medicine). Many animals are totems for the Baiyungu people and have special significance. In addition, knowing when plants and animals are in season is an important part of maintaining good health and provides guidance for safe travel overland for long periods of time. Establishing sustainable harvest strategies for favoured animals, bush foods and medicines on country is necessary to ensure that these resources maintain a healthy condition and persist into the future in good numbers. Appropriate *garla* (fire) regimes (‘right-time fire’) are also considered to be a key factor in their successful conservation. See *Caring for country* sections 11 *Native plants and plant communities*, 12 *Native animals and habitats*, 18 *Fire* and 27 *Flora harvesting* for further information.

Enjoyment of country and customary activities

Undertaking customary activities on country is central to maintaining the cultural heritage of the land. Although the majority of the traditional owners of the planning area live in towns and communities such as Onslow, Carnarvon, Geraldton and Perth, families and individuals retain close personal connections (socially, spiritually and culturally) with their country. The Baiyungu Aboriginal Corporation was formed in 1999 and holds the title of Cardabia Station on behalf of the traditional owners. Since then, this station has been a focus for the traditional owners for enjoyment of country and customary activities.



Chloe Cooyou, the younger generation of traditional owners, *Murlanda* (Mauds Landing). *Kawirri* (shells) are often used for necklaces and other decorations.



The next generation of Baiyungu men left to right: Robert Walgar, Curtley Walgar, Lyal Hughes, Ethan Cooyou, Ryan Merritt, and Deharn Merritt. Photo - Hazel Walgar

Customary activities are an important part of traditional owner and wider Aboriginal culture, enabling maintenance of traditional relationships with the land and water; sharing of knowledge; engagement in traditional practices; and accessing and looking after significant places. Therefore, the ability to access all parts of the planning area for customary practices is crucial. The Nganhurra Thanardi Garrbu Aboriginal Corporation have formally been granted native title rights and interests throughout the planning area (see Section 3 *Management context – Native title*) and this is supported by joint management arrangements and the provisions under the CALM Act that enable traditional owners to access country for customary purposes, such as

preparing and consuming food, preparing or using *gulbayamarnu* (medicine), and engaging in artistic, ceremonial or other customary activities. This will assist traditional owners of the planning area to continue these traditions, transfer knowledge to younger generations and protect and conserve these values. Further information is available in the *Guide to Aboriginal customary activities on Parks and Wildlife-managed lands and waters* (DPaW 2016c).



Left Traditional owner, Glenda Morrison, preparing a *bigurda* (euro/hill kangaroo *Macropus robustus*) tail for cooking, Cardabia Station. **Right** Damper and kangaroo tail cooking. Photos - Hazel Walgar



Left Traditional owner, Lyal Hughes, with a *yunggurji* (sand goanna [*Varanus gouldii*]). **Right** Ted Harvey holding a Chinaman fish (*Symphorus nematophorus*). Photos - Hazel Walgar

Hunting grounds

That's where the hunting ground was. Going from Farquhar going back up to Yardie, that's all open and that was their hunting ground...that was their feeding ground, their tucker place you know. Even that vine that grows up there, they used to sit down and dig that. It was like yam you know? With the purple flowers, that's the one (gurraininy, bush potato or rock morning glory [Ipomea costata]).

Gwen Peck, traditional owner, January 2017

Customary take of threatened species such as *majun* (marine turtles) (see Section 12 *Native animals and habitats*) can sometimes require further arrangements to ensure the harvest is sustainable in the long term. Turtles are of enormous cultural, spiritual and economic (subsistence) importance to the Baiyungu people. Resources such as turtles and other traditional foods reinforce their culture and demonstrate affiliation with tradition and the land. Indigenous hunting of marine turtles has traditionally been managed along the Ningaloo Coast through customary law. The national recovery plan for turtles (DEE 2017) has identified that a combination of State/Commonwealth and customary law is needed to ensure that customary harvest (of eggs and turtle meat) does not contribute to any further decline of marine turtles. Customary law can be used to manage the harvest, utilising protocols such as:

- who can catch and cut up turtles
- not allowing the take of nesting turtles from the beach
- restrictions on the take of eggs
- seasonal closures of beaches and hunting areas
- traditional owners regulating hunting in their traditional areas.

To ensure the recovery of turtle populations, customary harvest needs to be managed in a culturally sensitive manner so that it is ecologically sustainable. The JMB will develop local area arrangements for the customary take of marine turtles (and other threatened species as required) to ensure sustainability and provide for community aspirations. These agreements should be based on sound science and local indigenous knowledge.



Right Traditional owner, Jamie Tittums, Turtle Cliffs, Ningaloo Marine Park coastal strip.



Barrumba (wattle, ceremonial smoking tree)

We get a branch off it, we break it, we burn it and then we smoke them. We sit them in the smoke and that smoke gets rid of whatever is there. There is a distinct smell in that smoke, it is very strong.

Hazel Walgar and Paul Baron, traditional owners speaking about taking the young fellas on country to ward off bad spirits, January 2017

Left Chloe Cooyou, Glenda Morrison, Hazel Walgar, traditional owners standing in front of the barrumba (*Acacia sclerosperma* Limestone wattle) near Murlanda (Mauds Landing).



Spear making

The straight roots were used for spears. They were heated in a *garla* (fire), straightened and then weighed down to help with throwing using spinifex wax.

Wambabarndi (termite mounds)

Termites use the spinifex wax to form the structure of the mound. Then the traditional owners would use the black wax for jewellery, weighing down spears or burnt for incense to ward off evil spirits.



Above Roots exposed by erosion show an example of straight roots used traditionally for spear making. **Right** Close up of a termite mound and the black spinifex wax inside the tubes. **Below left** Gwen Peck, traditional owner, January 2017 sharing knowledge about the spinifex wax. **Below right** Extracted spinifex wax. Photo – Todd Quartermaine/DBCA



Customary activities must be carried out safely and be consistent with this management plan, relevant legislation (e.g. regarding the use of fire and firearms) and Policy Statement No. 86 *Aboriginal customary activities* (DPaW 2015a) and Corporate Guideline No. 22 *Guidelines regarding Aboriginal customary activities* (DPaW 2016a).

Management objective: To protect and conserve cultural sites and support the continuation and strengthening of connection to country and sharing of cultural knowledge

Management strategies

Joint management

1. Jointly manage the planning area with the traditional owners in accordance with the JMA attached to the final management plan.
2. Work with the JMB to determine the best method to measure the KPIs for Aboriginal cultural heritage e.g. how to measure traditional owner satisfaction levels.
3. The department to support Nganhurra Thanardi Garrbu Aboriginal Corporation representative members on the JMB to provide information back to the Nganhurra Thanardi Garrbu Aboriginal Corporation on joint management matters.

Cultural sites

4. Identify and record Aboriginal cultural sites.
5. Protect cultural sites and artefacts and through the JMB determine which sites of high cultural sensitivity may require special management and/or access restrictions and implement as appropriate.
6. Learn more about the cultural sites and artefacts with regard to date, patterns of use and culture as appropriate.
7. Monitor the condition of culturally significant sites to determine whether they are being adequately protected and maintained.
8. Develop a protocol to protect and sensitively deal with Aboriginal human skeletal material if it is discovered.

Traditional law and knowledge

9. Undertake further cultural planning and develop a cultural plan to record the cultural heritage values of the planning area (e.g. the collation and recording of traditional law and knowledge from senior traditional owners and other sources).
10. Develop an understanding and appreciation of the cultural significance of the planning area to the traditional owners (e.g. through joint on-country visits).
11. Through the JMB, develop guidelines to ensure cultural heritage values, cultural knowledge and traditional laws and protocols (where appropriate) inform management activities, research and monitoring programs (e.g. 'right-time fire' to protect important sites and species and promote habitat diversity).
12. Measure traditional owner satisfaction that traditional knowledge is being considered and adopted as appropriate into management.
13. Include Aboriginal place names and Aboriginal language translations to support recognition of Aboriginal associations with the planning area.
14. Communicate the cultural heritage values of the planning area and appropriate cultural protocols to the public and commercial tour operators when visiting cultural sites through information, interpretation and education.
15. Identify and support opportunities to provide employment, business and training for traditional owners on country to assist in maintaining connection to country.
16. Ensure employment conditions for Aboriginal employees provide an avenue for them to discuss culturally sensitive matters relating to their employment with their elders.
17. Ensure mentoring support is provided for Aboriginal (and non-Aboriginal) employees from elders (e.g. language and spiritual support).
18. Provide cultural awareness training to departmental employees.
19. Support the raising of new leaders within the traditional owner group.

Customary activities

20. Support the traditional owners to maintain their connection to, and responsibilities for, country by facilitating the conduct of customary activities, and native title rights and interests (e.g. support on-country trips by younger and older generations of traditional owners to ensure knowledge, stories and songs about country are passed on, and to undertake other customary activities).
21. Assess factors that may inhibit the rights of traditional owners to enjoy country and maintain their customary practices, and explore/implement management interventions to address issues as necessary.
22. Measure traditional owner satisfaction that they are able to access locations in the planning area for the purposes of carrying out customary practices, transferring knowledge to the younger generations and enjoying country.
23. Gather information on cultural take and hunting within the planning area and adjacent marine areas for the purpose of joint management and sustainable use of resources.

24. Develop local area arrangements for cultural hunting in particular of threatened species within the planning area and in the adjacent marine park as required.

Other strategies in this plan also refer to the management of cultural values in recognition of their intrinsic link with other values in particular natural values. By implementing the other strategies in this plan this will also maintain or improve the health of country which is important to the traditional owners of the land.

See also sections 11 *Native plants and plant communities*, 12 *Native animals and habitats*, 14 *Weeds*, 19 *Visitor planning*, 20 *Visitor access*, 21 *Visitor activities*, 22 *Commercial operations* and 27 *Flora harvesting*.

KPIs: Aboriginal cultural heritage

Performance measure	Target	Reporting
Joint management		
Level of joint management partner satisfaction with joint management	Joint management partners are both satisfied that they can undertake their roles and responsibilities as custodians and managers of country in the context of jointly managed conservation estate	Annually
The ability of the traditional owners to make decisions about the management of their country	Conduct JMB meetings in accordance with the JMA	Annually
Cultural sites		
Identification and protection of sites	Stable or increasing number of sites being protected	Annually
Condition of significant cultural and heritage places	All known sites and areas with cultural and/or gender access restrictions are monitored and managed accordingly	Annually
	Physical disturbance to significant sites is being mitigated and no new signs of physical disturbance to specified sites and areas within three years of the release of the plan	Annually
Traditional law and knowledge		
Employment and training opportunities (direct and indirect) are generated as a result of the reserves	Stable or increasing number of full-time equivalent positions as indicated in the ILUA and provide opportunities for the development of supervisory/management positions as desired	Annually
Level of traditional owner satisfaction that traditional knowledge is being considered and adopted into management	Traditional owners (through the JMB) are satisfied that traditional knowledge is being considered and adopted as appropriate into management of the planning area	Annually
Customary activities		
Opportunities for traditional owners to visit their country within the planning area, including for on-country planning meetings and visiting of special sites	Maintain or increase opportunities for traditional owners to access their traditional lands	Annually
Level of traditional owner satisfaction that they have been able to continue customary practices and remain custodians of country and culture	Traditional owners (through the JMB) are satisfied that they are able to access the planning area for the purposes of carrying out customary practices, transferring knowledge to younger generations and enjoying country	Annually

Sharing knowledge

I think sharing the knowledge and cultural knowledge with you is just the beginning, you still got more to learn and more areas to cover. Because like I said this coastline is really unique and you know a lot of sacred sites that we need to protect...and I suppose we want to educate the people...its time that we move forward.

Hazel Walgar, traditional owner, January 2017

7. Other Australian cultural heritage

The planning area has a variety of European heritage associated with the early explorers of the North West Cape, shipping, pastoralism and settlement as well as the Afghan and North Indian cameleers and traders and the whaling, turtle and rock lobster industries.

European maritime exploration and shipping

The first known Europeans in the area were the Dutch under Dirk Hartog in 1616. They were the first of many sailors who sailed past the North West Cape and sighted land but did not stop there. The English first sighted the Cape in 1620 and from then they began using what they called Cloates Island (Point Cloates) as a navigation aid in their voyages north. A Dutchman, Willem de Vlamingh, visited the North West Cape in 1696 and Vlamingh Head Lighthouse was later named after him (Marchant 1988).

The Ningaloo Coast was first described by William Dampier in 1699 (Dampier 1703) but there were no accurate charts of the coastline. Later expeditions include those led Nicholas Baudin on the *Géographe* in 1801 and 1803 (Péron and Freycinet 1807-16; Baudin translated 1974; Marchant 1988). Baudin's mission was to locate the North West Cape and later with Freycinet produce a chart of the region.

A number of international wrecks are found in close proximity to each other in and around the waters of the adjacent Ningaloo Marine Park, including the early nineteenth-century wooden ships the American *Rapid* which sank in 1811 and the Portuguese *Correio da Azia* (1816), the Singaporean *Fairy Queen* (1875, wrecked in Exmouth Gulf), the Austro-Hungarian *Stefano* (1875) and *Zvir* (1902), the Scottish *Benan* (1888), and the Norwegian barque *Iona* (1923) (WAM Shipwrecks databases, WAM 2011). Some of these wrecks are visible from the shore during low tide and provide numerous interpretation opportunities within the planning area (see Section 19 *Visitor planning*).



Point Cloates lightstation built in 1910.
Photo-Arvid Hogstrom/DBCA

Point Cloates was considered especially dangerous because of the set of the currents, the low-lying land in the vicinity and the reefs extending offshore. In 1910, a lightstation and keeper's quarters was made from locally available sandstone and erected on Cloates Hill, which was located within the Ningaloo Station pastoral lease. An oil store, stabling and wash-houses were also provided. A 2-foot wide tramway, about 2.5 miles in length, connected the quarters and oil store with the beach landing place. Goods were moved from the beach landing on a trolley pulled along the tram track by horse-power. An area of about fifteen acres was fenced in for the use of the light keepers. An 80-foot tall flagstaff was erected for signalling ships. However, the structures were built on top of a parabolic sand dune which subsequently became unstable. This led to a steel framed lighthouse being constructed in 1936 on Frazer Island, a sand cay in Norwegian Bay.

With the abandonment of the Point Cloates lightstation and quarters letters were sent to pastoral stations in the area requesting offers for purchase and removal of the quarters, but the only offer received was from D. and L. Black of Ningaloo Station, who offered to rent and maintain the place for two years at £5 a year. The offer was accepted. The lighthouse tower and quarters remained in the ownership of the Commonwealth.

In December 1937, Lefroy and MacBolt (see *Pastoralism* below) took over Ningaloo Station and after paying the next six months rent, declined to continue with the rental agreement, as they had no need for quarters. They reported that the lighthouse was deteriorating and 'tumbling down'. The roof was rusting and wind erosion was undermining the foundations. In September 1939, Ningaloo Station purchased the quarters from the Commonwealth Department of the Interior for £30, and paid £5 for the remaining one mile of tram track and a small shed at each end. Timber and iron were removed from the roof of the quarters and stone was removed from the walls over time. In 1958, Commonwealth interest in the lighthouse tower and site were reassigned to the State and the land was re-incorporated into the pastoral lease, which was in the hands of F. E. and E. J. Lefroy at that time. The Lefroys purchased the lighthouse tower for £5.27.

The unattended light on Frazer Island was subject to sand drift and erosion caused by storms and the action of the sea. By 1965, the island had been eroded to within six feet of the tower's concrete base. On 6 May 1966, the Frazer Island tower collapsed into the sea and a temporary light was erected on the Island. A new lightstation was promptly established on Perth Hill, one kilometre from Point Cloates Lighthouse. This second Point Cloates Lightstation tower came into operation on or about 16 July 1966 and the temporary light on Frazer Island was discontinued. In 1983, the lightstation was converted to solar power. In December 2000 an 'A' Class reserve was created (A44892) at Perth Hill for the purpose of "Navigation, Communication, Meteorology, Survey and Conservation" and a Land Administration Act section 47 lease issued to the Australian Maritime and Safety Authority for 20 years. This reserve will be added to the conservation estate (Appendix 1).

In 2018, Point Cloates Lightstation remains as a ruin but is listed on the State heritage register as:

- the place, in its elevated position, is a landmark on the remote Ningaloo coastline, from both the ocean and the sea
- the place was an important link in the development of coastal lights in Western Australia in the early twentieth century, and operated from 1910-1936
- the place was one of four coastal lights established on the north west coast in 1909-1910 in response to the imminent takeover of such installations by the Commonwealth Government
- the place is the earliest site of European occupation on the Ningaloo coast.



Ruins at Point Cloates lightstation. Photo - Arvid Hogstrom/DBCA

The nearby Perth Hill Lightstation continues to function as a coastal light but has been assessed as having no cultural significance (Considine and Griffiths 2000) (see Section 28 *Utilities and services*).

Pastoralism

The beginning of the pastoral industry in the region is marked by the establishment of Minglya Station in 1876. The lease covered the whole of Exmouth Peninsula, and was gradually subdivided into smaller leases. This includes Cardabia Station, Warroora Station, Gnaraloo Station formerly known as Flemington and Quobba Station formerly known as Point Charles Station. These stations have been mostly running sheep for wool and meat for over 100 years.

Thomas Carter was the first pastoralist to settle further north in the Cape Range Peninsula region, establishing a 54,633ha station at Point Cloates in 1889 building his house from material washed up from two shipwrecks nearby (Vines 1968, Przywolnik 2003). Carter also ran sheep on his pastoral lease known as Yardie Creek Station for 13 years. He was also a dedicated ornithologist and was one of the first to describe the unique native fauna and flora of North West Cape. Carter's charts of entrances through the dangerous reefs of adjacent Ningaloo Reef are still in use. An assistant of Carter's was speared but Carter himself remained on good terms with the Aboriginal people, recording their bird names in *Birds occurring in the region of the North-West Cape*, published in the *Emu* on 1 July 1903. He identified 180 birds and secured specimens of 170, two entirely new—rufous-crowned emu-wren (*Stipiturus ruficeps*) and the spinifex-bird which bears his name, *Eremiornis carteri*. The type specimen for the Indian yellow-nosed albatross (*Thalassarche carteri*) was collected from Point Cloates also bears his name. Carter sold out and returned to England in 1903 (Carmody 1979).

Tachypetes minor (lesser frigate-bird, wannoo). The appearance of these fine birds was a certain indication of an approaching hurricane or of very stormy weather further north, and they were classed by the natives, with other occasional visitor at such times, as "rain-brothers". There were some numbers of them at Point Cloates at the commencement of the severe hurricane of the 25th and 26th January, 1898...As soon as the weather cleared they returned north, and on one occasion were distinctly seen, late at night, flying north by the bright moonlight".

Carter (1903 Part IV)

In 1885 *Murlanda* (Mauds Landing) became the central port for loading wool from the pastoral stations into lighters (small boats) and then transferred to larger vessels anchored in deeper water. A jetty, tramway and combined shop and wool store were also built. This landing was used until the late 1920s, before being abandoned by the Harbour and Lights Department after 1927 when extensive repairs were needed (Whiteford 1993).


After subsequent subdivision of Yardie Creek Station from 1907 followed by amalgamation in 1933, the State Government acquired the remaining Yardie Creek Station in 1959, and it eventually formed part of the Cape Range National Park, gazetted in 1964. In 1972, the newly formed Environmental Protection Authority instigated a thorough



Pastoral infrastructure, both used and abandoned, can be found throughout the planning area. A *bilygurumarda* (osprey [*Pandion haliaetus*]) has made a nest in this windmill.

review of Western Australia's conservation system, eventually recommending the exclusion for conservation purposes of a number of areas of pastoral leases in the Exmouth region (CTRC 1974, EPA 1975). Point Cloates is specifically mentioned for inclusion into Cape Range National Park and it was recommended that the entire Ningaloo Station was acquired and declared an 'A' class National Park. In 2006, the Department bought a 50% share in Ningaloo Station with the hopes of being able to buy the remainder of the lease and reserve the land as national park prior to the 2015 expiration of the lease. This did not eventuate but finally, after the pastoral lease was not renewed, the northern portion became Nyinggulara National Park in 2020 (see Section 1 *Management plan area*).

From 1995 to 2004, pastoral lessees of Cardabia, Warroora, Gnaraloo and Quobba were offered renewed leases from 2015 with an exclusion of a strip of coastal land to be added to the conservation estate and managed for conservation and recreation. Noting the pastoral leases were only granted 40m landward from the high water mark, many of the existing coastal recreation sites were already located within Ningaloo Marine Park and adding the pastoral exclusions to the conservation estate would enable the Ningaloo Marine Park and adjacent coast to be managed consistently to protect its many values (see Section 1 *Management plan area*). During the 2015 pastoral lease renewal process Cardabia, Gnaraloo and Quobba pastoral lessees were able to



Reminders of the cameleers within the planning area include this stand of date palms planted by them that still exist today. Departmental staff Arvid Hogstrom and traditional owner Paul Barron discuss an area that was a camping area for Aboriginal people

negotiate Land Administration Act section 91 tourism leases within Bruboodjoo, 3 Mile and Red Bluff, which will remain as UCL enclaves within the conservation estate for as long as the tourism leases exist. The adjoining pastoralists continue to feel a strong sense of connection to the coast and the land that they have previously managed and as such they remain important neighbours to the planning area (see Section 23 *Community involvement*).

As the planning area has a rich pastoral history with remnants of pastoral infrastructure and an ongoing interaction with the existing adjacent pastoralists, interpretation and visitor signage and infrastructure will continue to reflect that heritage where appropriate (see Section 19 *Visitor planning*).

Afghan and North Indian cameleers and traders

For a short period of time from the late 1870s to the early 1900s, the 'Afghan' cameleers (actually from a variety of Muslim countries) and their camels transported wool from the pastoral stations to *Murlanda* (Mauds Landing) or the port in Carnarvon. They carted supplies, tools and equipment, mail and even water to remote settlements.

By the 1930s, Australia's inland transport was controlled by rail and, increasingly, road networks. Facing the prospect of no employment and a sometimes hostile government and people, many of the cameleers returned to their homelands, some after decades of living in Australia. Others remained and turned to other trades and means of making a living. Rather than see their camels shot, they released

them into the wild, where they have since flourished. In 2007, the estimated feral camel population of Australia was around 1,000,000, approximately half of which were in Western Australia.

Whaling

American whalers operated along the Ningaloo Coast as early as the 1790s, initially targeting sperm whales. With improved understanding of whale migrations, they began to hunt humpback whales. While these men most likely went ashore in search of meat and fresh water, they did not establish any infrastructure (DEC 2010).

Whaling was carried out from Norwegian Bay intermittently from 1913 to 1957 until it was forced to close due to reduced whale quotas. In 1915, a processing station and a guano (bone meal and fertiliser for use by farmers) factory was constructed on the coast at Norwegian Bay comprising of a 200-foot (50.6m) jetty, 115ft by 83ft two-level flensing deck, digesters, a tramway, guano factory, oil storage tanks, accommodation for the men and the manager, bakery, kitchen and dining rooms, general store and apothecary, and wells with windmills, pumps and pipelines (Stanbury 1985).



Norwegian Bay Whaling Station ruins. Photo - DBCA. Inset Storage tanks.

The station remains have deteriorated greatly since it was closed. Apart from the remnants of jetties and slipways, the main settlement and processing works are located on a belt of low-lying flat ground, running between the high water berm and the dune foothills. Few permanent structures remain standing, most having collapsed due to the effects of weathering, strong winds and human salvage. In some instances, the only indications of former buildings are a few metal and/or wooden uprights with or without concrete foundations. In others, all that exists is a pile of miscellaneous rubble. Remains of machinery, boilers, storage tanks, fittings supplies, vehicles and so on, are found scattered throughout the place. Pottery shards, broken glassware and other various items are likewise found randomly distributed. An archaeological report was prepared in 1985 (Stanbury 1985) and a heritage assessment in 2004 (Register of Heritage Places 2006). Asbestos within the station remains may be considered a visitor risk and so visitor risk assessments will be ongoing.

The ruins of the Norwegian Bay Whaling Station are included in Nyinggulara National Park and the Ningaloo Marine Park 40m coastal strip. The ruins are listed on the State heritage register and are a reminder of the only bay whaling station in Western Australia in the first half of the twentieth century to operate successfully over a long period of time.

World War II

On 19 November 1941, a battle occurred between the Australia light cruiser HMAS *Sydney* and the German raider, the auxiliary cruiser HSK *Kormoran* off the coast. Both ships were destroyed from the half hour confrontation. After HMAS *Sydney* failed to return to port on 24 November, search by air and sea was undertaken. From the 645 strong HMAS *Sydney* crew, there were no survivors. The battle marks the largest loss of life in the history of the Royal Australia Navy. Three hundred and eighteen of the 399 personnel on the *Kormoran* survived. Some boats and rafts

carrying survivors from the *Kormoran* were recovered at sea. Other survivors from the *Kormoran* made it to land at Red Bluff where they camped out at the caves on the southern end of the planning area. These survivors were held in prisoner of war camps until the end of World War II. Both the HMAS *Sydney* and *Kormoran* wrecks were discovered in 2008 and artefacts are still being found in the area. The shipwrecks of the *Sydney* and *Kormoran* and associated debris fields were added to the National Heritage List in 2011 (DEE 2011).

It is possible that further evidence of the *Kormoran* survivors exists in the Red Bluff area, although the deep sand in the caves is scoured out by large swells and cyclones. There is a possibility that fragmented artefactual material may have been re-deposited with wave action. There also remains a possibility that fragmented artefacts such as other pistols and bullets, or other buried, jettisoned or smashed/destroyed material such as stores, binoculars or other equipment exist in the Red Bluff rock holes.

Turtle harvesting

The turtle fishery operated intermittently in Western Australia between 1870 and 1961 prior to the industry becoming successfully established in the 1960s. Historical evidence suggests that up to 55,125 (archival records) and 69,000 (oral histories) green turtles (*Chelonia mydas*) were potentially harvested from Western Australian waters in the 13 years prior to the industry being closed down in 1973 (Halkyard 2014). The bulk of this fishing effort was concentrated in the waters off Coral Bay, Exmouth, Onslow and adjacent offshore islands. It is argued that the exploitation of green turtles led to an observable decline in the numbers of these animals, however in a global context, the exploitation of the green turtles in Western Australia occurred at a time when there was an extensive international harvest of marine turtles. The relatively small-scale harvest that took place in Western Australia is likely to have been a factor contributing to the green turtle populations being some of the largest populations remaining in the world. The green turtle is still considered threatened in Western Australia and is listed as Vulnerable (see Section 12 *Native animals and habitats – Fauna of conservation significance*).

Rock lobster fishery

In the 1960s to 1980s, a rock lobster fishery operated along Ningaloo Coast with a base at Nicks Camp in the planning area. Under a commercial licence Nick Farinaccio and his team of divers extracted approximately 25,000-35,000 individuals each year (Halkyard 2005, Depczynski *et al.* 2009). Rapidly declining population levels led to the end of the fishery. The current rock lobster populations along the reef and lagoon areas are at markedly low levels (132 individuals recorded during an underwater visual assessment in 2009 [Depczynski *et al.* 2009]).

Interpretation opportunities at the site of Nicks Camp where remnants of the factory and camp are still visible include the unique history of the industry, impact of overfishing and the potential impacts of the loss of the Ningaloo rock lobster species from the reef ecosystem.

Management objective: To conserve and protect other Australian cultural sites within the planning area in consultation with relevant stakeholders

Management strategies

1. Identify, research, document and map other Australian cultural heritage.
2. Control access to, protect, maintain and monitor known or identifiable other Australian cultural heritage.
3. Liaise with the Heritage Council of WA, WA Museum, local government, pastoralists and other relevant organisations, and the local community regarding the appropriate protection, conservation and management of heritage sites.
4. Ensure that other Australian cultural heritage values of the planning area inform and guide management actions.
5. Manage public access to the Norwegian Bay Whaling Station until visitor risk can be assessed with regards to the asbestos and/or appropriate protection and interpretation provided.
6. Provide appropriate information and interpretation on other Australian cultural heritage to promote awareness, appreciation and understanding.
7. Liaise with pastoralists to undertake the removal of derelict pastoral infrastructure of minimal heritage significance from the planning area.

See also Section 19 *Visitor planning – Visitor safety and Information, education and interpretation*.

KPI: Other Australian cultural heritage

Performance measure	Target	Reporting
Protection of known or identifiable other Australian cultural heritage sites	No further disturbance without formal approval and consultation	Every 3 years

Caring for country (managing natural values)

Strategic objective

To protect and conserve biodiversity and geological, hydrological and ecological integrity of the planning area and the adjoining Ningaloo Marine Park and Ningaloo Coast World Heritage Area.



Hummock grassland at Cape Farquhar

8. Climate and projected climate change

The Ningaloo Coast experiences an arid, semi-desert to subtropical climate, with variable summer and winter rainfall as it falls in the climatic transitional zone between the temperate, winter-dominated rainfall zone to the south and the tropical, summer-dominated rainfall to the north. A warm winter climate contributes to the planning area's high visitation during winter (see Section 19 *Visitor planning*). The Tropic of Capricorn crosses the southern end of the planning area.

Annual evaporation rates in the region of about 2,700mm far exceed its annual rainfall, of between 200 to 300mm along the coast. In an average year, maximum rain will fall in May/June and minimum rain, of less than two millimetres, will fall in the spring months.

Cyclones

South-east trade winds dominate most of the year. Tropical cyclones may occur in the region during summer bringing high rainfall in association with extreme wave energy and very strong winds to the coast. The direction and speed of the winds experienced during a tropical cyclone are highly variable and depend on the path taken by the cyclone—but may exceed speeds of 150km/hr.

On 22 March 1999, the centre of Tropical Cyclone Vance (Category 5¹⁸) passed approximately 80km to the east of the Coral Bay settlement and caused damage to infrastructure, severe coastal erosion, disruption to ecosystems, power and water supplies and cuts to the main road links (BoM 2000, DAL Science and Engineering 2002).

Potentially the most destructive phenomenon associated with cyclones that make landfall is the storm surge—a raised mound of seawater typically some 50km across and up to several metres higher than the normal tide. The storm tide is the combined height of the astronomical (or normal) tide and the storm surge. The worst possible scenario arises when a severe cyclone crosses a coastline with a gently sloping seabed at or close to high tide. Wave action on top of the storm tide can raise the water level even further producing a battering effect on vulnerable structures (BoM 2000).

“The rain had stopped and directly overhead the sky was clear. Trees, brush, logs, even sizable boulders and clumps of coral were strewn everywhere. Seaweed uprooted from the ocean bottom was piled high long the shore—and there was not a sign of another living creature anywhere. The wind had stripped the leaves from every bush and tree in sight. The naked limbs were coated with salt spray, which began to glisten as the sun started to dry them out.”

Account of a tropical cyclone 21 December 1875 by the survivors of the wreck of the barque *Stefano* sheltering at Cape Farquhar (Rathe 1990)

Department of Fire and Emergency Services Western Australia (DFES) is the responsible agency for ensuring effective prevention, preparedness, response and recovery to cyclone risk within the community. The department has prepared a Cyclone Contingency Plan for use during a cyclonic event which is automatically activated once a cyclone watch or warning has been issued.

Climate Change

The Inter-governmental Panel on Climate Change (IPCC 2014) states that relative to 1986-2005 it is most likely there will be a global mean surface temperature change in the range of 0.3°C to 0.7°C and a mean global sea level rise of 0.26 to 0.82m by the end of the 21st century (by 2086-2100). Relative to 1850-1900, global surface temperature change is projected to likely exceed 1.5°C. An IPCC Special Report on the impacts of global warming of 1.5°C indicated that *“without increased and urgent mitigation ambition in the coming years, leading to a sharp decline in greenhouse gas emissions by 2030, global warming will surpass 1.5°C in the following decades, leading to irreversible loss of the most fragile ecosystems, and crisis after crisis for the most vulnerable people and societies”* (IPCC 2018).

It is virtually certain that there will be more frequent hot and fewer cold temperature extremes over most land areas on daily and seasonal timescales, as global mean surface temperature increases. It is very likely that heat waves will occur with a higher frequency and longer duration (IPCC 2014, Watterson *et al.* 2015).

Changes in precipitation will not be uniform. In many mid-latitude and subtropical dry regions, mean precipitation will likely decrease—modelled in the North West region of Australia as a decrease of 10-20%. Extreme precipitation events over most mid-latitude land masses and over wet tropical regions will very likely become more intense and more frequent as global mean surface temperature increases (IPCC 2014, Watterson 2015).

The representative key risks of climate change for the planning area and adjacent marine areas include: more severe (but less frequent) cyclones; marine heatwaves; significant change in composition and structure of the coral reef system; changes in seaweed production; increased sea level rises and coastal erosion; increased coastal exposure to waves and storms; damage to seabird and turtle nesting habitat; increased sand temperatures and subsequent effects on marine turtle egg viability and sex determination; potential for increases in existing, or the appearance of new pests, diseases and/or predators due to changing environmental conditions; potential declines in species due to loss of habitat; more extreme fire behaviour; increased damage to coastal infrastructure and ecosystems; degradation of environmental features important to fisheries and tourism (IPCC 2014, Butt *et al.* 2016, Heron *et al.* 2017).

The planning area supports a number of species and communities that are endemic to the region or at or near the limits of their range (see sections 11 *Native plants and plant communities* and 12 *Native animals and habitats*) which are likely to be particularly vulnerable to climate change. The linear design of the conservation reserve allow movement for temperate and tropical species along a north-south corridor but provides limited protection west to east from the coast.

Management must aim to increase the resilience and resistance of species and ecosystems and decrease their vulnerability to a changing climate. Uncertainty about appropriate responses to the effects of climate change means that protecting critical habitats of the planning area and managing other issues (e.g. weeds, introduced animals, inappropriate fire and physical disturbance) are likely to be among the best options to conserve biodiversity in the

¹⁸ Categories of cyclone severity range from “1” for a relatively weak cyclone to “5” for the most severe.

immediate future. Such approaches are sometimes referred to as ‘no-regret’ or ‘low-regret’ strategies as they address short-term conservation challenges under current conditions, as well as providing large benefits under a range of future climate scenarios (Gross *et al.* 2016).

To help marine and terrestrial environments recover as they are subject to climate change it may also be necessary to stage interventions to actively restore aspects of the ecosystem. Further research will be important in better understanding climate change impacts at a species and community level and management should be adapted on the basis of these findings and as the general climate change knowledge improves.

With government initiatives for carbon offsets such as the Commonwealth *Emission Reduction Fund* and the State *Carbon for Conservation* program there is the opportunity to increase vegetation-based carbon storage through the creation of the conservation reserves and funding of management programs which will result in improved native vegetation cover, revegetation and weed/feral herbivore control. This will contribute to reducing and absorbing greenhouse gas emissions as well as benefits for conservation and traditional owner partners.

Management objective: To minimise the impact of extreme weather events and climate change on the planning area values and enhance the resilience of species and ecosystems

Management strategies

1. Undertake a climate change vulnerability assessment, particularly focusing on key species and functional processes, to understand the impacts of future climate change on ecosystems.
2. Identify key triggers, thresholds and monitoring metrics for species or ecosystem functions that are identified as vulnerable to change, and undertake ongoing monitoring to inform intervention as necessary.
3. Undertake integrated modelling of potential future impacts and interventions, which identify implications and trade-offs in terms of social and environmental outcomes and provide a framework for adaptive management and decision-making.
4. Identify, and where practicable protect, corridors, microhabitats and landform features suitable for species migration and refugia in response to extreme weather events and climate change.
5. Limit other stressors such as weeds, feral animals, inappropriate fire, pollution and inappropriate recreational activities.
6. Engage with researchers to undertake strategic research that addresses knowledge gaps and informs management actions that increase the resilience of species and ecosystems.
7. Incorporate the results of climate change studies, as they become available, into current conservation strategies at the regional, community and species level.
8. Facilitate adaptation options such as assisted dispersal, seed collection and ex-situ conservation for threatened species.
9. Continue to incorporate effects of extreme weather events such as cyclones, storm surge and coastal erosion, in the build, design and location of visitor facilities and camping areas.
10. Revegetate and stabilise landform features such as dunes.
11. Apply for funding for management programs to increase vegetation-based carbon storage through applicable carbon offset schemes.

See also sections 14 *Weeds*, 15 *Introduced and other problem animals*, 16 *Plant and animal diseases*, 17 *Marine and other pollution*, 18 *Fire*, 19 *Visitor planning*, 20 *Visitor access* and 21 *Visitor activities*.

9. Geology, landforms and soils

The planning area is within the Carnarvon Basin that lies mainly offshore and is one of a series of sedimentary basins that extend along the west coast of Australia. It originated over 400 million years ago and has been the main dumping ground for the sediments eroded from the ancient mountain ranges of Western Australia. The Carnarvon Basin is the country’s most active oil exploration area and contains the large North West Shelf gas condensate fields and lesser, but nevertheless important reserves of oil (Lane 2004).

Geological structures in this basin are typical of those formed when continental plates have been pulled apart. Faults are common, but some areas experienced wrenching and it is here where anticlines have formed. Anticlines are folds in rocks and which are convex upwards—the centre of the fold has been bent up. Onshore, Cape Range is the most prominent of these anticlines. The rocks exposed here are from 20 to 23 million years old and consist mainly of limestones deposited in shallow marine environments. There are also younger rocks comprising shoreline and minor windblown deposits. This indicates that over geological time the water was becoming progressively shallower, due primarily to the anticline being uplifted at the same time as the sediments were being deposited. In a number of places marine fossils such as corals, echinoids and crustaceans are abundant (Lane 2004). Weathering and dissolution of the limestone has led to the development of karst terrains, including extensive networks of cave systems within Cape Range

(Hamilton-Smith *et al.* 1998). South of the Commonwealth Defence land, Cape Range grades into undulating limestone and sand plain.

This southern extent of Cape Range is partly within the planning area within Nyinggulara National Park (Russell 2004). The boundary of Cape Range follows the outcrop limits of the Trealla Limestone and Exmouth Sandstone, extending west to immediately north of Ningaloo Homestead/Point Cloates where the southernmost extent of the uplifted reef complex is located, which characteristically defines the western edge of the Cape Range (Hesp 1986, Wyroll 2000, Russell 2004). The uplifted reef complexes record periods of higher sea levels brought about during interglacial periods. The ages of formation of these terraces are not well known however it is assumed that the three upper terraces are older than the lower Tantabiddi Terrace, although there is some evidence indicating that it might be more complicated than that (Russell 2004). Fossil coral reefs, similar to those that can be snorkelled over along the adjacent coast, have been preserved on these terraces (see Section 3 *Management context - World Heritage and National Heritage*) (Hesp 1986, Lane 2004).

Cape Range

“Cape Range is believed to be part of a continuous line of ranges that begin with the Kennedy Ranges. Padjari¹⁹, the hill kangaroo, came out of the ground at the Kennedy Ranges where he began his travels. After creating many features in the landscape, Padjari ended his adventures at the furthest tip of the Cape Range. Both ranges show the physical evidence of his travels in the Dreaming, when the world was soft and new and the landscape able to be moulded.”

(Turner 1985)

Part of the southern extent of Cape Range extends further east of the planning area into the existing Bullara Station. If the opportunity arises, this area should be added into Cape Range National Park to protect more of the Cape Range system and associated world and national heritage values (see Section 3 *Management context - World Heritage and National Heritage*).

A network of hidden caves and tunnels underlies the plateaux, canyons and coastal plain of Exmouth Peninsula. The high relief of Cape Range and lower sea levels in the past have encouraged significant karst development. The hard Miocene Tulki limestone is the main cavernous limestone but younger Pleistocene to Holocene age limestones also display karst erosion. Karst features include numerous caves, dolines (large, characteristically funnel-shaped depressions or basins in karst limestone), karren (furrows or fissures eroded into karst limestone), gorges, dolines and springs. This Exmouth Peninsula karst system, while relatively common internationally, is almost unknown in Australia (Gillieson *et al.* 2006) (see Section 3 *Management context – National Heritage*). Surveys within former Ningaloo Station are required to determine the extent and significance of the karst system within the northern planning area (see Section 12 *Native animals and habitats*).



Bulbarli, Ningaloo Marine Park.

Along the coast to Warroora Station, the sandplains and dunes comprise of a series of carbonate-rich dune features including; parabolic dunes that are stable when heavily vegetated and undisturbed but highly susceptible to wind erosion. This results in extensive northward developing blow-outs whenever foredunes or crests become degraded and active and relic beach ridge deposits. Several of the major blow-outs have their origins near obvious sites of disturbance (stock watering points, fence lines and access tracks) while the origin of others is unclear (Payne *et al.* 1987). Once initiated, the degradation is long term and self-perpetuating under the strong prevailing southerly winds. Blow-outs progress northwards, re-working previously stable crests and arms of the dunes and leaving deflation

basins behind. The stability of coastal landform underpins the levels of use and development that can occur without causing environmental damage or degradation (WAPC 2004). Because of the strong prevailing southerly winds and very high susceptibility already of the dune system to wind erosion most of the coast is at high risk from use and development (Payne *et al.* 1987). In addition to the impacts on the vegetation and landscape, dune erosion can impact on cultural sites (see Section 6 *Aboriginal cultural heritage*).

¹⁹ In Baiyungu language, the euro/hill kangaroo (*Macropus robustus*) is known as *bigurda*.

South of Warroora Station, the limestone forms a low, partially dissected plain overlain by calcrete deposits and dunes along the coast (DPI 2002, Hesp 1986).

Nearly all beach types are reflective, with most incoming wave energy reflected back out to sea off the beach face. Most are low energy beaches except during cyclones when breaker wave heights and water levels may be significantly increased (see Section 8 *Climate and projected climate change*). Beaches are accordingly relatively steep and narrow. A series of cusped forelands e.g. Winderbandi Point, Alison Point and Cape Farquhar have developed in the lee of the Ningaloo Reef due to the effects of wave refraction through gaps in the reef and circulation patterns within the lagoon (Sanderson 1997, Short 2005). The cusped forelands are typically formed through the development of a sequence of beach ridge dunes. The area between Point Cloates and Winderbandi Point, is considered highly susceptible to coastal dune erosion.



Trainee Rangers Cody Farrell, Sarah Johnstone and Jermaine Baron preparing bollards as part of a coastal recovery project at Bruboodjoo camp site December 2017. Photo - Tom Nagle/DBCA

Some of the beaches of the planning area are rotating beaches, where sand is being eroded from an area and being deposited elsewhere, for example at Skeleton Bay which is steadily eroding with sand being deposited at Point Maud which has grown by 20m since the 1970s. In addition to the natural process, development can have impacts, for example Monck Head boat launching facility has cut off the normal supply of sand to Bills Bay. Coral cover has increased in the bay but sandy beach has been lost. In 50 years, it is estimated the coastline at Bills Bay will have progressed significantly eastwards (M. O’Leary pers. comm. 2017). These beach processes have implications on the tenure boundaries of the reserves as the high water mark is regularly being redefined and the actual high water mark in the future may not align with the gazetted boundaries.

Further south, the cusped forelands of Alison Point and Cape Farquhar are characterised by high, bare, mobile dunes with vegetated parabolic dunes towards their northern ends. Shore-parallel beach ridges are often present adjacent to the shoreline and these are typically backed by recent parabolic dunes. Parabolic dunes are also often found at the northern (downwind) end of a sequence of beach ridges. Bare mobile parabolic dunes are present throughout this area. Along this coastal sector, the sandy shoreline is regularly interrupted by short sections of low coastal cliffs and rocky shoreline. Between Alison Point and Cape Farquhar, the coastal plateau is deeply incised by a series of creeks which drain westward to the sea from off the South Giralia Plateau (WAPC 2004, Short 2005).



The coast southwards from 3 Mile Camp to Point Quobba is largely composed of low limestone cliffs with rocky shores and occasional pocket beaches. Active parabolic dunes are observed adjacent to several of the pocket beaches and these dunes often extend landward onto the plateau area. Relict vegetated parabolic dunes occur along the seaward margin of this plateau for much of this coastal sector. Within a short distance from the coast, the parabolic dunes on the plateau give way to older linear dunes (desert dunes) (Payne *et al.* 1987, WAPC 2004, Short 2005).

Left Tombstones at low tide. Photo - Mark Graves/DBCA



West of Gnaraloo Homestead, there is a deposit of large coral heads behind the foredune. They may have been dumped there by a tsunami or super cyclone around 4,500 to 5,000 years ago (M. O’Leary pers. comm. 2017).

Left Coral head deposit, west of Gnaraloo Homestead. Photo - M. O’Leary/Curtin University

Below Late Pleistocene interglacial fossil reef at Red Bluff (120,000 to 130,000 years old). Photo - Mike O’Leary/Curtin University



Similar to the fossil reefs along the terraces of Cape Range which are of National Heritage value, there are late Pleistocene fossil reefs along the coast from Cape Cuvier south of the planning area to Gnarraloo Bay. They were formed in the last interglacial period 120,000 to 130,000 years ago. These fossil reefs are considered even more significant than the ones at Cape Range as they are more intact over a longer area. These reefs provide evidence of climate change during the last interglacial period when temperatures were 2°C higher than now and show a wider diversity of corals in the fossil reef than in the existing Ningaloo Reef (M. O’Leary pers. comm. 2017). Some of these fossil reefs are more sensitive to disturbance than others and these will need to be identified and access managed.

A large area of saline flats occurs to the east of Point Maud which appears to be a palaeolagoon feature which was open to the sea in the vicinity of *Murlanda* (Mauds Landing) during a period of higher sea level (perhaps during the mid-Holocene sea level high stand of approximately 6,400 years ago) (Kendrick and Morse 1990).

Offshore, the Ningaloo Reef is a living coralgal (an intergrowth of frame-building corals and algae) fringing reef, the largest in Australia and extends from Bundegi Reef, north of Exmouth, around the North West Cape and continues south for some 260km to Red Bluff (CALM 2005a). However, from Gnaraloo Point to Red Bluff the reef borders the shoreline (WAPC 2004). The reef is discontinuous and encloses a shallow sandy lagoon which varies in width from 0.2km to 7km. The reef is broken every few kilometers by gaps which provides channels for navigation and water exchange between the lagoons and the ocean (Lowe *et al.* 2008). There are numerous shipwrecks along the coast (see Section 7 *Other Australian cultural heritage*) and there is the potential for oil spills from modern shipping activities (see Section 17 *Marine and other pollution*).

In addition to the natural geology of the area the presence of grinding stones and other stone artefacts throughout the planning area are part of the cultural landscape and need to be protected from disturbance from recreation or management operations (see Section 6 *Aboriginal cultural heritage*).

Management objective: To identify, protect and conserve geological features, coastal landforms and visual landscape quality

Management strategies

1. Ensure key geological features and coastal landforms (such as the karst system, coastal cliffs and dunes, uplifted terraces and fossil deposits) are considered in site planning and management operations.
2. Manage access to significant geological features and coastal landforms which are vulnerable to damage e.g cliffs, coastal dunes, karst.
3. Rehabilitate coastal areas to stabilise dune areas as required.

4. Investigate the southern extent of Cape Range and other areas within the planning area for karst features and their significance.
5. Liaise with adjoining pastoralists where applicable to exclude/manage stock, feral goats (*Capra aegagrus hircus*) and rabbits (*Oryctolagus cuniculus*) from key geological features and vulnerable coastal landforms.
6. Add land to Cape Range National Park that contains the remainder of the geological and geomorphic features of the Cape Range system as the opportunities arise (e.g Commonwealth Defence land and portions of former Ningaloo Station).
7. Provide opportunities for visitors to increase their awareness and appreciation of geological values of the planning area and adjacent reserves in particular world and national heritage values.
8. Protect geological features of cultural significance such as caves and overhangs used at camping places and cultural heritage sites and artefacts where possible.
9. Monitor whether beach processes have significantly affected high water mark along the coast and whether tenure boundaries need to be updated to reflect changes.

See also sections 3 *Management context*, 6 *Aboriginal cultural heritage*, 12 *Native animals and habitats* and 15 *Introduced animals*.

KPI: Geology, landforms and soils

Performance measure	Target	Reporting
Cultural significance of geological features and artefacts	Traditional owners are satisfied with the protection of cultural significant geological features and artefacts	Every 2 years
Coastal erosion and beach sedimentation	Natural coastal beach processes are not disrupted by management or recreational activities	Every 5 years
Karst	More information on karst systems within the planning area is known and values protected	Every 5 years
Interglacial fossil reefs	No damage to the interglacial fossil reefs	Every 5 years

10. Hydrology

This water along the coast, we call it gayulu that's what kept people going, along the coast up and down.

Gwen Peck, traditional owner, September 2018

Surface water

There are no major surface freshwater features along the coastal reserves. The terrestrial run-off that there is flows to the ocean along minor drainage lines. There are some seasonal brackish water creeks that flow to the coast which are sometimes closed to the ocean by sand bars.

From monitoring carried out as part of the marine park management, there is no evidence that surface run-off is impacting the marine park. However, there are only a few survey points measuring surface water run-off. Unlike the Great Barrier Reef on the east coast, the Ningaloo Reef is very close to the mainland shore along its length. Corals and other reef building organisms require sunlight and clear water to survive—and to get these conditions on the east coast reefs must generally build far out to sea, well away from the sediments carried to the ocean from the mountainous, and in places, very wet coast. But as there is little run-off from the land along the coast at Ningaloo the reef is close to the shore and swimmers can step off the beach into the clear waters of the lagoon, between the reef and the beach. Therefore, any development or use along the coastal reserves needs to take care not to increase any run-off or sedimentation into the adjacent marine waters to protect Ningaloo Reef including its associated World Heritage and recreation values (WAPC 2004).



Coastal creek on former Gnaraloo Pastoral Station.

Groundwater

There are essentially two aquifers in the region; a shallow unconfined aquifer, and a deep confined aquifer (the Birdrong Sandstone) (Rockwater 1994). Most of the shallow groundwater is saline with salinities generally increasing towards the coast where seawater intrusion occurs.

The salinity of the shallow groundwater beneath the saline flats is likely to be even higher than the coastal saline intrusion (Rockwater 1994). In some dune locations there is a thin layer of fresh groundwater overlying the more saline waters; for example the wells at *Murlanda* (Mauds Landing) and Cardabia Station homestead contain salinities of 1–5ppt. Much of the groundwater requires treatment to obtain potable drinking water.

The Birdrong Sandstone is the deeper groundwater aquifer and extends over a wide area of the Carnarvon Basin. This aquifer is the main source of water for the Coral Bay settlement where it occurs at a depth of approximately 800m. The water from this aquifer is hot (58°C) and saline (5.1–5.8 ppt) (DPI 2002).

There is a general lack of freshwater within the Ningaloo coast area. The Indigenous people of the area had the traditional knowledge of the location of the freshwater soaks (perched aquifers) so they could live and travel the coast.

“The native’s facial expression and gestures suggested that he understood we were dying of thirst and hunger...They rapidly led us from shore until we reached a narrow, well-worn path leading east toward a gently sloping hill. Beyond the hill was a grassy plain, delightful and inviting. There were many flowering plants and shrubs—a vision of paradise for our eyes which were tired of the monotonous glare and heat from the burning sands. The natives searched the plain as if looking for something left behind. Suddenly, they seemed to find what they were looking for. It was a shallow indentation in the ground—about a foot deep and partially covered over with tree bark and dried brush. They peered intently at this hole in the ground. We gathered around but we couldn’t see anything at all...(They) suddenly began digging in the sandy soil with their bare hands, and soon the sand they were removing appeared damp. As fast as they withdrew the damp earth, they deposited it along the walls of the enlarging hole to form a stronger surface and to prevent drier soil from tumbling back into the excavation. We were wild with delight at the sight of the damp sand. Half frantic with thirst, we greedily grabbed handfuls of wet dirt and stuffed it in our mouths. The natives, evidently unconcerned about our strange behaviour, continued digging and walling to a depth of about five feet, where clear fresh water streamed into the hole. The natives seemed puzzled by our exuberance and joy. We hurriedly gulped cooling drafts—once, twice, three times. We filled the empty bottles that we had carried for the past ten days in anticipation of finding water”

Account 9 November 1875 by the survivors of the wreck of the barque *Stefano* (Rathe 1990).



Above Disused well, former Cardabia Station.

Right Surface pipe, former Gnaraloo Station.



The pastoralists have used some of this knowledge and sunk bores into some of these soaks including those within the planning area and extract water for pastoral purposes using long surface pipes that stretch kilometres through the planning area (see Section 26 *Water resource use*).

Bores and soaks that are not in use should be restored to their natural state and protected taking into account non-Indigenous heritage values and/or value as a water source for native animals.

The limestone formations throughout the North West Cape are characterised by cave features with associated stygofauna (specialised subterranean aquatic species), troglifauna (specialised subterranean terrestrial species) and contain underground streams and caverns (Hamilton-Smith *et al.* 1998) (see sections 3 *Management context – World Heritage and National Heritage, 12 Native animals and habitats*). Recharge to the karst province is by direct infiltration, albeit irregularly from the infrequent but intense or long-duration rainfall events. This has important implications for managing groundwater pollution and maintenance of karst ecosystem (Russell 2004). Care must be taken to maintain the aquifer habitat, and control groundwater abstraction in a sustainable way. It is important that pollutants and/or wastes (including sewage, oils and toxic sludge from rubbish tips, fertilisers and pesticides) do not enter the system.

Lake Macleod, a nationally important wetland and identified by Birdlife Australia as a Key Biodiversity Area for shorebirds is to the east of the planning area. This large lake is recharged, in part, by lateral migration of water from the sea through the planning area to the western margin of the lake. This is due to the hydrostatic pressure generated by a three to four metre difference in water level between the ocean and the basin. Discharge rates can be high enough to produce jetting where water is discharged in a continuous stream at high velocity through narrow vents, or so low as to be expressed only as subsurface seepage. This seawater feed stock is subsequently modified by evaporation, infiltration and run-off (Shepherd 1990). Management of groundwater in the planning area needs to not impact on this flow of groundwater due to the high conservation values of Lake Macleod.

Management objective: To protect and conserve the natural hydrological regimes, particularly freshwater wells and minimise the impacts of altered hydrological regimes on the planning area and adjoining marine receiving waters

Management strategies

1. Undertake research to improve knowledge of the coastal groundwater system and relationship to the adjoining reef system.
2. Protect watercourses from damage or disturbance during management activities, inappropriate recreation or from trampling from introduced herbivores that may affect water quality or quantity.
3. Liaise with relevant stakeholders on the protection, conservation and management of hydrological features on issues of water quality and quantity.
4. Incorporate provisions to minimise and monitor run-off and sedimentation from onshore activities (including recreation) to the receiving waters of Ningaloo Marine Park.
5. Monitor surface water extraction and groundwater abstraction and impact on the natural hydrological regimes.
6. Establish a baseline, monitoring protocol and monitor water quality and quantity of groundwater, soaks and receiving waters.
7. Liaise with pastoralists on the use of water resources within the planning area and rehabilitate bores and soaks as appropriate.

8. Assess and register groundwater bores used by DBCA (for visitor use or management operations) with Department of Water and Environmental Regulation as required.
9. Prevent unrestricted use of freshwater wells by visitors.

KPI: Hydrology

Performance measure	Target	Reporting
Watering points of cultural significance	Traditional owners are satisfied with the rehabilitation and condition of culturally significant watering points	Every 3 years
Water quality and quantity of groundwater, soaks and receiving waters (e.g. nutrient levels, salinity, sedimentation, groundwater levels)	No significant detrimental changes in water quality and quantity parameters (i.e. beyond natural seasonal or other cyclic variation) due to onshore activities during the life of the plan	Every 2 years

11. Native plants and plant communities

The Ningaloo Coast falls within the Carnarvon District of the Eremaean Botanical Province (Beard 1980) and the Carnarvon bioregion of the Interim Biogeographic Regionalisation for Australia (Thackway and Cresswell 1995). The Carnarvon bioregion is a transition zone between tropical and temperate marine and terrestrial flora (and fauna) species (Kendrick 1993, AHDB 2002, CALM 2003).



Acacia shrubland over spinifex and other grasses including the introduced buffel grass (*Cenchrus ciliaris*).

The vegetation is mainly hummock grasslands and low Acacia shrublands (Payne *et al.* 1987) which has been degraded to varying degrees by stock grazing, recreational use and erosion (CALM 2005a). In some areas, the spinifex has been replaced largely by the buffel grass (*Cenchrus ciliaris*) which has been introduced by the pastoral activities along the coast (see Section 7 *Other Australian cultural heritage*).



Coastal vegetation is easily disturbed by vehicle traffic and pedestrian trampling and is difficult to rehabilitate (DCE 1984). The coastal vegetation is important as it protects dunes from erosion and is an integral part of the landscape and habitat value of the area (see *Vegetation condition* below).

The local flora has typical arid (Eremaean) affinities evidenced by the significant presence of the families Poaceae, Malvaceae, Asteraceae and Fabaceae. However, there are also species more typical of the flora of the south-west of the state.

Left Coastal vegetation, 6 Mile.



According to *NatureMap* (August 2020 data) and other flora surveys there are records of 194 native flora taxa from 51 families, mainly from Fabaceae (legumes, peas and wattles –23 taxa), Chenopodiaceae (goosefoots – 22 taxa), Asteraceae (daisies – 22 taxa), Poaceae (grasses – 16 taxa), Myrtaceae (eucalypts and paperbarks – 12 taxa) and Malvaceae (mallows – 11 taxa). However, further surveying within the planning area is required to adequately describe the area.

Clockwise from left True spinifex (*Spinifex longifolus*), camel bush (*Trichodesma zeylanicum*), Dampier pea (*Swainsona pterostylis*), the traditional owners use the red flower for moisturiser and sunscreen, *Thryptomene baeckeacea* and *Petalostylis* sp.



Vegetation associations

There are nine vegetation associations within the planning area based on Beard’s vegetation mapping and most of these have been identified as high or medium priority for reservation within the Carnarvon IBRA bioregion (Desmond and Chant 2001, CALM 2003). With the reservation of Nyinggulara National Park and Nyinggulu Coastal Reserve, two of the seven poorly reserved vegetation associations now have over 15% of the pre-European extent reserved (VA329 and VA681). This leaves five vegetation associations not adequately reserved in the conservation reserve system—two have less than 2% (VA95 and VA345) and another one less than 5% (VA2685) (Appendix 3). The remainder of former Ningaloo Station which is a proposed addition would add 7.5% of VA662. This would increase the reservation level of this association to adequate and is a significant value of this addition (Appendix 1).

Disturbance of poorly reserved vegetation associations that are in good condition will be restricted. Care will also be required where the majority of a vegetation association is reserved in the planning area.

Flora of cultural significance

Flora can be of cultural significance if it is used for food, medicine or ceremonies. It may also have mythological and spiritual significance. Appendix 3 has some species known to be of cultural significance but it is anticipated that this list will be added to during the life of the plan as knowledge is collected and shared between the traditional owners and the department during the joint management of the planning area.



Gurra (*Acacia* spp.), the Baiyungu grind up the seeds to make flour.

Left *Acacia tetragonophylla*. Above *Acacia coriacea* (wire wood).

“Although fishing was the main source of food, the women’s seed-gathering provided variety as well as quantity. At this location the women gathered a bean somewhat like the European lentil. It was oblong and in pods that held 20 or more seeds. The pods grew on bushes that were three to four feet high and covered with long, slender, bright-green leaves. The women dried the beans and ground them with stones. The resulting flour was immediately mixed with water and shaped into small loaves that were baked on hot embers.”

...Something everyone relished was a species of seedless date, which was very sweet. It was never eaten raw but was roasted or baked. Only the women knew where to gather them, and they kept the location secret from the men of the tribe...”

Account January 1876 by the survivors of the wreck of the barque *Stefano* (Rathe 1990)



Left Jamie Tittums, traditional owner holding the fruit of the *warlawarla* (sandalwood tree [*Santalum spicatum*]) which is good to eat.



Traditional owner, Chloe Cooyou, picking and peeling *gagurla* (bush banana), Cardabia Station. Photos - Hazel Walgar

Flora of conservation significance

There are records of six priority flora in the planning area (NatureMap August 2020, Long 2019 and other surveys), including:


- Priority 1: *Whiteochloa capillipes* and *Indigofera oraria*
- Priority 2: *Acacia ryaniana*
- Priority 3: *A. startii*, *Corchorus congener* and *Stackhousia umbellata*.

However, this is based on limited survey information and more comprehensive surveying of the planning area is required as it is likely that further conservation significant flora occurs. For example, there are priority species recorded from adjacent Cardabia, Warroora and Gnarlloo stations such as *Phyllanthus fuernrohrii* (sand sponge), *Eremophila youngii lepidota* and *E. cuneata* which after further surveying might be found to also occur in the planning area. In addition, Long (2019) also suggests that *Indigofera oraria* (P1), *Acanthus rupestris* (P2) and *Carpobrotus* sp. Thevenard Island (P3) are likely to occur.

The occurrence of *Launaea sarmentosa* at *Murlanda* (Mauds Landing) foredune is considered to be significant, as it has a limited known habitat on the mainland. This area should not be disturbed, if possible, to protect this species.

As the area is within the transition zone between temperate and tropical zones some species are at the northern or southern end of their range. For example, *Olearia axillaris*, *Acacia rostellifera* (summer scented wattle), *Eremophila glabra psammophora* and *Dianella revoluta* var *divaricata* (flax lily) are species within the planning area at the northern extent of their range and *Acacia gregorii* (Gregory's wattle) is at the southern extent of its range (Trudgen 1994).

It is also likely that some of the local endemic species known from Cape Range National Park such as Yardie morning glory (*Ipomea yardiensis*) may be found in the north of the planning area (D. Sandow pers. comm. 2017).



Example of analysis of tracks from departmental data.

Vegetation condition

As part of measuring a KPI in the management of the Ningaloo Marine Park (CALM 2005a) the department has undertaken a remote sensing project on coastal biological communities. This involved analysing aerial photography to interpret the change in disturbance due to anthropogenic (trails, tracks, roads, campsites, degraded areas) and natural causes (erosion such as sand blowouts). Loss or gain of vegetation is considered as an indicator of condition and pressure. Monitoring sites utilised for assessing the historical trends of anthropogenic and natural disturbances on coastal biological communities within the reserve were located in the vicinity of *Majuns* (Turtles), *Walbal Wardu* (14 Mile Camp), *Murlanda* (Mauds Landing) and Lefroy Bay (Murray *et al.* 2014). While the vegetation condition was assessed as satisfactory, the pressure was assessed as high with an increasing trend.

In addition to this, collaborative research projects at Murdoch University in 2006 analysed and mapped the extent of vegetation and off-road vehicle tracks along the coast (up to 2km inland) using hyperspectral remote sensing (Kobryn *et al.* 2011 and Kobryn *et al.* 2017). High densities of tracks were found at a range of locations along the coast. The existence of an extensive network of unmanaged tracks is a concern in that continual degradation impacts on the quality of the tourism landscape and represents significant cost and effort in relation to closure and repair.

These projects provide some information where management and restoration efforts are needed and will assist the department in prioritising track closure and rehabilitation works (see Section 20 *Visitor access*).

Rehabilitation has significant benefits from visual landscape, visitor management and environmental perspectives. At recreation sites, site protection plans will be prepared to provide interim protection for sites, prior to further works being implemented (see Section 21 *Visitor activities*). Pre-planning for revegetation of any disturbed areas needs to be undertaken at least 12 months prior to planting, in order to propagate or collect seed from relevant revegetation species and undertake adequate weed control at the appropriate times. If areas are not revegetated, weed species will invade the area (Long 2019).

Management objective: To protect and conserve native plants and plant communities particularly those of cultural and/or conservation significance

Management strategies

1. Undertake or support baseline surveys of native plants and plant communities.
2. Assess the condition of the vegetation associations within the planning area to update the area of extant associations in the State's CAR analysis dataset.
3. Collate information on culturally significant native plants and plant communities.
4. Establish and maintain monitoring sites, monitor populations and maintain records of plant species and plant communities prioritizing those of cultural and/or conservation significance.
5. Develop and implement recovery plans for threatened plants as required.
6. Identify and protect native plants and plant communities that may require special protection from inappropriate fire regimes, weeds, grazing pressure from introduced herbivores and/or inappropriate recreational activities.
7. Rehabilitating coastal dune areas e.g where tracks have been closed or blowouts have occurred.
8. Expand the analysis areas for the current remote sensing vegetation monitoring and develop targets for dune vegetation restoration activities based on dune vegetation condition and prioritisation.
9. Prevent or minimise impacts on native flora and communities from visitor use. This may involve:
 - a) guiding or restricting visitor access as necessary

- b) assessing ecological effects of proposed recreation and other infrastructure developments to inform siting and design decisions
 - c) continuing to not permit firewood collection
 - d) providing and promoting opportunities for visitors to increase their knowledge and appreciation of the area’s flora values.
10. Pre-plan revegetation of disturbed areas (existing or disturbance through management activities) at least 12 months in advance of planting to propagate or collect seed from relevant revegetation species and undertake adequate weed control at the appropriate times.

See also sections 14 *Weeds*, 15 *Introduced and other problem animals*, 18 *Fire*, 20 *Visitor access*, 21 *Visitor activities*, 22 *Commercial operations* and 25 *Grazing*.

KPIs: Native plants and plant communities

Performance measure	Target	Reporting
Health and condition of species of cultural significance	Traditional owners are satisfied with the health and condition of culturally significant species	Every 2 years
Knowledge of plant diversity	Flora surveys are carried out identifying species of cultural and conservation significance	Every 2 years
Persistence and status of populations of threatened and Priority 1 and 2 flora	Subject to natural variation, taxonomic changes, recovery and/or maintenance of populations of threatened and priority flora	Every 2 years
Vegetation cover and density ⁺	No further loss of coastal biological community biomass as a result of human activity in the planning area	Annually

⁺ Links with KPI in CALM (2005a).

12. Native animals and habitats

The planning area is situated within the Carnarvon Basin National Biodiversity Hotspot²⁰, one of only 15 in Australia. Some of the values contributing to its hotspot status are the aquatic and terrestrial cave-dwelling animals that live in the caves and sinkholes of Cape Range. The southern extent of Cape Range is in the north of the planning area in Nynggulara National Park (see sections 9 *Geology, landforms and soils* and 12 *Native animals and habitats - Karst*).

There are 281 native animal taxa recorded²¹ in the planning area, including 10 mammal taxa, 173 bird taxa, 43 reptile taxa, one fish and 54 invertebrate taxa (Appendix 4). However, these figures are based on limited and patchy survey data so further surveying within the planning area would be required to fully describe the area and determine fauna values. Potential species to investigate within the planning area include: the striped faced dunnart (*Sminthopsis macroura*), a burrowing frog and the northern spiny tailed gecko (*Strophurus ciliaris*) (district records).



Little corellas (*Cacatua sanguinea*).

The planning area occurs in an area of overlap between the southern temperate and northern tropical zones so many species are at their northern or southern extent of their range. Therefore, maintaining healthy habitats for these species will ensure no range contractions occur.

²⁰ “Biodiversity hotspots are areas that support natural ecosystems that are largely intact and where native species and communities associated with these ecosystems are well represented. They are also areas with a high diversity of locally endemic species, which are species that are not found or are rarely found outside the hotspot. The current, planned or potential management activities in hotspots place the natural values at risk, and it is likely this risk will increase in the future in the absence of active conservation management.” (DoE 2017)

²¹ Data compiled from departmental records and observations, traditional owner knowledge, NatureMap 2020 records and other published documents.

Fauna of cultural significance

Fauna can be of cultural significance if it is a sacred totem, related to ‘The Dreaming’, has ceremonial significance or is used for food (bush tucker). Fauna within the planning area that is considered to be of cultural significance includes but is not limited to the *gajalbu* (emu), *bundgurdi* (kangaroo), *bardurra* (bush turkey), *majun* (marine turtles) and *bilygurumarda* (osprey, the language name literally means fisherman).

Totems

The Baiyungu can belong to either the gajalbu (emu), bundgurdi (red kangaroo) or the bardurra (bush turkey) totems. There are subclasses within these totems depending on whether you are male or female.

If you belong to the bardurra (bush turkey) totem and you are female then your name would have willari as part of it. If you have gajalbu (emu) as your totem then you would have guru (guru = feather) as part of your Aboriginal name, for example Yarrbaguru (emu walking sideways).

If you have gajalbu (emu) as your totem then you cannot cook or cut it, someone else has to do it for you. Once someone else has cooked it for you, then you have to eat it in silence.

For the bundgurdi (kangaroo) totem, you would have markings on you. At the first sign of pregnancy you might have a marking on you and that baby would be kangaroo totem. White markings on the baby signify the kangaroo totem and may be where the kangaroo got shot.

Hazel Walgar, traditional owner January 2017



Left Male *bardurra* (bush turkey [*Ardeotis australis*]) which is smaller than the female, looking for a mate. The *bardurra* is an important totem for the Baiyungu people. **Right** When caterpillars are crossing the road that means the *gajalbu* (emus [*Dromaius novaehollandiae*]) are laying their eggs.

Fauna of conservation significance

There are 41 threatened and other specially protected vertebrate fauna taxa listed under the Biodiversity Conservation Act recorded within the planning area (NatureMap 2020 and other records, Appendix 4).

Under part 2 of the Biodiversity Conservation Act there are 12 threatened vertebrate fauna taxa recorded within the planning area. These are listed as ‘Critically Endangered’, ‘Endangered’ or ‘Vulnerable’ and include:

- one mammal
 - Endangered – black-flanked rock wallaby (*Petrogale lateralis lateralis*)
- eight birds
 - Critically Endangered – curlew sandpiper (*Calidris ferruginea*), great knot (*Calidris tenuirostris*), eastern curlew (*Numenius madagascariensis*)
 - Endangered – lesser sand plover (*Charadrius mongolus*)
 - Vulnerable – large (greater) sand plover (*Charadrius leschenaultii*), malleefowl (*Leipoa ocellata*), fairy tern (*Sterna nereis nereis*)
- three reptiles
 - Endangered – loggerhead turtle (*Caretta caretta*)
 - Vulnerable – green turtle (*Chelonia mydas*) and hawksbill turtle (*Eretmochelys imbricata*)
- one fish
 - Vulnerable – blind gudgeon (*Milyeringa veritas*).

There is also one specially protected bird, the peregrine falcon (*Falco peregrinus*) and three Priority 4 birds.

A recovery plan²² has been prepared for the black-flanked rock wallaby (Pearson 2013) and for the loggerhead, green and hawksbill turtles (DEE 2017) both of which include actions applicable to the planning area (see further below).

The blind gudgeon is a small eyeless fish that lives in caves and underground waters of the narrow coastal plain of the peninsula and foothills of Cape Range. It is one of only two vertebrate animals known from Australia that are restricted to subterranean waters. The main identified threats include sedimentation and diffuse pollution from development, water abstraction and point source pollution from sewage, landfill, dumping and mining (DEWHA 2008a).

Under the Biodiversity Conservation Act and the EPBC Act there are 36 bird taxa subject to international agreements relating to the protection of migratory birds that are declared to be in need of special protection. This includes five taxa also listed as threatened.

Cape Range National Park has a high level of endemism in reptiles and this also seems to extend to include the wider Ningaloo Coast. There are at least four reptile taxa recorded within the planning area that are endemic to the area with restricted ranges and five taxa that are recorded at either the northern or southern extent of their ranges.

A number of invertebrate species are known to be of conservation significance within the planning area including the Camaenid land snails. The North West Cape is a centre of richness and endemism and has been identified as an important area for land snail conservation in Australia. Land snails are a good indicator species for environmental condition and the status of arid zone refugia due to their endemism, low number of species and dependence on moisture (Slatyer *et al.* 2007).

Other conservation significant species recorded near the boundaries of the planning area that may also occur in the planning area include:

- Gnarlou Station mulch-slider skink (*Lerista haroldi*) Priority 1
- Ningaloo worm-lizard (*Aprasia rostrata*) Priority 3
- Cape Range slider (*Lerista allochira*) Priority 3
- *Quistrachia warroorana* (an endemic and restricted land snail).

As surveying of the planning area has not been extensive there may be other species of conservation significance discovered during the life of the plan, as well as changes to the conservation status of the species known to occur.



Ethan Cooyou, Hazel Walgar and Curtley Walgar, traditional owners, Coral Bay January 2017.

²² DBCA recovery plans www.dpaw.wa.gov.au/plants-and-animals/threatened-species-and-communities/197-approved-recovery-plans
National recovery plans www.environment.gov.au/biodiversity/threatened/recovery.html.

Black-flanked rock wallabies

The black-flanked rock wallaby is discontinuously distributed within Western Australia including several extant populations across Cape Range including Cape Range National Park, the Commonwealth Defence land and former Ningaloo Station. The black-flanked rock wallaby is found on rockpiles that are sufficiently weathered or fractured to provide access to shelter in the form of caves, crevices or fissures. Their diet includes fig plants along with a variety of other perennial species, especially dicotyledons (Creese 2007). Within the planning area there are populations of the black-flanked rock wallaby in low gorges within former Ningaloo Station; in the southern extent of Cape Range.

These populations were first surveyed in 1979 and the limited monitoring that has occurred since then has shown that the population numbers have steadily increased despite no predator control in the areas and the high densities of feral goats that share the gorges with them at night (Kinnear 1995). More detailed monitoring of these populations should occur to determine population size, trends and natural variance. This may be by way of mark-recapture trapping with microchipping/transponders or less intensively by fresh faecal pellet searches, remote cameras and spotlight counts (Pearson 2013).

The general threats to rock wallabies include:

- predation by foxes (*Vulpes vulpes*), feral cats (*Felis catus*) and dogs (*Canis familiaris*)
- competition for food and shelter from introduced herbivores
- changes to fire regimes since colonisation
- habitat destruction from clearing, mining and quarrying
- habitat degradation due to weed incursions
- small population sizes and population fragmentation
- disease
- disturbance by tourists
- drought and the effects of climate change (Pearson 2013).

The recovery plan for rock wallabies (Pearson 2013) lists feral goats as the main threat to the Cape Range and former Ningaloo Station populations. Feral goats are possible competitors of rock wallabies but there is little available evidence that competition is actually a significant factor. In other areas where goats have been controlled there has not been a consistent across the board population increase by rock wallabies (Kinnear 1995). The areas where the rock wallabies are found within the planning area have good shelter with multi-entranced crevices and lots of figs. It is a possibility that the goats provide a sentinel service to warn rock wallabies of the approach of predators such as foxes and/or cats. However, it is not known what might occur in future drought conditions if there are still high goat numbers (D. Pearson pers. comm. 2013). Another introduced herbivore, the rabbit also may be impacting on the amount of potential forage available for rock wallabies and their activities may encourage weed infestations although their principal threat is likely to be by supporting higher predator populations.



Right Feral goats (*Capra aegagrus hircus*) and a rock wallaby (*Petrogale lateralis lateralis*) at former Ningaloo Station. These populations of rock wallabies seem to be able to tolerate some goat presence, but usually only where the habitat is punctuated by numerous caves and crevices that goats cannot fully access but rock-wallabies can. Note the much larger size of feral goats.

Photo - D. Pearson/DBCA

Predation from foxes, feral cats and wild dogs/dingoes may also be impacting on the rock wallaby populations. The presence of such predators tends to result in a reduction in time spent foraging and in foraging distance from their rocky refugia (Pearson 2013). To date there has been limited introduced predator control for the populations within the planning area and they have been used as an unbaited control population in studies on the impact of fox predation on rock wallabies (Kinnear 1995). As the removal of dingoes and foxes may lead to an increase in feral cat numbers through a ‘mesopredator release’ mechanism, any future control program needs to take into account the interactions between the different predators (see Section 15 *Introduced animals and other problem animals*).

Removal of predators also may lead to increases in the densities of other macropods and so indirectly affect rock wallabies. The *bigurda* (hill kangaroo or euro) is one species that may potentially increase under a fox baiting regime (Read and Ward 2011). An overlap with rock wallaby diets and shelter sites is likely in some areas, although the nature and extent of competition is not known.

It is also unknown to what extent a large fire in the area in March 2017 impacted on the Ningaloo populations. Rocky habitats often cause fire fronts to slow and reticulate, they also provide protection from fire and remain after fire reducing predation risk. Thus, rock wallaby populations are often buffered from the worst effects of bushfires (Burbidge and McKenzie 1989, McKenzie *et al.* 2007). While fire may cause short-term loss of feeding resources, it may also remove senescent unpalatable vegetation (such as old spinifex) and stimulate regeneration of more palatable ephemeral and perennial plant species. There has been no research on the impact of fire specifically on rock wallabies. Although observations on the impact of large fires on rock wallabies on a south coast island found that there was some mortality of individual rock wallabies, but many survived and soon began to forage through burnt areas (Pearson unpublished). Apart from some anecdotal accounts of rock wallabies vacating burnt areas for short periods, understanding of the short and long-term effects of fire is limited. Therefore, research into the most appropriate ways to manage fire around rock wallaby colonies is required (see Section 18 *Fire*).

The increased likelihood of inbreeding when rock wallaby populations are small may result in reduced genetic variability, the expression of recessive genes or suppressed reproductive rates (Eldridge *et al.* 1999). As populations within WA are studied in more detail, it is likely that population sub-structuring will increasingly become an important aspect for consideration in rock wallaby conservation and management.

Majun (turtles)

Three species of *majun* (marine turtle) have been recorded in the planning area, the loggerhead, green and hawksbill turtles (CALM 2005a). The diversity of marine turtles is one of the World Heritage values of the area. Most turtle activity along the North West Cape is within Ningaloo Marine Park and adjacent Cape Range National Park, Muiron Islands and the Jurabi Coastal Park, however there are also important nesting rookeries within this planning area. These include Red Bluff, Gnarraloo Bay, Cape Farquhar, Pelican Point, Five Fingers, Bateman’s Bay, Dugong, Point Cloates and Jane’s Bay.

The majority of nests are green and loggerhead turtle nests. The green turtle is abundant throughout the year with a large resident population along Ningaloo Reef with the other turtles being migratory, visiting the planning area November to March to nest and/or haul out and rest on the sandy beaches. Green turtles tend to nest in higher proportions in the northern areas of the reserves while loggerheads tend to favour the sandy beaches of the southern areas of the reserves (Waayers 2003). Whilst there are fewer hawksbill turtles nesting along the Ningaloo Coast, the population is significant as they represent the largest remaining population in the Indian Ocean (CALM 2005a).

There are also records of occasional foraging along the Ningaloo Coast by the other marine turtles found in Australian waters, the flatback turtle (*Natator depressus*), leatherback turtle (*Dermochelys coriacea*) and olive ridley turtle (*Lepidochelys olivacea*) (CALM 2005a).

Marine turtles are under immense pressure internationally from a range of activities including illegal trade and harvest; unsustainable harvest; some forms of commercial fishing such as trawling and long-lining; and loss or degradation of habitat such as seagrass beds, coral reef ecosystems and intact coastlines. The initial national recovery plan for marine turtles in Australia (Environment Australia 2003) has been reviewed to also include consideration of emerging threats such as climate change, industrial noise and cumulative impacts of multiple threats (DEE 2017). Habitats critical for survival identified in the national recovery plan include Gnarraloo Bay for loggerhead turtles and north of Janes Bay and around the North West Cape for loggerhead and green turtles (DEE 2017). Any action that has a possibility that it will adversely impact on these habitats is deemed to be a significant impact and will require assessment under the EPBC Act. In addition, north of Bruboodjoo and around the North West Cape has been identified during Commonwealth bioregional planning as a major rookery and biologically important area (BIA) for hawksbill turtles.

Potential threats to turtle populations in the planning area are mainly from disturbance to nesting habitat (i.e. vehicle access to nesting beaches), as well as disturbance of the females during nesting activity. This can be by commercial interactions or by inappropriate recreational activities. When turtles are disturbed during nesting they may abandon the nest and return to the ocean. Light pollution emitted by car headlights and/or camping areas can also disturb nesting turtles and disorientate emerging hatchlings which can lead to increased predation and reduced energy for the swim to safety after hatching. Appropriate light management will be required as well as investigation of the *International Dark Sky Place* program which would have benefits of facilitating good light management, protect night sky viewing for present and future generations and attract visitors interested in the dark sky tourism experience (see Section 21 *Visitor activities*).

Foxes and feral cats can predate on egg clutches from nests on the beaches (CALM 2005a) however predation levels are now considered to be low after long-term management and feral baiting programs along the coast (DPaW 2015b, see Section 15 *Introduced and other problem animals*). Predation studies using remote cameras and nest cameras show reduction in fox numbers and turtle nest predation but also that seagulls eat hatchlings during the night as well, not just during the day. Ongoing monitoring and baiting will be required to ensure predation is remaining low as well as investigation of the impact of seagull predation. Beach erosion and sea level rises are also longer-term threats to the turtle populations along Ningaloo Coast.



Trainee Ranger Sarah Johnstone counting turtle tracks as part of the *Ningaloo Turtle Program* December 2017. Photo - Tom Nagle/DBCA

There have been two turtle programs running in the planning area; the *Ningaloo Turtle Program* and in the south, the *Gnaraloo Turtle Conservation Program*. These programs involve monitoring turtle activity during the nesting seasons and monitoring feral animals. Since 2018, the monitoring of the southern turtle populations has been undertaken in a more targeted program by the department in conjunction with volunteers.


Anecdotal advice suggests that indigenous hunting of marine turtles (mainly green) in the region is minimal. This is because the traditional owners will generally only catch turtles for large family occasions and this may occur only once or twice a year (CALM 2005a). Turtles have cultural significance to the traditional owners and indigenous hunting is an important cultural use of the area (see Section 6 *Aboriginal cultural heritage – enjoyment of country and customary activities*). The extent and level of indigenous hunting of marine turtles and collection of eggs will need to be quantified and discussed with the traditional owners to determine an appropriate level of sustainable hunting as it has been identified as a moderate threat to the turtles of the North West Cape (DEE 2017). The traditional owners have queried why green turtles no longer breed as much, if at all, along the coastline adjacent to Warroora Station as this is a traditional *thalu* site for green turtles (see Section 6 *Aboriginal cultural heritage – Significant law and cultural sites*). This may be due to impacts from historical commercial turtle harvesting (see Section 7 *Other Australian cultural heritage*), impacts from inappropriate recreation or because of natural processes. Effective ongoing management of the *thalu* will require the identification and sound understanding of potential impacts and natural population changes.

Seabirds, shorebirds and waders

Shallow sandy intertidal beaches interspersed with rocky shorelines provide diverse habitats for foraging waders, while the abundance of baitfish offshore is an important food source for seabirds including the two most common families, Laridae (gulls and terns) and Procellariidae (wedge-tailed shearwaters) (DPI 2002).



Crested terns (*Sterna bergii*) and silver gulls (*Larus novaehollandiae*), Pelican Point.



Red-capped plover (*Charadrius ruficapillus*) along one of the creek margins in the planning area.



Pied cormorant (*Phalacrocorax varius*) perched on the intertidal fossil reef in the south of the planning area.

There are 34 taxa of shorebirds and waders recorded in the planning area (Appendix 5). This includes 22 migratory shorebirds protected by international agreements, the Biodiversity Conservation Act and/or the EPBC Act. There are approximately 27 taxa of seabirds that roost along the coast including 20 protected by international agreements, the Biodiversity Conservation Act and/or the EPBC Act. The eastern curlew, curlew sandpiper and the great knot are considered Critically Endangered, the lesser sand plover is considered Endangered and the greater sand plover and fairy tern are considered Vulnerable under the Biodiversity Conservation Act.

Within the planning area the main seabird rookeries are Cape Farquhar, Pelican Point, Point Maud and Winderabandi Point. Up to 5,000 terns, mostly common terns (*Sterna hirundo*) have been recorded roosting between Bateman Bay and north of *Murlanda* (Mauds Landing) (DPaW and AMOSC 2014a) and more than 6,000 at Cape Farquhar (S. Thomson obs. 2018). Other terns include roseate (*Sterna dougallii*), lesser crested (*Sterna bengalensis*), Caspian (*Sterna caspia*) and crested terns (*Sterna bergii*). In 1992 Point Maud was gazetted as a prohibited area under the *Control of Vehicles (Off-road Areas) Act 1978* prohibiting vehicle access and managed as a *Bird Roosting Sanctuary* (BBG 1995). New significant roosting and rookery sites are still being found along the coast (P. Barnes pers. comm. 2017).

Vehicles, uncontrolled domestic dogs, foxes, cats and goats are the main threats to the seabirds, shorebirds and waders. Additional management within the planning area will include implementation of spatial controls to provide protection to seabird nesting and roosting areas and increased education and awareness with shoreline users. Management of seabirds, shorebirds and migratory waders will also include undertaking research to better characterise these communities and to assess the level of human impact on them.

Silver gulls (*Larus novaehollandiae*), a native predator upon the eggs and hatchlings of seabirds and marine turtles should be monitored as artificially high numbers can impact nesting seabird colonies and marine turtle hatchlings.

Karst

The northern part of the planning area is the southern extent of the Cape Range which includes the extensive Cape Range karst province (see Section 9 *Geology, landforms and soils*). Cape Range is the only Tertiary orogenic karst in Australia and supports one of the world's richer subterranean faunas which has contributed to the World Heritage listing

of Ningaloo Coast (see Section 3 *Management context – World Heritage*). The fauna occurs in three parts, separate terrestrial faunas in Cape Range proper, on its coastal plain, and a relict fauna, largely of Tethyan origin, occurring in the anchialine groundwater of the coastal plain (Humphreys 2004).

The diverse subterranean fauna of Cape Range karst encompasses both terrestrial and aquatic ecosystems and is entirely endemic to the range and include fish; crustaceans, such as amphipods and isopods; snails; insects, such as diplurans and millipedes; arachnids including spiders and pseudoscorpions; archaeognaths, and thysanurans. Cape Range is considered to possibly be the most diverse karst area in the world for cave fauna. Much of the fauna in the caves is uncommon and vulnerable to extinction due to the very limited geographic range, and low numbers. The cave deposits contain fossil mammalian faunas that differ from the modern fauna, and are of considerable importance in helping to understand mammal extinction in Australia, and in reconstructing the distribution of the mammal fauna immediately prior to European settlement.

There are records of the threatened blind gudgeon within the planning area however more research is required to fully characterise and understand the karst environments specifically within the planning area part of the Cape Range karst system.

Potential threats to the karst environment include fire, weeds and feral animals such as goats which can impact by grazing around and utilising water from sinkholes, and from camping within cave entrances, where large volumes of goat faeces accumulate, causing significant increase in local nutrient loads into the karst. Also introduced species such as guppies (*Poecilia reticulata*) have been found in caves within the Cape Range karst which could potentially further impact subterranean fauna. It is proposed to incorporate remainder of the planning area into the Ningaloo Coast World Heritage listing as per the intent of the original nomination (DEWHA 2010) (see Section 3 *Management context*). This would bring more of the Cape Range karst into the World Heritage listing.

Management objective: To identify, protect and conserve native animals and habitats, particularly those of cultural and/or conservation significance

Management strategies

1. Undertake or support baseline surveys of native animals identifying species of cultural or conservation significance including endemics and range end taxa.
2. Document animals of cultural significance to the traditional owners including totems, bush tucker, bush medicine and animals featuring in stories as well as *thalu* (areas known as important habitats/breeding areas) and prepare guidelines for management, in particular where species or *thalu* have been or have the potential to be impacted.
3. Monitor the condition of culturally significant fauna in the planning area to determine whether these are being adequately protected and maintained.
4. Determine the extent and level of indigenous hunting and then develop and apply sustainable harvest strategies and management targets e.g for marine turtles.
5. Survey the northern part of the planning area within Cape Range for black-flanked rock wallabies and monitor these populations over time.
6. Examine the variation in the rock wallabies from Cape Range National Park/planning area with the race populations in MacDonnell Ranges in NT and SA and Central Ranges Region of WA.
7. Implement an integrated predator control program focusing on foxes, feral cats and wild dogs to reduce animal predation on rock wallabies, turtle nests and shorebirds and migratory waders.
8. Monitor the impacts of introduced predators (foxes, feral cats and wild dogs) on seabirds, shorebirds, migratory waders, rock wallabies and turtles.
9. Investigate the interaction between introduced herbivores such as rabbits and goats on the rock wallaby habitats and populations.
10. Incorporate habitat requirements of threatened animals within the planning area into any fire management prescriptions.
11. Support captive breeding programs and/or translocations of black-flanked rock wallabies.
12. Educate the visitors about the ecological significance of nesting, feeding and roosting sites for resident and migratory bird species.
13. Develop, review and/or implement recovery plans for threatened animals as required e.g the *Recovery plan for marine turtles in Australia* (DEE 2017) and the *Recovery plan for five species of rock wallabies* (Pearson 2013).
14. Determine the location and relative significance of turtle aggregation sites and rookeries within the planning area and adjacent marine areas.
15. Ensure wildlife interaction activities, vehicles, camping and domestic dogs do not impact on turtles, through education and compliance programs, liaison with commercial operators and appropriate licensing.

16. Continue to support and implement turtle monitoring programs within the planning area and adjacent marine areas and monitor the status and trends of the turtle populations in relation to historical populations and natural variance.
17. Prepare an artificial light management plan to manage artificial lighting along the coast and reduce impacts on turtles and their hatchlings as well as impacts on seabirds and migratory shorebirds. This may include a range of measures including recommendations on types of lights, shielding, temporal and spatial management of light along the coast.
18. Investigate the *International Dark Sky Place* program with a view to nominating the Ningaloo Coast as a Dark Sky Park.
19. Monitor the impact of vehicles and domestic dogs on seabirds, shorebirds and migratory waders and introduce restrictions where appropriate to protect important coastal habitats.
20. Support research to characterize the karst fauna within the planning area.
21. Monitor populations of the blind gudgeon, any occurrence of feral fish and minimise adverse impacts of land use within the range of the groundwater ecosystem, prevent point source pollution to the groundwater and ensure sediments do not enter the system.
22. Investigate the impact of feral herbivores on Cape Range karst systems including water quantity and quality.
23. Seek to amend the Ningaloo Coast World Heritage Area boundary to include the remainder of the planning area in consultation with the Ningaloo Coast World Heritage Advisory Committee, State and Commonwealth governments and the International Union for Conservation of Nature (IUCN).
24. Report to the Ningaloo Coast World Heritage Advisory Committee on an annual basis on management of the planning area as it relates to the identified values of the World Heritage area within and adjacent to the planning area.
25. Encourage and support, wherever possible, external agencies and individuals whose research contributes directly to the joint managers' objectives or the implementation and auditing of this plan, and advocate the involvement of the traditional owners in this research.

See also sections 14 *Weeds*, 15 *Introduced and other problem animals*, 16 *Diseases*, 18 *Fire*, 20 *Visitor access* and 21 *Visitor activities*.

KPIs: Native animals and habitats

Performance measure	Target	Reporting
Health and condition of species and <i>thalu</i> of cultural significance	Traditional owners are satisfied with the health and condition of culturally significant fauna species and <i>thalu</i>	Every 2 years
Knowledge of animal diversity	Fauna surveys are carried out identifying species of cultural and conservation significance	Every 2 years
Range and population size of threatened and other conservation significant fauna	Subject to natural variation, recovery and maintenance of viable populations of threatened and other conservation significant fauna within the planning area	Every 5 years, or as per recovery plans
Conservation status of threatened fauna species	No decline in the conservation status of threatened fauna species	Every 3 years, or as per recovery plans
Nesting turtles ⁺	More than 70% of nests produce hatchlings	Annually
	Trends in nesting turtle numbers continue to be stable or increasing	Annually
Diversity and abundance of seabirds, migratory shorebirds and waders ⁺	No loss of seabird, migratory shorebird and wader diversity or abundance as a result of human activity in the planning area	Every 5 years
World Heritage values	Ningaloo Coast World Heritage Advisory Committee are satisfied with the management of the planning area as it relates to the identified outstanding universal value	Annually

⁺ Links with KPI in the *Recovery Plan for Marine Turtles in Australia* (DEE 2017).

13. Ecological communities

There are currently no listed threatened ecological communities (TECs) or priority ecological communities (PECs) within the planning area. However, as the Bundera Sinkhole TEC is 5km to the north of the planning area, there may be ecological communities connected through the underground aquifer within the karst of the northern planning area (see Section 12 *Native animals and habitats*) that may be determined also to be conservation significant during the life of the plan.

Management objective: Threatened and other ecological communities of conservation significance within the planning area are identified and protected

Management strategies

1. Investigate and assess the karst systems of the north of the planning area.
2. Identify potential threatened and priority ecological communities, evaluate their status and management requirements and seek to list them under State and/or Commonwealth legislation as appropriate.

14. Weeds

Environmental weeds are plants that invade natural ecosystems and negatively affect the survival of native flora and fauna. Weeds can have adverse impacts on the environment including a reduction in biodiversity, competition with native species for space, light, nutrients and water, disruption of ecosystem processes, impacts to important medicine plants and other culturally important plants, changes and loss of fauna habitat and resources, alteration of fire regimes, and loss of landscape and scenic values.

Aside from buffel grass (which is widespread along some areas of the coast), relatively few weed species have been recorded in the planning area (see Table 3). Weeds are most likely to be found along roads, access tracks, waterways, drainage lines, day use and camping areas in the planning area. Weeds such as kapok (*Aerva javanica*) which are found within the adjacent pastoral stations and Coral Bay townsite may be at risk of entering the planning area through vehicles, introduced animals and other recreational or pastoral activities.



New flower buds on a coral cactus (*Cylindropuntia fulgida*) at Quobba Station. Photo - DBCA

Table 3. Environmental weeds within or adjacent to the planning area

Common Name	Species Name	Ecological impact	District prioritisation	Location	Local proposed management
Birdwood grass	<i>Cenchrus setiger</i>	High	Low	Widespread but less abundant than buffel grass	Contain
Blackberry nightshade	<i>Solanum nigrum</i>	High	Low	Tombstones	Monitor and reassess after goats have been controlled
Buffel grass	<i>Cenchrus ciliaris</i>	High	Low	Widespread but more adjacent to Warroora Station	Contain and limited density reduction
Coral cactus	<i>Cylindropuntia fulgida</i>	High	High, WONS*	Adjacent to Warroora, Gnoraloo and Quobba stations	Localised eradication
Caltrop	<i>Tribulus terrestris</i>	High	High	Adjacent to Warroora Station	Localised eradication
Ice plant	<i>Mesembryanthemum crystallinum</i>	High	Low	Adjacent to Quobba and Gnoraloo (Tombstones and Gnarraloo Bay) stations	Contain and localised eradication
Kapok	<i>Aerva javanica</i>	High	Medium	Ex-Ningaloo Station, Mauds Landing, adjacent to Warroora Station	Contain and limited density reduction, eradicate from Mauds Landing

Common Name	Species Name	Ecological impact	District prioritisation	Location	Local proposed management
Lantana	<i>Lantana camara</i>	High	Medium	Unknown, potential for incursions	Monitor
Mexican poppy	<i>Argemone ochroleuca</i>	High	High, WONS*	Adjacent to Warroora Station	Localised eradication
Mimosa bush	<i>Varchellia farnesiana</i>	High	Low	Adjacent to Warroora Station and ex-Ningaloo Station	Monitor and contain
Nettle-leaf goosefoot	<i>Chenopodium murale</i>	Medium	Low	Tombstones	Monitor and reassess after goats have been controlled
Pie melon	<i>Citrullus lanatus</i>	High	Medium	Widespread	Monitor and contain
Ruby dock	<i>Rumex vesicarius</i>	High	Medium	Unknown, potential for incursions	Monitor
Sow thistle	<i>Sonchus oleraceus</i>	High	Low	Tombstones	Monitor and reassess after goats have been controlled
Tamarisk	<i>Tamarix aphylla</i>	High	Medium	Adjacent to Warroora Station at Nicks Camp, Pelican Point, and entry to Sandy Point	Monitor and localised containment
Thornapple	<i>Datura</i> spp.	High	Medium	Unknown, potential for incursions	Monitor
Tobacco tree	<i>Nicotiana glauca</i>	Low	Low	Gnaraloo Homestead and Scorpion Ridge	Monitor and restrict spread

*WONS Weed of National Significance

Comprehensive surveying and mapping of weed species in the planning area would facilitate assessment of weed distribution, vegetation condition, prioritisation of weed control measures and the effectiveness of weed control.

Buffel grass

Buffel grass is a hardy, drought-resistant perennial bunchgrass native to Africa, the Middle East and Asia (Dixon *et al.* 2001). It is believed that buffel grass was introduced into Australia between 1870 and 1880 with the packsaddles of Afghan camel drivers (Humphreys 1967). Since then it has been deliberately introduced by the pastoral industry to revegetate eroded areas and as a pasture supplement throughout the Pilbara and Kimberley regions of WA (Humphreys 1974, Dixon *et al.* 2001).


Buffel grass can impact directly on biodiversity values, for example through competition, and indirectly through increasing the frequency and intensity of fires. These hotter fires can affect groundcover vegetation (including bush foods important to traditional owners) and carry into the canopy of keystone arid zone trees with flow-on effects to other plants and animals. They can also increase the risk of damage to infrastructure and cultural sites (CRC for Australian Weed Management 2008, DoE 2015b).

When buffel grass is dense it can dominate light and space, reducing opportunities for native vegetation establishment. Even at lower densities buffel grass may reduce soil nitrogen, exhaust the mineral pool and inhibit plant regeneration and growth through competition and allelopathic suppression. Buffel grass can aggressively colonise riparian habitats, displacing native vegetation. Infestation of water points such as soakwells and rock holes can impede access to sites of Aboriginal cultural significance. Buffel grass is considered a 'transformer weed' of the Australian rangelands due to its ability to transform the basic attributes of habitats. Many consider it to be the most debilitating weed of natural ecosystems in arid and semi-arid Australia where it can directly or indirectly displace and threaten a large number of native and endemic plants and animals (DoE 2015b).

Little research has been undertaken relating to the impacts of buffel grass on fauna, however likely impacts considered are: loss of native vegetation and therefore change to habitat and food source, reduced foraging efficiency due to dense grass, increased mortality and decreased reproductive success due to changes in the fire regime and dietary constraints. Research undertaken on specialist seed eating birds such as finches and some parrots noted that these species do not include buffel seed in their diet and become rare in buffel dominated landscapes (Franks *et al.* 2000). Best (1998) found that the total number of invertebrate orders and species are significantly reduced by buffel grass presence. Leachates from the leaves and roots of buffel grass have also been shown to have a phytotoxic effect on other species (Fulbright and Fulbright 1990). Little is known about the impact of buffel grass (or weeds in general) on rock wallaby habitats and long-term effects on rock wallabies (Pearson 2013). It is eaten by rock wallabies, although its palatability and nutritional status is low as it dries off.

Where the native plant species displaced by the spread of buffel grass produced a lesser fuel load, the new conditions created by this exotic species will lead to more intense fires and in some cases the potential for more frequent fires. The introduction of buffel grass has therefore greatly increased the risk of fire to assets and infrastructure in some areas by increasing the fuel loads by several times the site's natural fuel loads.

Buffel grass is now widespread within the planning area and because of the extent of its distribution and difficulties with its control, it is the most high impacting weed in the planning area. It has largely replaced native *Triodia* grasslands on the coastal plain as a result of disturbance such as heavy grazing pressure (by stock in the past and by goats and euros presently), and by its positive response to fire (Keighery and Gibson 1993).



Windura (Turtle Cliffs)/*Yalabaya* (Point Anderson) area where buffel grass (*Cenchrus ciliaris*) has displaced the native vegetation on a large scale.
Photo - Todd Quartermaine/DBCA

Weed management

The department engages in weed management focusing on reducing the impacts of existing priority weed populations on key natural, cultural and recreational values and assets, whilst also preventing and eradicating new infestations in a cost-effective manner. Priority weeds within the planning area are based on the regional rankings within the *Pilbara Region weed prioritisation database* (revised biennially) and the *Exmouth District weed strategy* (DPaW 2016b). Priorities may change during the life of this management plan. Table 3 (above) shows the proposed local management of weeds in the planning area.

Options for environmental weed management include prevention, eradication, control, containment, density reduction or monitoring. The preferred option is to prevent the introduction of environmental weeds through appropriate management, as eradication is rarely feasible. Methods of control include managing introductions and disturbance, the use of herbicides, biological control, manual control and, potentially, control through the application of fire.

Effective control programs encourage the growth of native species through rehabilitation and the suppression of weeds with the overall aim of boosting the area's resilience to further weed invasion. The role of rehabilitation where weeds have been removed is critical in order to prevent reinvasion of new weeds. Management of weeds needs to occur on a landscape scale in cooperation with neighbouring land managers and in conjunction with other management programs (e.g. fire).

For most weeds, control is expensive. Preventing their introduction and spread is a more cost-effective option. Where weed species are detected in the planning area, the control of small manageable outbreaks is a priority. Buffel grass is well established across parts of the planning area and may be difficult to contain and eradicate (see below). Creation of

the conservation reserve should eventually limit stock movements, though it is not understood how the recovery potential of the landscape is affected by the density or duration of buffel colonisation. Post-fire weed control can be a significant issue and further information is required to understand weed invasiveness after fire.

It should be noted that weeds can be beneficial for dune stabilisation and reducing erosion in the absence of native vegetation. In such instances, weeds should only be removed as part of an integrated weed management program that includes restoration of the site with native species.

Coral cactus

In May 2018, the cochineal beetle (*Dactylopius tomentosus*) was trialled to control coral cactus (*Cylindropuntia fulgida*), a weed of national significance within the planning area near Warroora homestead. The cactus is a highly invasive species and is difficult to eradicate due to its rapid rate of reproduction, and ability for small ‘pups’ to stick to any vector that can transport it. The cochineal beetle grub kills the cactus by drawing moisture and nutrients out of it. Ongoing monitoring of the large infestation shows that the cochineal beetle has been extremely successful in spreading through the infestation and subsequently killing the cactus. When the cactus has been entirely eradicated, the beetle will naturally die out. Biological control may be required to manage further coral cactus populations throughout the life of the plan.

Buffel grass

Control of buffel grass is complex. There does not appear to be any single control method that may be employed for the successful management of buffel grass at a landscape scale such as within the planning area. The long, dense root mass makes manual removal of the grass difficult, it withstands cutting and grazing (in some instances cutting only encourages growth), and it recovers quickly from fire. Improved understanding of buffel grass and its interaction with factors such as grazing (i.e. from feral herbivores and euros) and fire is required to facilitate control of this weed. Further research into the implications of its toxic effects on rehabilitation species is also necessary.



Bigurda (euro) standing in buffel grass.

To facilitate effective management of this weed in association with fire management activities, information on the location and extent of infestations is required. Opportunistic recording of infestations should be encouraged. Information on infestations should be recorded in the department’s weed management database (via the *Weed App* or similar) to allow access by fire practitioners for use in planning prescribed fire activities. Aerial surveying can be a useful tool for mapping buffel grass along the Ningaloo Coast, especially when it is green and actively growing, and can help prioritise control activity.

Recommended management of buffel grass within the planning area will be as per the impact on significant cultural sites or conservation significant species and habitats, otherwise as per the level of infestation and guidelines in *Fire Management Information Note S12: Buffel grass and fire management* (DEC 2008).

The dead below ground biomass of buffel grass does provide soil binding to prevent wind erosion for at least three years (Dixon *et al.* 2002), in which time revegetation needs to proceed. With all methods of control it should be recognised that disturbances can stimulate buffel grass seed germination and enhance seedling establishment, so soil disturbance should be minimised in restoration work. Follow up surveys, monitoring and control (for at least five years due to seed longevity) is essential to achieve effective control.

Buffel grass has C4 photosynthesis like many other warm climate grasses. It is generally considered that C4 plants have an advantage in a warmer climate due to their higher CO₂ assimilation rates at higher temperatures and higher photosynthetic optima than their C3 counterparts (Dwyer *et al.* 2007). In addition, buffel grass, along with other exotic grasses, had higher biomass when resprouting after fire than native grasses when grown under elevated CO₂ (Tooth and Leishman 2014). This implies that buffel grass will remain, if not increase, in its ability to transform ecosystems under climate change (Scott 2014).

Management objective: To minimise the negative impact of weeds on the planning area

Management strategies

1. Surveying and mapping of weed species in the planning area.
2. Update corporate weed databases including *Weed App*, the *Pilbara Region Weed Prioritisation Database* including details of distribution, history of weed control and relevant biological information.
3. Assess key values and areas including flora and fauna, landscapes, recreation sites, cultural sites and bush tucker that are most vulnerable to the impacts of weeds.
4. Develop and implement a weed control plan that prioritizes species based on distribution, invasiveness, cultural and environmental impact and feasibility of control consistent with regional and local priorities (e.g. the *Pilbara Region Weed Prioritisation Database* and the *Exmouth District Weed Strategy*).
5. Investigate whether weeds are affecting the foraging habitat of the rock wallaby populations in the planning area and rehabilitate if necessary.
6. Investigate techniques to control buffel grass and research its impact on rock wallabies in general e.g. its importance in the diet and its relative nutritional value compared to alternative plants.
7. Remove introduced herbivores to manage grazing and implement appropriate managed fire regimes to allow native plants to recruit seedlings and set seed.
8. Monitor the effectiveness of weed control within the planning area.
9. Investigate disturbed areas to revegetate with native vegetation.
10. Prevent new infestations and limit the opportunity for new weeds to be introduced and established by:
 - monitoring and containing existing weed infestations
 - understanding methods of weed dispersal in the planning area
 - liaising with adjacent landholders to implement measures to prevent weeds from adjacent areas further establishing within the planning area
 - applying appropriate hygiene practices as required to machinery entering the planning area
 - minimising disturbance of soil while carrying out management activities, particularly in areas within or adjacent to sources of weeds
 - restricting the importation of soil into the planning area to only those sources with strict soil quarantine
 - raising public awareness to the significance and identification of environmental weeds and promoting appropriate hygiene practices.

See also sections 11 *Native plants and plant communities*, 12. *Native animals and habitats*, 18 *Fire* and 25 *Grazing*.

KPIs: Weeds

Performance measure	Target	Reporting
Weed control plan	A weed control plan is developed and implemented	Every 5 years
Cultural value of native species	Traditional owners are satisfied that traditional knowledge is being consulted and adopted as appropriate into management of weeds to protect culturally significant species	Annually
	No bush tucker or cultural site is affected by weeds	Annually
Presence of weeds of local priority	Decrease in the area of weeds of local priority	Every 2 years



Above Melons (*Citrullus* sp.).

Right Feral goats eating melons and assisting in weed spread.

15. Introduced and other problem animals

The introduced animals in the planning area include foxes, wild dogs, feral cats, rabbits, goats, rats and mice. The main management strategies will be targeted to control foxes, feral cats, rabbits and goats. Monitoring of karst environments will also include monitoring for invasions of feral fish.

Foxes and feral cats

The red fox and feral cat are mid ranking predators (mesopredators²³) that prey on medium-sized ground dwelling mammals, birds and reptiles in the planning area, including turtle eggs and hatchlings. Predation by foxes and cats are listed as key threatening processes under the EPBC Act. Five-year threat abatement plans and five-yearly reviews (DEWHA 2008c, DEWHA 2008d, DoE 2013b, DoE 2014) have been prepared for both threatening processes to provide national coordination, with the emphasis on local control programs to ensure recovery of endangered species. Faunal predation of marine turtle eggs is listed as a threat for loggerhead turtles (and green turtles) in Western Australia in the *Recovery Plan for Marine Turtles in Australia* (DEE 2017) and in the abatement plans. Some estimate of nest predation will be valuable in determining ongoing management actions for controlling feral and native predators of eggs.



Nature Conservation Coordinator, Derek Sandow and traditional owners sharing knowledge of feral animal control, January 2017.

Through the department's *Western Shield* program, which has been implemented adjacent to Ningaloo Marine Park since 1996, foxes have been controlled using 1080 poison baits which has afforded some protection to the turtle-nesting beaches. Aerial baiting for foxes is undertaken at least twice a year in addition to strategic ground baiting, but continual research is required to help maximise the locations and effectiveness of these baiting regimes. Current ground baiting locations in the planning area include Bateman's Bay, Jane's Bay and adjacent to Gnaraloo pastoral lease. Feral cat baiting with *Eradicat* baits has been trialled to control feral cats and may be introduced into the planning area.

The mesopredator release hypothesis (Crooks and Soulé 1999) predicts that when a higher order predator is removed, lower order predators increase their abundance, which often results in amplified pressure on smaller prey species. These interactions can cause trophic cascades (Ritchie and Johnson 2009), where the effects of increased mesopredator and herbivore abundance can flow through the food chain ultimately causing undesirable outcomes for faunal and floral biodiversity. Conversely, an increase of apex predators can reduce herbivore and mesopredator abundance and indirectly promote vegetation growth (Hayward and Somers 2009). In Australia, these processes are thought to occur between dingoes, red foxes and feral cats, with effects being felt by several prey species across entire ecosystems (Glen *et al.* 2007).

Therefore, mesopredator control within the planning area needs to be integrated with objectives of other introduced animal control programs and threatened species recovery plans because of the complex interactions. For example, reducing cats may increase the rabbit population which may in turn increase fox populations and predation on other animals. Similarly, broad-scale 1080 baiting for foxes may remove the top predators; dingoes and wild dogs. This may relieve pressure on feral cats and lead to increases in their abundance or changes in behaviour. Concurrent research and adaptive management will have to occur along with introduced animal control programs.

Goats

Large populations of feral goats occur in some locations in the planning area in addition to tagged goats (stock) that may have strayed into the planning area from the neighbouring pastoral stations. Grazing is not permitted in the planning area (see Section 24 **Error! Reference source not found.**) and competition and land degradation by feral goats is listed as a Key Threatening Process under the EPBC Act.

²³ Mesopredators are potential prey of top predators, as well as being predators.

Goats are currently the most significant feral herbivore within the planning area. Goats are responsible for a variety of impacts on native flora and fauna, including competing with native fauna for food, water and shelter, and threatening the survival of native flora through their feeding habits (DEWHA 2008b). Feral goats have been identified as a threat to the threatened black-flanked rock wallaby (see Section 12 *Native animals and habitats*). The impact of hooves and overgrazing destabilises soils and greatly increases erosion. Goats may also be having an impact by increasing nutrient and sediment loads into the receiving waters of Ningaloo Marine Park as well as the karst aquifer system (see Section 12 *Native animals and habitats - Karst*). A threat abatement plan and a five-year review have been prepared (DEWHA 2008b, DoE 2013a).



Feral goats at Cape Farquhar. Photo – J. Morgan/DBCA

Goat control efforts on conservation lands are significantly impeded where land management objectives on adjacent lands are to maintain or promote their numbers, and where there is a concomitant lack of effective control measures to prevent them wandering in from adjacent pastoral properties. In 2002, recognition was given to the growing goat industry in that goats were reclassified from ‘prohibited’ stock to ‘authorised’ stock under the Land Administration Regulations 1998. There is currently little statutory requirement for pastoralists to prevent movement of their stock onto adjacent lands, although the department will seek to work in collaboration with individual pastoralists and the Pastoral Lands Board of Western Australia to encourage strategies to this end.

Goat control within the planning area may include aerial and ground shooting, removal of watering points and/or mustering and trapping for commercial sale in the initial years after reserve creation. Population numbers will be monitored to determine effectiveness of control measures and compare impacts.

Barriers (e.g. fencing) can provide localised protection for conservation significant areas and may be considered.

Rabbits

Competition and land degradation by feral rabbits is listed as a Key Threatening Process under the EPBC Act and a draft threat abatement plan (DoE 2015a) has been prepared. It is uncertain to what extent rabbits are present in the planning area but within adjacent areas it appears they are largely limited to small isolated pockets with fluctuating numbers in response to climate conditions.

Various strategies are employed to control rabbit populations in Australia, including the widespread introduction of biological control agents such as *myxoma* and rabbit *calicivirus*. These disease agents have an important role in controlling rabbit numbers, but will not, in isolation, necessarily provide adequate levels of control and new strains need to be developed regularly to cope with increasing resistance of rabbits.

The control of rabbits around rock wallaby colonies has been limited but may be important to prevent over-grazing or an elevation in fox numbers due to prey abundance.

Rabbit control is complicated by concerns about non-target species being affected by baits, and most techniques are expensive to continue repeatedly at sufficient intensity to provide a prolonged decrease in numbers. It is unclear to what extent rabbits contribute to the overall impact of introduced animals on the planning area's conservation values, however this has been assumed to be relatively low, so priority will be given to the control of foxes and goats. Nevertheless, a targeted rabbit monitoring and control program with a focus on protection of threatened or other species of special conservation may be warranted in the future.



Jidarra (perentie [*Varanus giganteus*]) eating a dead rabbit near Monument Cliffs.

Management objective: To minimise the negative impact of introduced and other problem animals on the key values of the planning area and adjacent Marine Park

Management strategies

1. Select key locations of the planning area and develop an ongoing feral animal monitoring program.
2. Maintain information on introduced animals (and other problem animals where required) including a register of animals, details of distribution, relevant biological information and history of control.
3. Develop and implement an introduced animal control plan that prioritises the control of introduced animals based on their ecological impact, current and potential distribution, and feasibility of control.
4. Implement an integrated predator control program including fox and feral cat baiting and targeted trapping to protect native fauna such as rock wallabies, turtle hatchlings and migratory shorebirds.
5. Monitor the effectiveness of the integrated predator control program (e.g. by calculating activity indices of introduced predators and/or habitat use by the native species such as the rock wallaby and introduced predator as well as using remote cameras and turtle nest cameras).
6. Research interactions between predators and prey with regard to the mesopredator release theory and adapt management as required.
7. Develop a control plan for feral goats within the planning area.
8. Manage goat and other introduced herbivore (sheep, cattle, rabbit) populations within the planning area as required in liaison with the adjoining pastoralists.
9. Determine feasibility and, where appropriate, construct stock exclusion fences prioritising sensitive areas.
10. In partnerships with adjoining pastoralists manage introduced animals adjacent to the planning area to provide a buffer for the conservation values.
11. Where appropriate, continue to partner with regional biosecurity group to contract licensed pest management officers to control wild dogs.
12. Monitor karst systems for introduction of feral fish.

See also sections 12 *Native animals and habitats* and 25 *Grazing*.

KPI: Introduced and other problem animals

Performance measure	Target	Reporting
Introduced animal control plan	A control plan is developed and implemented	Every 5 years
Integrated predator control program	Decreasing activity of introduced predator and/or increasing habitat use of the native species such as the black-flanked rock wallaby	Every 5 years
	Reduce predation of turtle hatchlings by 5%*	Annually
Introduced herbivores	Decreasing trend in numbers of introduced herbivores (observable impacts at monitored sites to be kept at 'low' or 'no' observable impact)	Every 5 years
Cultural values of native species	Reduction in impact on bush tucker and cultural sites affected by introduced or problem animals	Annually

*Links with KPI in *Ningaloo Marine Park management plan* (CALM 2005a).

16. Plant and animal diseases

Although documented animal and plant diseases are uncommon within the planning area, there have been a few known cases. Diseases such as toxoplasmosis (recorded in macropods transferred by feral cats), ringworm (recorded in numerous mammals), sarcoptic mange (recorded in foxes, wild dogs and dingoes) and feline immunodeficiency virus (recorded in feral cats) have been recorded in the planning area.

Fibropapillomatosis is a benign tumour disease of marine turtles, predominantly in the green turtle but it has also been reported in the loggerhead and other turtle species outside of the planning area. It is possible that the green turtles in the adjacent marine waters may carry this disease. A large tumour can mechanically hamper sight, swallowing, and swimming, which may ultimately be fatal. The prevalence of this disease is associated with highly populated coastal areas polluted by large amounts of agricultural, domestic and industrial wastes or marine biotoxins. Some studies also show a correlation with tumour-associated viruses. The most effective treatment for this disease is surgical removal.

It is possible that further plant and/or animal diseases may be discovered during the life of the plan.

Management objective: To minimise impacts of plant and animal diseases on the key values as well as departmental staff

Management strategies

1. Investigate and document the prevalence of toxoplasmosis and other diseases and parasites in macropods such as the black-flanked rock wallabies of Cape Range and the Ningaloo Coast as required.
2. Conduct or support research on the prevalence and frequency of tumour disease in turtles as required.
3. Monitor plant and animal diseases within the planning area during the life of the plan.
4. Encourage community reporting of potential plant or animal diseases to the District office or to the Department of Primary Industries and Regional Development²⁴.
5. Prepare and implement plant and animal disease control plans as required.

17. Marine and other pollution

Boating and shipping activities within the marine environment have the capacity to impact on the values of the planning area, in particular the coastal environment. This may be by way of marine debris, pollutants from vessel and ship spills, anti-fouling paints used on ship hulls, introduced pests causing biosecurity concerns, bilge pumping and/or land-based run-off. There is a major shipping lane that runs parallel to the coast. There is also a minor shipping channel that provides access to the Point Maud area. In addition, there are a number of sites where recreational and small commercial vessels are launched and retrieved.

Oil and gas spills from offshore petroleum operations off the North West Cape have the potential to spread along the Ningaloo Coast and impact on turtles, seabirds and shorebirds (as well as other important species within the beach ecosystem such as crabs, insects, worms and grasses) covering them in pollutants.

Land-based activities also have the capacity to pollute the planning area and adjacent marine areas with inappropriate rubbish and toilet waste disposal (see Section 21 *Visitor activities – Waste management*). There may also be asbestos waste associated with historical use (see Section 7 *Other Australian cultural heritage*).

Marine oil pollution

The Ningaloo Coast has been assessed as a high risk for oil spills over one tonne (contributions from ships at sea and in port, small commercial vessels, offshore production and drilling and shore-based spills) and a very high environmental sensitivity producing a high environmental risk index (Det Norske Veritas 2011). The *National Plan for maritime environmental emergencies* (AMSA 2019) sets out national arrangements, policies and principles for the management of maritime environmental emergencies. Underpinning this national document, the *State hazard plan for maritime environmental emergencies* (DoT 2019) provides an overview of arrangements for the management of marine oil pollution and marine transport emergencies in WA and contains information on prevention, preparedness, response and recovery.

The *Western Australian oiled wildlife response plan* (DPaW and AMOSC 2014b) sets out guidance and best practice procedures for oiled wildlife response agencies, including both the department and the petroleum industry, as to the approach to an oiled wildlife marine pollution incident in Western Australia. Sitting beneath and providing a more

²⁴ The Pest and Disease Information Service provides advisory and identification services on animal and plant pests, weeds and diseases that impact Western Australia's agriculture and food industries.

detailed regional context and detail for the State plan is the *Pilbara Region oiled wildlife response plan* (DPaW and AMOSC 2014a), corresponding to the departmental regional boundary that applies to the planning area. The regional plan outlines detailed ‘on ground’ regional information required to carry out an oiled wildlife response, including wildlife values, high-risk wildlife areas, identified oiled wildlife facilities, equipment, resource and contact lists.

Marine debris

Injury and fatality to vertebrate wildlife caused by ingestion of, or entanglement in, harmful marine debris has been listed as a key threatening process under the EPBC Act (DEH 2003). Turtles, marine mammals and seabirds can be severely injured or die from entanglement in marine debris, causing restricted mobility, starvation, infection, amputation, drowning and smothering. Seabirds entangled in fishing lines, fragments of fishing nets, plastic packing straps or other marine debris may lose their ability to move quickly through the water, reducing their ability to catch prey and avoid predators, or they may suffer constricted circulation, leading to asphyxiation and death. Fishing line debris, nets and ropes cut into the skin of marine mammals or turtles, leading to infection or the amputation of flippers, tails or flukes. Marine species can confuse plastics including bags, rubber, balloons and confectionery wrappers with prey and swallow them. This debris can cause a blockage in the digestive system. Turtles are known to eat plastic bags, confusing them with jellyfish, their common prey. Seabirds eat polystyrene balls and plastic buoys, confusing them with fish eggs and crustaceans, and whales are also known to eat plastic debris.

The issue of harmful marine debris has been recognised as a global problem with up to 150 million tonnes of plastic in the Earth’s oceans (Ocean Conservancy 2015). It has been estimated that the sea is expected to contain 1 tonne of plastic for every 3 tonnes of fish by 2025, and by 2050, more plastics than fish (by weight) (World Economic Forum 2016). Harmful marine debris includes land-sourced rubbish, fishing gear from recreational and commercial fishing abandoned or lost to the sea, and vessel-sourced, solid, non-biodegradable floating materials disposed of or lost at sea. Most of these items are made of synthetic plastics materials (Rochman *et al.* 2016). Common items of marine debris include: plastic bottles, crates, buckets, packing materials, plastic microbeads, fishing nets, cigarette butts, rope, food packaging, gloves, fishing gear and plastic bags.

Many industry, government and non-government stakeholders are working to address marine debris and related issues (e.g. through beach clean-up and management of litter and illegal dumping). The *Threat abatement plan for the impact of marine debris on vertebrate wildlife of Australia’s coasts and oceans* (DEE 2018) is a revised threat abatement plan focussed on reducing injury and fatality to wildlife caused by harmful marine debris as well as now recognising the global nature of the marine debris problem and the potential sublethal and other impacts of microplastic and associated chemical contamination. The *Recovery plan for marine turtles in Australia* (DEE 2017) also calls for the sources of marine debris to be identified, which together with responding to stranding events and quantifying mortality caused by marine debris, are the primary actions to monitor and manage marine debris as a threat to turtles.

The most effective way to reduce the impacts of marine debris remains to prevent it entering the marine environment. In terms of this management plan, that means preventing land-based waste ending up on the beach or in the ocean by educating visitors on the issue of marine debris and engendering community action to reduce plastic use in the planning area as well as providing appropriate facilities to collect waste (see sections 19 *Visitor planning – Information, education and interpretation* and 21 *Visitor activities – Waste management*).

Management objective: Activities are appropriately managed to reduce pollution impacts on the key values of the planning area and adjacent marine areas

Management strategies

1. Implement the regional response plan (DPaW and AMOSC 2014a) for wildlife affected by shipping and boating pollution, such as oil spills in line with national and state plans (AMSA 2019, DoT 2019, DPaW and AMOSC 2014b).
2. Identify sources of marine and land-based pollution and monitor mortality of marine species due to entanglement and ingestion.
3. Support community clean up days and opportunistically remove marine and coastal debris.
4. Educate visitors to the marine area and adjacent areas on preventing marine pollution and the damaging impacts of marine pollution including the potential marine food chain and human health impacts from microplastic and contaminants.
5. Support community-based action within Coral Bay to change the way people buy, use and dispose of consumer products, in particular single-use disposal plastic and reduce the amount of plastics brought into the planning area and adjacent tourism areas.
6. Work with recreational and commercial fishing groups to ensure fishing gear is disposed of appropriately.
7. Develop and maintain a register of toxic waste such as asbestos within the planning area.
8. Ensure waste generated by visitors to the planning area is collected and disposed of safely and appropriately so it does not contaminate the marine environment.

See also sections 19 *Visitor planning – Information, education and interpretation* and 21 *Visitor activities – Waste management*.

18. Fire

Garla (fire) is an important natural component of ecosystem function and is one of a number of factors that influences biodiversity and ecosystem health, function and condition. However, large and intense bushfires are a potential threat to biodiversity, life, property and other values. Effective fire management relies on co-operation between all landholders and managers along the Ningaloo coast.

Recent fire history

The fire history of the planning area has not been systematically collected, but it is thought the majority of the planning area has a fuel load that is over 10 years old apart from a portion of Nyinggulara National Park which burnt in 2017.

Major fires known to have occurred in the last 20 years include fires on:

- Warroora and Cardabia stations in 1997
- former Ningaloo Station in 1997, 2012 and 2017
- Gnoraloo and Warroora stations in 2009.

The extent of impact (if any) of the 2017 fire within former Ningaloo Station on the populations of black-flanked rock wallabies is yet unknown (see Section 12 *Native animals and habitats - Black-flanked rock wallabies* and *Fire ecology* below).

Fire ecology

The ecological effects of fire depend on a complex interaction between factors including:

- the fire regimes that ecosystems are exposed to, particularly the frequency, seasonality and intensity of fire occurrence
- the attributes and life cycle of ecosystem components, such as regeneration strategies, time between germination and flowering and recolonisation/dispersal capabilities
- the climatic and weather conditions under which fires occur and post-fire
- any concurrent ecological stressors that interact with regimes such as grazing, weed invasion and predation pressure.

There has been little research undertaken on the occurrence and effects of fire in the planning area therefore a key focus for future research is improving knowledge about the interrelationship of fire and the ecology of the area.

Traditional burning practices of the area are also inadequately understood by the department. Traditional owners have an interest in fire management and may be interested in manipulating fire intervals to promote the growth or numbers of culturally significant species. Further discussion of traditional burning in the planning area is required within the JMB to assess whether this would be appropriate.

Climate change may affect fire regimes and the fire ecology of the planning area and the broader region. Hennessy *et al.* (2006) predicted that by 2030 the climate of north-western Australia will be slightly warmer, with a small decrease in annual rainfall. More frequent and severe droughts are expected, as well as increases in extreme weather events (see Section 8 *Climate and projected climate change*). These environmental changes may interact with existing stressors, leading to complex and unpredictable outcomes (Steffen *et al.* 2009).

Fire and flora

The predominant vegetation of the planning area is hummock grasslands, consisting of *Triodia* species with a sparse overstorey of *Acacia* trees or shrubs (see Section 11 *Native plants and plant communities*). These will usually require about five to seven years after a fire to accumulate enough fuel to carry a subsequent fire. This period may be shorter following periods of high rainfall or under severe weather conditions, (Burrows *et al.* 1991). Rainfall is the primary influence on growth rates in hummock grasslands and so extensive bushfires are usually preceded by several seasons of above average rainfall. Studies in other spinifex-dominated communities (Burrows *et al.* 1991, Burbidge 1985, Griffin *et al.* 1983) have shown frequent, small fires result in a mosaic of vegetation successional stages, which increases habitat diversity and reduces the likelihood of the occurrence of large, intense bushfires.

The interaction between fire and flammable weed species, such as buffel grass, complicates fire management in parts of the planning area. Fire may enhance weed invasion, leading to more frequent or intense fires and suppress the regeneration of native species. Mild, patchy prescribed burning of areas adjoining buffel grass infestations, may maintain native grass swards and limit the expansion of buffel grass (DEC 2008). Where buffel grass is interspersed with native grasses, care should be taken with prescribed fire to minimise the potential for such fire events to facilitate the spread of buffel grass (DEC 2008).

Fire management is an important consideration in the management of coastal dune systems. Although the vegetation of these areas is not considered to be fire-sensitive, its temporary removal by intense fires may result in the destabilisation of dunes and erosion.

Fire and fauna

The rate of post-fire recovery of animal populations is strongly influenced by the size of the fire and the recovery of the flora communities within their habitat (Muller 2001, Abbott and Burrows 2003). Post-fire ecological pressures may also be influential, for example, the loss of vegetation cover through fire may result in increased exposure to predation and increased competition for food and shelter.

Predicting the impacts of fire on fauna is aided by understanding species attributes such as:

- the distribution and location of key habitat areas
- specialised habitat requirements, particularly for mature or relatively long unburnt vegetation
- life history attributes, including fecundity
- dispersal capability (i.e. ability to relocate to unburnt areas)
- the interaction of fire with concurrent pressures (e.g. from predators, introduced fauna, climate change).

The black-flanked rock wallaby is a significant species of the planning area that is vulnerable to predation by foxes and cats, and competition for resources by goats and rabbits (see Section 12 *Native animals and habitats*). The maintenance of suitably-sized and distributed patches of unburnt vegetation in the landscape is important to the conservation of the black-flanked rock wallaby. It is also important to consider the minimum fire interval required to maintain species required to provide the black-flanked rock wallaby with its food and habitat requirements.

The culturally significant *bardurra* (bush turkey) also has specific fire management requirements. *Bardurra* benefit from fire by aggregating at burning or recently burnt areas to exploit food resources exposed or killed by the fire. They also benefit from the more open vegetation structure in recently burnt areas, using them for mating display areas and foraging. However, large and intense fires, which generally occur in the late dry season, may be detrimental to *bardurra* if the fire destroys nests. Other impacts of fire regimes may be indirect or operate at longer temporal scales by influencing the availability of food resources, floristics, nutrient availability and habitat structure (Ziembicki 2009).

Further research is required to improve knowledge of the key fire response fauna species and communities within the planning area. However, as a fundamental principle, fire regimes that result in a reduced risk of large damaging bushfires and that promote floristic and structural diversity (thereby providing a range of habitats), will help to maintain faunal diversity. Landscapes exposed to repeatedly uniform fire regimes can result in habitat homogenisation that may be detrimental to faunal diversity (Burrows *et al.* 1991) while variation in the frequency, interval, season, intensity and scale of fire promotes biodiversity.

Fire and karst

The effects of fire on arid karst landscapes and associated ecosystems are not well documented or understood. Holland (1994) found that fire in karst landscapes could weather the limestone surface and destroy minor solution features (known as karren). These effects were associated with hot fires in areas of high fuel load. He also observed that the degree to which vegetation fires will aid erosion of the limestone depends upon the purity of the limestone, its inclination and its degree of karstification. Other probable effects of fire in karst include:

- alteration in the 'usual' surface-subsurface interactions, particularly of water and nutrient flows between the surface and subsurface
- increased sediment loads (limestone fragments, ash and debris) into the karst cavities and pore spaces, and the groundwater
- the loss of vegetation around cave entrances affecting flows of air, soil and nutrients into the cave thereby altering environmental conditions and disrupting cave ecosystems.

It is expected that the ecological significance of any effects of fire on karst would increase in proportion to the intensity and scale of fire. Holland (1994) considered that longer intervals between fires would increase the potential for degradation of the limestone surface in the event of a fire, as the accumulation of larger fuel loads increases the

likelihood of more intense fire behaviour. Therefore, it is likely that fire management which promotes diverse fire regimes, and reduces the likelihood of large and intense bushfires, will reduce the impacts of fire on the karst and associated ecosystems. Which specific fire regimes will best provide for conservation of karst and karst-related ecosystems of the planning area, is also an area for future fire research. Research should include investigations into the attributes and fire response of species commonly occurring near the entrances of caves, or with roots penetrating into caves (e.g. *Ficus* spp.).

Fire management

Fire management in the planning area will be guided by the latest Pilbara Region fuel management plan (in prep.)²⁵ and be complementary to the fire management requirements in the *Cape Range National Park management plan* (DEC 2010) and *Buffel grass and fire management* (DEC 2008).

Fire management within the planning area will be undertaken with due consideration of:

- managing the risk of bushfire to fire vulnerable assets of the planning area and adjacent lands (cultural heritage, life and property, amenity and recreation sites)
- fire regime requirements of native flora and fauna
- enhancement and maintenance of biodiversity at a localised scale
- developing knowledge concerning the interactions of fire and the biota of the planning area
- the potential for any fire to interact with existing threatening processes such as weed invasion, soil erosion, predation by feral predators and/or climate change.

Some of the most important ecological considerations for fire management in the area are:

- karst environments
- threatened fauna such as rock-wallaby populations
- fire-sensitive species and communities
- coastal plain buffel grass communities (fire exclusion).

For large parts of the planning area where spinifex grasslands are the dominant vegetation, fire management will be guided by the management principles provided at Appendix 7.

The short to medium term focus of fire management for the planning area will be the protection of life and property within, and adjacent to, the planning area and the prevention of large, intense bushfires. This will be achieved by responding to bushfires in a manner that is proportionate to the prevailing and forecast conditions, assets at risk and resources available and using prescribed fire to create a strategic buffer system of fuel-reduced areas. The longer-term fire management will be adapted to include gains in knowledge of the fire ecology of the planning area.

Effective communication and consultation with neighbours and wider community leads to greater cooperation, understanding and support for fire management programs. With the remoteness and length of the planning area and extensive boundary with neighbouring pastoral stations, cooperation between the department, neighbouring land managers, shires, the local community and DFES is crucial to fire management in the planning area and adjacent lands. For visitor safety, some areas of the planning area may be closed temporarily on Extreme or Catastrophic fire rating days, especially if there is only one-way vehicle and foot access/egress. An Emergency response plan will be developed that includes muster points, entry station fire advice, bushfire attack level assessment and mitigation and park closure as appropriate.

Management objective: To protect human life and maintain key values by actively managing fire

Management strategies

1. Develop a rolling three-year fire program of prescribed burning guided by the latest Pilbara regional fuel management plan (or equivalent).
2. Host regular collaborative fire planning meetings with traditional owners.
3. Manage fire consistent with relevant fire management legislation, policies and guidelines and relevant recovery plans for threatened species by using an adaptive management framework that incorporates cultural responsibilities, available scientific and traditional knowledge and input from traditional owners and key stakeholders.

²⁵ The 2008 Pilbara regional fire management plan (DEC 2008) is being reviewed. See Appendix 6 for an extract of the 2008 regional fire management plan.

4. Identify fire sensitive flora and fauna, catalogue vital attributes, fire ecology interactions, fire regime requirements and monitor condition post fire where applicable.
5. Consider specific fire management requirements of culturally significant species.
6. Apply prescribed fire and/or other fuel management techniques at the appropriate scale, intensity, frequency and season to:
 - protect and conserve species and ecosystems with specific fire regime requirements²⁶
 - reduce the area burnt by late dry-season fires
 - limit the potential for bushfires to run without intersecting low-fuel areas
 - establish and maintain a fire-induced mosaic of different vegetation structures and ages (time since fire) across the landscape with inter-fire periods sufficient to maintain biodiversity.
7. Identify fire vulnerable assets of the planning area and adjacent lands (cultural heritage sites, life and property, amenity and recreation sites) and ensure future site design and development is consistent with minimising bushfire risk.
8. Integrate fire management with weed and introduced animal management programs such as buffel grass, foxes and/or goats.
9. Establish post-fire monitoring sites to measure the impact of fire, and to develop an understanding of ecological fire requirements of plants and animals within the planning area.
10. Establish and maintain a strategic system of protective fire buffers and access tracks for fire management, with a focus on areas of high conservation value, sites of cultural significance and other community assets (such as Coral Bay townsite, recreation sites and boundary fences).
11. Prepare an *Emergency response plan* that includes muster points, entry station fire advice, bushfire attack level assessment and mitigation and considers park closure as appropriate.
12. Work closely with DFES, shires of Carnarvon and Exmouth, neighbouring land managers, communities and other relevant groups to encourage cooperative and compatible fire management arrangements and ensure appropriate community protection from fire.
13. Close public access and recreation sites as required for public safety during bushfires or on days rated as Catastrophic or Extreme fire danger and notify the public where possible via on-site (signs) and off-site (websites, apps and social media) alerts.

KPI: Fire

Performance measure	Target	Reporting
Bushfire risk mitigation	A strategic buffer system of low-fuel loads is identified and maintained	Every 3 years
Size of large, intense fires	Reduction in area of large, intense bushfires, using the 2017 to 2022 five-year levels as the comparison	Every 5 years
Knowledge of fire ecology within the planning area	Identification of fire-sensitive habitats and communities	Every 5 years
	Increased knowledge of vital attributes of species and ecological communities	Every 5 years
	Increased knowledge of the interaction between fire and buffel grass	Every 5 years
	Increased knowledge of the impact of fire on karst systems	Every 5 years
	Increased knowledge of optimal fire regimes for the black-flanked rock wallaby and interrelation with competition for food resources with goats	Every 5 years
The condition of nominated fire-sensitive habitats and communities	Fire sensitive or threatened taxa or communities are maintained or enhanced	Every 5 years
The persistence of fire-sensitive species within the planning area (e.g rock-wallabies)	Nominated populations of species maintained	Every 5 years

²⁶ Species and communities that require a specific fire regime, or sequence of fire, for its persistence, which could be a unique combination of fire interval, season and intensity.



People on country (managing recreation, tourism and community values)

Strategic objective

To support and enhance compatible recreation and tourism experiences for the appreciation of the planning area's remote landscape, natural and cultural heritage values.

19. Visitor planning

Ningaloo experience

The planning area, Cape Range National Park and adjoining Ningaloo Marine Park are major natural attractions for recreation and tourism along the North-West Cape. Visitors to the planning area value the remote and self-sufficient recreational opportunities in an undeveloped natural area that the Ningaloo Coast offers, and this is often broadly referred to as the 'Ningaloo experience'. This includes low-key camping with little or no facilities along the coast but may range from camping in tents to campervans/caravans with many modern amenities. Some visitors may be in small camping areas with only a few sites but also some are in large camping areas with hundreds of sites spread over a few kilometres. So even within this notion of the remote 'Ningaloo experience' there are still varying scales of remoteness and development (see sections 19 *Visitor planning – Visitor management settings and recreation site classification* and 21 *Visitor activities – Overnight stays*).

Visitors also come to the planning area during day trips from Carnarvon, Coral Bay or Exmouth (or adjoining pastoral station accommodation such as Quobba, Gnaraloo and Warroora homesteads or tourism lease areas such as Red Bluff, 3 Mile Camp or Bruboodjoo). Recreation activities include four-wheel driving, sightseeing, spending time on the beach/swimming, boat launching, shore fishing, surfing, snorkelling, windsurfing and/or sea kayaking and viewing wildlife (Smith and Shields 2017). For many visitors, the 'Ningaloo experience' is seen as being very different to that offered in Cape Range National Park or other national parks in Western Australia and is highly valued. Many long-term visitors have a sense of community and belonging to the area. However, this experience may be affected by increasing visitation if it is not managed appropriately and it is important that equitable access is provided for all visitors.

The peak tourism season for the area is March to October with the off-peak season still attracting high numbers of visitors in the December and January school holidays (see Appendix 8). Visit numbers have increased markedly over the last 20 years leading to track duplication, additional camp sites and coastal dune degradation (see sections 20 *Visitor Access* and 21 *Visitor activities*). Historical aerial photography shows that recreation sites have continued to incrementally expand as camp sites are pushed out into the surrounding vegetation or additional camping areas are developed (see Section 21 *Visitor activities – Overnight stays*).

Planning for future visitor use in the planning area will seek to preserve and enhance the 'Ningaloo experience' along the coast whilst protecting the environment and cultural values with minor site protection works around key camping and day use areas. Where necessary this will include track rationalisation and rehabilitation works (see sections 20 *Visitor Access* and 21 *Visitor activities*). Maintaining the visitor experience will also rely on all visitors following the 'leave no trace' ideology and education and interpretation will focus on the importance of visitors observing these principles during their stay including camping within existing cleared areas, bringing their own portable camping toilets and firewood, using fire rings or defined campfire sites, only driving on designated access tracks, and disposing of their waste properly. This will ensure the beauty and undeveloped landscape of the coast and its natural values that attract visitors to the area and the sense of remoteness are continued into the future.

Visitor management settings and recreation site classifications

Visitor management settings within the planning area are based on the Recreation Opportunity Spectrum (Clark and Stankey 1979) and provide a specified range of recreation opportunities in a given area, while limiting unintended incremental development and minimising visitor impacts (Appendix 9). Some recreation sites within or adjacent to the planning area have a highly modified visitor management setting and some are the more natural and remote (see maps 2a and 2b).

The Cape Farquhar area and the inland portion of former Ningaloo Station are classified as ‘natural’ due to having been closed to public vehicles, however the majority of the planning area is considered ‘natural/recreation’ due to the site impacts and modifications that have occurred from historic recreation, commercial and pastoral use with ‘recreation’ settings occurring around key visitor sites. This directs a low level of development, basic facilities, a high self-reliance for visitors and pre-visit planning required. Sites classified as ‘highly modified’²⁷ include major camping areas such as 3 Mile Camp and Red Bluff, due to their high level of visitor use, built accommodation and facilities.

A recreation site classification (major, medium, minor) is used in conjunction with the visitor management settings to provide a controlled (site-by-site) mechanism to cap the level of development within the planning area and maintain a diversity of experiences within a setting (Appendix 10 and maps 3a-3d).

The visitor management settings and the site classifications for the planning area reflect existing and proposed works and as such will guide recreation site works over the life of this plan and will be used to ensure the Ningaloo experience is maintained and enhanced.

It is the intent of this management plan to maintain visitor management settings and the site classification as similar to existing settings and classifications, in order to protect the more natural settings and minor recreational sites from further incremental development. This includes maintaining the challenging vehicle access, limited facilities and high degree of self-reliance for campers. Site protection works will be undertaken in some areas that have become highly degraded, to preserve and rehabilitate the remaining coastal vegetation and return the areas closer to a ‘natural’ setting. An example of this is the coastal sand dune areas around Coral Bay that have become highly degraded from vehicle access. The intention is to maintain access to these recreation sites, but provide defined four-wheel drive access routes, restrict off-road vehicle use, limit the level of future site disturbance, and rehabilitate the surplus network of tracks and clearings, to ensure the longevity of these sites into the future (see Section 20 *Visitor access*).



Caravans on beach at *Walbal Wardu/14 Mile Camp*, 2011. Photo - DBCA

Along the coast, there are a range of recreational opportunities within the conservation estate and adjacent pastoral areas so that even within the ‘Ningaloo experience’ there may be some visitors staying in safari tents (Red Bluff), chalets (Gnaraloo Homestead) or caravans (14 Mile) (see Section 21 *Visitor activities - Overnight stays*). The existing major sites (such as 14 Mile Camp and South Lefroy Bay) will remain as high use sites. Although at all sites there will be further assessments undertaken to determine the sustainable number of camp sites that can be accommodated in the area, without adversely affecting the key values of the planning area and the adjacent marine park. Similarly, the intention is that the existing minor camp sites and day use areas, where suitable, will remain as such to maintain the diversity of opportunities of the reserve, and ensure that visitors continue to have the opportunities for solitude and isolation. Overall, the number of campsites within the planning area will not exceed 470 to ensure visitation remains sustainable with some movement within sites (see Section 21 *Visitor activities*).

Recreational masterplanning

Detailed recreational site planning has been undertaken at the same time as the preparation of this management plan to address more specific visitor use issues, to design facilities and to consider the visual impact of development on the landscape and amenity. Recreational master planning includes the operational level of detail such as proposed materials for recreation site works and access track maintenance which is a level of detail not normally included in CALM Act management plans.

The design and placement of any facilities including structures, access tracks and fencing within the planning area will aim to minimise visual impact within the landscape particularly as this is one of the World Heritage values. Both

²⁷ ‘Highly modified’ should be seen in the context of a recreational experience in a natural area or conservation reserve and is not necessarily as modified as would be found in an urban setting.

landscapes and seascapes will be managed to protect their visual quality. The Ningaloo landscape has a high visual sensitivity due to the undulating terrain and low vegetation. Vertical structures will have a high visual impact so all structures will remain low to reduce visual impacts on the natural environment. Individual visual landscape management assessments will be required for any new development that occurs, including proposals for phone towers, road realignments, and building upgrades within lease areas. Where possible materials will be chosen to be in keeping with the remote character of the area.

In addition, car parking and recreation site redevelopment will be required to take into account light management strategies to reduce light pollution and impacts on turtles (see Section 12 *Native animals and habitats*) and minimise vegetation disturbance (see Section 11 *Native plants and plant communities*).

The aim is to take a sensitive and complementary approach to site development, and only install infrastructure required to mitigate environmental and cultural impacts or to address visitor risk issues. All efforts will be made to prevent the loss of the remote/outback appeal through inappropriate, unnecessary or over development. Infrastructure upgrades in the planning area will be limited to waste disposal infrastructure (see Section 21 *Visitor activities – Waste management*), furniture associated with day use areas, parking area upgrades (see Section 20 *Visitor access*), site protection for day use areas and camping areas (see Section 21 *Visitor activities*), refurbishment or installation of information shelters and installation of essential signage across the planning area where appropriate. Other activity will include revegetation/rehabilitation of degraded areas to ensure long term sustainability of the fragile coastal environment and therefore support long term recreation use in the area (see sections 21 *Visitor activities* and 22 *Commercial operations*). A summary of proposed site works is included in Appendix 11.

A new joint management operations base may be constructed in the south of the planning area. Construction of ranger housing, workshop/sheds and an office/information facility at Coral Bay is already underway.

Visit numbers

The planning area is widely visited by people from the local communities of Exmouth and Carnarvon as well as high numbers of tourists from Perth, the south-west and elsewhere in Western Australia (Smith and Shields 2017).

Since 1995 the department has been aerially counting the campsites along Ningaloo Marine Park on one day during each school holiday period, the peak period for visitors (see Figure 4 and Appendix 8 for the aerial flight count data). This aerial flight data shows a steady increase in visitation.




Figure 4. Aerial flight data for the Ningaloo Coast 2008-2019

Visitation also occurs outside of school holidays, in particular between March and October. Therefore, to get an overall picture of visitation during the year, annual visit days²⁸ have been modelled using the 2016 campsite figures as well as other data including traffic counters, which together reveal the extent of visitation (camping and day use) of the planning area and adjacent areas in Table 4.

Table 4. Estimated visit days to the Ningaloo Coast (planning area and adjacent tourism lease areas)

Areas camped	Estimated visit days
Total visit days (camping – planning area and adjacent tourism lease areas)	538,697
Visit days (day use - non-camping)	308,159
Total camping and day use	846,856

Note: These modelled figures do not include Coral Bay due to the lack of available visit data. However, the Gascoyne Development Commission quote overnight visitors in 2015 as being 79,434 people (GDC 2016).

In addition, the model does not include the station homestead accommodation, only camping along the coast.

A total of 846,856 visit days for Ningaloo Coast was modelled for 2016 (not including Coral Bay) including 538,697 visit days associated with camping. This makes the planning area, the most heavily camped departmental-managed area of Western Australia and in terms of recreational use, one of the highest in any departmental-managed area outside of the Perth metropolitan area. This volume of visits requires appropriate management to ensure the key values of the area are not diminished and that people can continue to enjoy visiting the region for many years to come. In comparison, the modelled annual visit days for Cape Range National Park are 112,049 for camping and 241,700 for day use (total of 353,749 visit days) for the same period (Departmental data).

Figure 5 shows the locations camped according to the aerial flight count data and is a reflection of the number of camping opportunities. Studies into track density and vegetation degradation (see Section 11 *Native plants and plant communities*) show the coastal area of the planning area has a higher track density and is more degraded than Cape Range National Park. As many of the visitors want to maintain the sense of remoteness the challenge of management will be to manage the high visitation to prevent further degradation whilst maintaining a sense of remoteness and self-sufficiency.




Figure 5. Distribution of Ningaloo Coast campsites by location based on 2016 aerial flight data (not including Coral Bay)

Using the distribution information from Figure 5 above, it can be roughly estimated that the coastline adjacent to former Ningaloo Station may receive over 170,000 visit days (camping) and the coastline adjacent to Warroora Station over 185,000. Using the same data, the lease areas Bruboodjoo, 3 Mile and Red Bluff may receive 30,000, 90,000 and almost 35,000 visit days (camping) respectively.

²⁸ A visit day is defined as a day, or part thereof, that a visitor is located in a specified area. If a person visits the area on a day trip they would account for a single visit day statistic. If a person were to enter the area and stay overnight, they would be accounted for as two visit days.

In December 2019 the department commenced managing camping adjacent to Warroora Station and within the former Ningaloo Station, so visitor number figures will be refined during the life of the plan as better data becomes available. Aerial flight data combined with online booking numbers, traffic count data and ongoing recording of vehicle numbers by staff will provide more accurate information on visitor numbers across the planning area, site condition (environmental, social and economic) and provide information on trends and the impact of the department capping camp site numbers within the planning area. Some increase in visitor numbers and change in visitor types can be expected and should be planned for.

This data should be supplemented by visitor numbers data for Coral Bay and adjoining lease areas as available. Increased bed numbers are anticipated at the tourism lease areas, and more than 800 additional beds are planned for at Coral Bay. This will have immediate impacts on the day use sites near these areas, and as a result may need to be upgraded or protected accordingly.

Visitor research

A significant amount of independent visitor research has been undertaken since 1990 along the Ningaloo coast. The key findings of this visitor research have been reviewed²⁹ and summarised in a literature review by the department (Shields and Smith 2016). Additional visitor consultation was undertaken during 2016/2017, through on-site interviews (79 interviewees) and an online survey (1,045 respondents), in order to validate the independent research and determine if visitor perceptions have changed in that time. The findings of the on-site interviews and 2017 visitor survey (see below) confirm the key findings of the previous research, and demonstrate that little has changed in terms of the desired experience or desired level of facility for visitors.

The visitor research shows that visitors desire open, largely unmanaged coastal camping. There is a perceived sense of isolation along the coast and many people state that they do not want a “national park experience”. However, many visitors to the planning area are camping within degraded natural areas (see sections 11 *Native plants and plant communities- Vegetation condition*, 20 *Visitor access – Vehicle impacts* and 21 *Visitor activities – Waste management*) and are camping in closer proximity to others than they would be in camping areas in a national park.

2017 visitor survey

Visitors were asked a range of questions to better understand user demographics, the desired camping experience, what they value about the Ningaloo coast and the types of visitor facilities people would like to see provided or upgraded along the coast. The major findings are discussed below and have been used to inform recreation planning for the reserves.

The visitor survey (Smith and Shields 2017) shows that most Ningaloo coast visitors are predominantly Australian residents with a high proportion of Western Australians, travelling with family and friends, with more than half of the groups travelling with children. They are generally long-term, repeat visitors with more than half (54%) that have been visiting the Ningaloo coast for over 10 years (29% for more than 20 years). Almost a third have been visiting for six to 10 years (23%) and only 7% have been visiting for less than two years.

The visitor survey confirmed that the most important reasons people are visiting the coastal areas are to experience nature while being close to the beach and accessing the marine park. They come to have a break from everyday urban/town life, to rest and relax and enjoy the peace and quiet. It is important to those surveyed that campsites are spread out and that there is a lack of development. Other extremely important reasons for more than half of the respondents to visit the coast are being in a remote location, wide open spaces, seeing the stars, experiencing back-to-basics camping, having a low-cost holiday and being self-sufficient.

The majority of respondents support existing attributes that facilitate the experience such as access to rubbish disposal facilities, portable camping toilet dump points, access to potable water and toilet facilities (where they are already present which is only in limited locations). Information about where they can fish, the plants and animals, visitor safety and directional signs are also important for most people.

When asked about facilities/services that are currently not provided or that could be improved that would make their stay more comfortable/convenient while not detracting from the reason they visit the Ningaloo Coast, most respondents support “rehabilitation of tracks and heavily impacted areas that are severely degraded” (77%).

Other areas with high support are:

- being able to book a camp site in advance (72%)
- additional rubbish disposal facility (e.g. pit or removal service) (72%)

²⁹ Documents used in the literature review (additional to those referenced directly in this management plan) are listed at the end of the *References*.

- more information on plants and animals (70%)
- more information on the cultural values of the site (70%)
- more regular grading of access tracks to campgrounds and sites (68%)
- signage that helps you find a site (67%)
- additional portable camping toilet dump points (67%).

In the general comments section, suggested improvements (351 mentions from 1,045 total respondents) cover a variety of aspects such as facilities (194 mentions), management (131) and environment (26). Facility improvements included campsite design improvements (62 mentions) such as not too close to other sites/sites a good size/open, a range of camping options along the coast and provision of gear-specific areas (e.g. tent only areas), tracks/trails/access road improvements (32), and rubbish/waste disposal improvements (30) such as more bins/rubbish/dump/recycling points. Suggested management improvements include better management/planning, habitat protection improvements and limitations on length of stay.

In the general comments of the survey, about a third of total respondents expressed concern over future development and a resultant change in experience. A third also desired there to be no change (see Section *Ningaloo experience* above). The description of experience (334 mentions) mostly included words such as rustic/remote/wilderness/isolated/untouched/unique/pristine (157 mentions) and self-sufficiency/back-to-basics (87 mentions).

Based on the aim of protecting the current values including maintaining the ‘Ningaloo experience’ and the consideration of results from the visitor survey and other visitor research, the short to medium term management effort will be directed towards rehabilitating tracks and degraded areas around camping and day use areas (see sections 20 *Visitor access* and 21 *Visitor activities*). Reviewing camping facilities, keeping development to a minimum and addressing waste disposal facilities and practices whilst preventing further impacts of the expansion of existing development footprints will also remain a focus for the duration of this plan (see Section 21 *Visitor activities*). Ongoing visitor satisfaction surveys will monitor any change in visitor experiences and the success of this plan to meet the expectations of visitors.

Visitor safety

Visitors are drawn to the planning area’s remoteness, solitude and challenging four-wheel driving terrain, but there is inherent risk in going to such remote places. The planning area experiences extreme temperatures, tropical cyclones, has limited communications and emergency assistance, encompasses steep dunes, cliffs, unstable overhangs and caves and has boggy when wet terrain. Overall, the environment requires visitors to take care and responsibility while in the planning area. There are also the hazards within the adjacent marine environment—the primary purpose for many visiting the planning area—with risks such as currents, swells and stinging marine life normally associated with swimming and boating activities. Visitation to the planning area also presents increased fire-related risks, including both human ignition sources and visitor safety during bushfires (see Section 18 *Fire – Fire management*).



This vehicle track close to cliff edge, south of Tombstones has been closed due to visitor risk. Photo - Emma West/DBCA

Visitors to the planning area need to be prepared and take measures to reduce their risk. This may include carrying an adequate supply of water, carrying appropriate spare tyres and vehicle recovery gear, staying on tracks, driving safely, using personal protection (such as protective clothing and sunscreen), having a first aid kit and ready access to a means of emergency communication equipment (e.g. satellite phone, EPIRB or Personal Locator Beacon). Annual Visitor Risk Management (VRM) assessments will be continually undertaken for the planning area detailing risks and proposed mitigation actions. If necessary a geotechnical survey will be commissioned to survey potential cliff risks sites, particularly in the south of the planning area and a monitoring program established.

A coastal geomorphology survey of the Gascoyne coast was undertaken in 2012, which included recommendations for the coastline of the reserve.

“Further consideration of coastal risk is required, with clear definition of the level of acceptable risk, for all permanent and temporary infrastructure...An emergency management plan is required for areas with a high risk of experiencing inundation, such as camping shelters, including monitoring, warning systems and the definition and dissemination of an evacuation plan. For any new development, a setback assessment should account for potential changes to the coastal environment. It is recommended at minimum to consider the risks associated with inundation and wave loading, in the context of potential foredune retreat associated with the passage of an extreme tropical cyclone.” (Elliot et al. 2012)

Also VRM assessments will include assessments of potential risks arising from the past use of the reserves including the Norwegian Bay Whaling Station ruins, Point Cloates lightstation, pastoral disused infrastructure remnants and wells (see sections 7 *Other Australian cultural heritage* and 10 *Hydrology*).

VRM in the planning area will involve appropriate signage as part of the broader interpretation plan (see below).

Information, education and interpretation

Visitor information, education and interpretation raises awareness about the planning area and its values, promotes support for its management, and encourages community involvement and appropriate behaviours. Communication is also vital to managing visitor risk so visitors have safe, enjoyable experiences of the planning area and adjoining marine areas.

There is already extensive information, education and interpretation material available for Ningaloo Marine Park and Cape Range National Park. Any new education and interpretation material for the planning area should take this into account and be developed as part of an overall Ningaloo Coast communication strategy whilst referencing the unique character of the planning area.



Existing non-departmental risk management sign on vehicle access track to Maggie's campground over a blind ridge. Photo - Emma West/DBCA

Pre-existing signage throughout the planning area was limited, ad hoc and generally dated. The pastoral stations each have websites where they provided pre-visit information and mud-maps to download before arrival. Sign styles and materials varied for each station, and were mainly directional signs to campgrounds. Day use areas were generally unidentified, except for some of the day use sites around Coral Bay. There was limited management or risk signage on site and no information provided regarding the Aboriginal heritage of the area. However, the pastoral station signage, though worn, forms part of the character of the area so will be incorporated where possible into future departmental signage plans.

Going forward, there is an opportunity for dual naming of recreation sites and the introduction of language names for animals, plants and places within the planning area.

Language

I think that it is interesting that pop George Cooyou and my grandmother they put this book together. It's a Baiyungu dictionary (Austin 1992) and in as so far as interpretation and interpretive signs and that sort of thing I think we can use now, I think it would be a great honour to use that material for our purposes. I think it would be quite fitting that we bring that old book back out in respect to our old people.

Paul Baron, traditional owner, January 2017

Only essential signage will be installed on site, to limit visual impact in the landscape and retain the remote experience. Promotion of a location will likely increase use of that area, so only those locations or settings where increased visitor

numbers are considered appropriate should be promoted and sign posted. The intention is to keep the signage low key. An assessment will be made about what VRM signage is essential in order to avoid cluttering the visual landscape.



Examples of pre-existing signs used in planning area.

Above left directional sign for Stevens campsite.
Above right 3 Mile Lagoon. Photo: Vicki Winfield/DBCA



Above left Coral Bay. Photo: Emma West/DBCA
Right Popular sign “keep the scene clean!” at Tombstones.



The visitor information centre in Coral Bay has been upgraded to improve visitor communications. This is an important location for conveying key management messages to visitors to the planning area as well as to the adjoining marine park. The majority of information will also be restricted to ‘entry points’ to the planning area and key sites such as Red Bluff, 3 Mile, Gnaraloo Homestead, Coral Bay and the entry to the former Ningaloo Station to reduce the amount of additional on-site signage.

Future expanded information, education and interpretation material for the planning area may include the primary themes such as:

- the traditional owners – the cultural significance of the planning area and Baiyungu traditional law and knowledge, bush tucker, Baiyungu place names, totems, stories and language, respectful and appropriate behaviour and recreational use
- natural values and the significance of the area – the Ningaloo Coast World Heritage Area and in particular the landscape, geology (including karst, fossil reefs), conservation significant flora and fauna (including *majun* [saltwater turtles]) and the importance of the coast for migratory birds and nesting turtles, the effects of disturbance, and steps the community can take to minimise disturbance to migratory birds and turtles

- the Tropic of Capricorn and change in environment between the temperate and tropical zones and plants and animals at their geographical range ends



There are many opportunities to promote an understanding of cultural values within the planning area. Baiyungu Aboriginal Corporation sign previously situated at Coral Bay Maritime Facility at Monck Head.

- the approach for managing key issues – particularly introduced animals such as fox, *guruwanyji* (feral cats) and introduced grazing animals, weeds and inappropriate *garla* (fire) regimes
- other cultural heritage such as shipwrecks, early settlers, pastoralism, whaling, Afghan and North Indian cameleers and traders and stories from long-term residents and visitors
- appropriate visitor use and visitor safety, a ‘code of the coast’ education program that outlines acceptable behaviour on issues of tracks, camping, recreational activities, waste disposal and fishing
- reducing land-based sources of marine debris including reducing single-use plastic use in the wider Ningaloo area and how to report and/or dispose of marine and coastal debris.

In addition to signage, information displays, publications, the department’s website and other electronic media (e.g. the Explore Parks WA website and various phone apps produced by the department), the department encourages its own staff, traditional owners, commercial tour operators, neighbouring land managers, conservation groups and the wider community to also disseminate this information. The traditional owners and commercial tour operators have particularly important roles and opportunities to deliver cultural and appropriate messages to visitors (see Section 22 *Commercial operations*).

Management objective: The ‘Ningaloo experience’ is maintained and the visitors’ awareness, safety, understanding, enjoyment and appreciation of the values of the planning area are improved through the provision of a range of interpretative and educational material, and visitor programs

Management strategies

1. Ensure that existing and future visitor activities and recreational and/or tourism operations are consistent with the allocated visitor management settings (maps 2a and 2b) and any changes to the settings are approved by the JMB and Conservation and Parks Commission.
2. Ensure the design and placement of any facilities including structures, access tracks and fencing will aim to minimise visual impact within the landscape, taking care to not impact the landscape and seascape values of the World Heritage area.
3. Site and design car parks to reduce light pollution impacts on beaches.
4. Minimise disturbance to vegetation, flora and fauna and landforms during recreational site development.
5. Continue to collect visitor use data to improve management along the coast (e.g. aerial surveys of camping areas, online booking system, visitor counters and visitor satisfaction surveys).
6. Manage visitor numbers, behaviours and carrying capacities of sites through strategies such as site design, education, marketing/de-marketing and implement online booking systems where feasible.
7. Prepare and implement a VRM plan that identifies and assesses the risks associated with all recreation sites and use; and that monitors and regularly reviews visitor risk.
8. Undertake VRM assessments and implement recommendations for degraded and derelict pastoral infrastructure throughout the planning area, Point Cloates lightstation and Norwegian Bay whaling station remains.
9. Apply industry and departmental standards and utilise appropriate expertise in the safe design, construction and maintenance of visitor facilities whilst keeping in line with the low-key remote ‘Ningaloo experience’.
10. Prepare and/or adopt codes of safe and environmentally sustainable conduct for popular activities (such as four-wheel driving, hiking, swimming, fishing, sea kayaking and surfing) and promote and publicise these codes as appropriate.
11. Minimise risk to visitor safety and coastal infrastructure from severe weather events by preparing emergency response plans in the event of bushfire, cyclones, tsunami and storm surges.
12. Manage access along cliffs and coastal dunes with regards to visitor safety whilst retaining visitor opportunities and experiences for scenic land and sea values.
13. Ensure that traditional owners have a primary and active role in communication about their culture and heritage.

14. Enhance visitor experience by developing and implementing an information, interpretation and education program that promotes visitor awareness, appreciation and understanding of cultural and natural values, threatening processes, World Heritage, visitor safety, wildlife interactions, appropriate visitor behaviour and marine debris.
 15. Introduce Baiyungu language on signs and interpretative material for the planning area.
 16. Where possible utilise materials to maintain the character of the planning area and develop guidelines for future signage that factors in the heritage of the reserves and the particular Ningaloo experience.
 17. Ensure that external providers such as volunteers, commercial operators and the tourism industry have relevant and factual information and interpretive material about the planning area.
- See also sections 6 *Aboriginal cultural heritage*, 7 *Other Australian cultural heritage* and 20 *Visitor access*.

KPI: Visitor planning		
Performance measure	Target	Reporting
Cultural knowledge shared appropriately	Traditional owner satisfaction with provision of information to visitors	Annually
Visitor satisfaction levels of nature-based experiences	Maintained or increased from when the conservation reserves are created with a target to be achieved of over 85% satisfaction after 10 years	Every 5 years
The extent of visitor management settings and recreation site classes	Maintain the extent of visitor management settings and recreation site classes	Every 5 years
Knowledge of natural values including World Heritage values	Information, interpretation and education programs transmit knowledge of the planning area and adjacent area values to future generations	Annually

20. Visitor access

Access

There used to be one road and they used to walk that where now you got four-wheel drives. You only went over the hills when you wanted something from the thanardi (sea).

Gwen Peck, traditional owner, April 2017

The planning area is mostly accessible only by four-wheel drive vehicles and the terrain is difficult and challenging though this adds to the experience that visitors are looking for. It is therefore proposed to maintain this level of accessibility and access to the majority of existing recreation sites, however improve roads that provide vehicle access to some recreation sites and close and rehabilitate duplicate access and tracks where visitors are pushing into surrounding vegetation or eroding dune systems.

Vehicle access

The planning area is bounded by the Commonwealth Defence land to the north and five leased pastoral stations to the east (Bullara, Cardabia, Warroora, Gnoraloo and Quobba), and surrounds the township of Coral Bay. Access into the planning area is through these stations, via roads that will need to be managed collaboratively by several different land managers. Some roads are managed by the shires of Exmouth or Carnarvon, others by the pastoralists and some are now managed by the department. Access planning will be required to ensure that roads are maintained to appropriate standards to reduce visitor risk, provide all-weather access where practicable, maintain the desired ‘rugged’ experience and facilitate access into recreation sites.

Whilst most vehicle access to the planning area is by four-wheel drive, there are some tracks that are also used by two-wheel drives at Red Bluff, Gnarraloo Bay, 14 Mile and Bruboodjoo and former Ningaloo Station. However, the condition of the tracks is more suited to four-wheel drive vehicle access.

There is a north-south access track (Gnoraloo Road, Mauds Landing-Warroora Road, Ningaloo Yardie Creek Road) that either goes through the planning area or is the eastern boundary of the planning area for most of its length, connecting with the North West Coastal Highway and Exmouth-Minilya Road via spur roads. The north-south track is a local government road, although the actual alignment does not always match the road reserve as it goes up the coast. The Cape Farquhar section between Gnarraloo Bay and Amherst Point was reopened by the Shire of Carnarvon in 2021 after being closed to vehicles for more than 15 years. The department ultimately would want this road reserve either

reclosed or incorporated in the conservation reserve in order to be able to manage access to the Cape Farquhar area and manage visitor risk issues and protect high conservation and cultural values.

The majority of the spur roads (other than Coral Bay Road) go through pastoral leases and easements have been or will be created to ensure access is maintained for visitors to the recreation sites within the planning area. Other tracks leading to recreation sites within the planning area are departmental managed. Refer to maps 3a-3d for more details on proposed access within the planning area. Vehicle access to existing recreation sites will remain open but will be rationalised, however vehicle access may be closed to some recreation sites because of impacts to cultural sites (middens, burial sites, ceremonial significance). Walk in access will still be available. Access to all recreation sites will be monitored for sustainability and access managed accordingly.



Traditional owners Curtley Walgar, Gwen Peck, Ethan Cooyou, Jamie Tittums, Sarah Johnston, Hazel Walgar, Chloe Cooyou, Glenda Morrison and Paul Baron discussing recreation and access during the January 2017 on-country meeting.

There shouldn't be any cars up in there. When we went up and buried that bones. I see some of those little plants coming back...by them going in there they going to shift all that growth, so they should be stopped...they can walk there that alright.

Gwen Peck, traditional owner speaking about closing vehicle access in areas where cultural sites are being impacted, January 2017

Four-wheel driving along beaches is a means of accessing certain areas and is an activity that is attractive to many visitors. All of the beaches north of Amherst Point are within Ningaloo Marine Park and vehicle access is not permitted for the majority of these beaches for visitor safety, and to protect the dune system, turtles, seabirds and shorebirds. This has been reinforced by the pastoralists' management of adjacent areas (e.g. Gnaraloo Station has prevented vehicle access to most beaches since 2005), however some use of the beaches around Coral Bay has occurred.


Many of the vehicle access tracks have significant maintenance and management issues such as safety issues associated with one-way tracks and blind hill crests, poor drainage, exposed sheet rock and corrugation of surfaces. The network of tracks can also be difficult for visitors to navigate, based on the lack of directional signage and extensive track duplication. Management of the track network is made more difficult in places by the steep terrain and loose sands that are highly susceptible to erosion and take a long time to rehabilitate.

Vehicle access into and around the planning area will be maintained similar to existing standards of four-wheel drive access. Track improvements may be made to improve visitor safety and minimise maintenance while not increasing accessibility generally. The department will only have management control of the spur roads into recreation sites but will collaborate with adjacent land managers to achieve appropriate access standards for the rest of the access network.

Vehicle impacts

Over the last 20 to 30 years, visitation to the planning area has increased (see Section 19 *Visitor planning* and Appendix 8) and over this time more vehicle tracks have proliferated along the coast to recreation sites particularly to day use sites around Coral Bay. In many instances, off-road drivers create new tracks rather than go over old tracks that have blown out and could be potentially boggy. The proliferation of tracks is compounded by low, sparse vegetation types, varying

track conditions between the seasons and the increasing visitor numbers and increased four-wheel drive ownership (see Section 11 *Native plants and plant communities – Vegetation condition*). Unless this access is managed, it will continue to erode dune systems and have a negative visual impact on the planning area as well as impact on natural and cultural values.



Some comparisons between aerial photographs taken from 1969 to present day 2017, Five Fingers, South Lefroy Bay and Stevens Camp.

While some areas have not been affected by tracks, a study characterising the coastal landscapes along Ningaloo Marine Park found that:

“... despite the management strategies employed by pastoral stations, considerable degradation of the delicate environment, particularly coastal vegetation, has led to erosion and remobilization of sediment (WAPC 2004). Environmental degradation is linked to the uncontrolled development of access roads, leading to the proliferation of tracks (Schlacher and Thompson 2008). Further insufficient management

of four-wheel drive vehicle access along Ningaloo could cause the erosion of the fore-dune system (CALM 2005a). Consolidation and supervision of access tracks and camping grounds is necessary to reduce the damage to coastal vegetation and allow degraded areas to recover (CALM 2005a). If not managed, tracks will increase in density and continue to spread out from inland access points towards the coast (Priskin 2003).

Along many areas of the Ningaloo coastline, visitors can view, or be in very close proximity to, the ocean while travelling along the coastal roads and this also accelerates uncontrolled access to the beach (WAPC 1996). It is also a challenge to direct visitors to appropriate spots as long stretches of coastline are easily accessible by many tourists (WAPC 1996)."

Kobryn *et al.* 2011

Vehicles can impact on large areas in just a single trip. The first few passes of a vehicle are sufficient to cause significant damage to vegetation, soil compaction, dune destruction, erosion, killing of terrestrial animals and intertidal sandy beach invertebrates which are significant food sources for shorebirds, habitat loss, introduction of new diseases and weeds and disruption of nesting birds and turtles (Havlick 2002, Priskin 2003, Moss and McPhee 2006, Groom *et al.* 2007, Schlacher *et al.* 2008, Schlacher and Thompson 2007, Lucrezi and Schlacher 2010, Kobryn *et al.* 2011, Schlacher *et al.* 2013a,b, Weston *et al.* 2014, Schlacher *et al.* 2016a,b). Vehicles can damage marine turtle nests and nesting habitat by compacting sand, crushing nests and creating wheel ruts that impede or trap hatchlings (DEE 2017). In general, the overall negative impact on the environment of the planning area is expected to increase with increased off-road vehicular use, particularly when visitation is increasing.

Track densities can be used as indicators of recreation and tourism impacts. A study of track density and impacts on vegetation along the coast found that the planning area had a higher density of tracks (9.7km/km²) compared to Cape Range National Park (1km/km²) (Kobryn *et al.* 2017). High densities of roads/tracks were found at a range of locations along the coast including (as to be expected) around recreation sites: Red Bluff Camp, 3 Mile Camp, Gnarraloo Bay, Gnarraloo Homestead, the camping areas adjacent to Warroora Station and around Warroora Homestead, around Coral Bay, Cardabia Homestead, Bruboodjoo Point, Ningaloo Homestead, around the sheds and shearers quarters and camp sites around Lefroy Bay and Winderabandi Point (see Section 11 *Native plants and plant communities – Vegetation condition*).



Proliferation of vehicle and walking tracks, Stevens Camp, August 2016.



Aerial view of Mini Minimara (Five Fingers) 2015. Photo - DBCA

Vehicle tracks and dune destabilisation can lead to soil erosion which can impact not only the land but also the adjacent marine environment. If terrestrial soil erosion causes sediment deposition within a reef system to increase beyond natural levels, fatal coral smothering can occur, as well as impacts such as the interruption of natural biological cycles and a reduction in the rate of photosynthetic activity through increased turbidity (Rogers 1990). While no severe sedimentation has thus far been recorded at Ningaloo Reef, its close proximity to a large landmass makes it particularly vulnerable to the effects of any land use changes that may occur.

Other vehicles to impact the planning include off-road vehicles such as all-terrain vehicles (ATVs or 'quad bikes'). Along the Ningaloo coastline the effect of ATVs on dune systems and the associated wildlife need to be investigated (see sections 21 *Visitor activities – ATVs* and 22 *Commercial operations – Licences*).

To minimise track damage and visitor risk, appropriate signage advising track condition will be installed at entry points to the planning area, most likely at tyre deflation points (see Section 19 *Visitor planning – Information, education and interpretation*). The initial focus areas for coastal track stabilisation and rehabilitation works will be the sites around Coral Bay, and other high use recreation areas. Also, beach vehicle access (other than to launch boats or in some instances to access beach camp sites) will continue to not be permitted in the planning area.



Closed tracks at Cardiac Hill after eight years, showing little regeneration naturally occurs without active rehabilitation or stabilisation works, January 2017.

Air access

Some of the neighbouring pastoral stations have airstrips nearby for emergency incidents and/or tourism purposes. There is also one airstrip near Gnaraloo Homestead which is in the planning area. This airstrip does not meet the standards required for Royal Flying Doctor Service aircraft and is generally not suitable for use. If the Gnaraloo Pastoral leaseholder negotiates an easement with the department over this airstrip (for pastoral activities only) then ongoing maintenance of the airstrip will be their responsibility. Otherwise, there will be no landing of aircraft (fixed wing or helicopter) permitted within the planning area except in emergency situations or for departmental management purposes such as aerial feral animal control, on country trips or biological surveys. The use of remotely piloted aircraft (such as drones) will be according to Civil Aviation Safety Authority ‘standard operating conditions’ and regulations as well as departmental policy.

Boat access

Many visitors bring dinghies or small boats with them, which they launch at informal, beach launch points within the planning area.

Marine access for large boats is limited to the Coral Bay Maritime Facility at Monck Head managed by the Department of Transport, which is utilised by both the public and multiple commercial tour operators.

All the beach launching sites are near camping and/or day use sites and are across sandy beaches.



3 Mile Lagoon.



Monck Head. Photo - Emma West/DBCA



In some areas, debris left on beaches by visitors to assist in boat launching is causing an issue to the natural and scenic values of the planning area. Gnarraloo Bay August 2016.

No formal boat launching sites other than the Monck Head facility are proposed at this point and existing beach launch locations may be reviewed to determine sustainability. In some areas, there is an issue with visitors leaving debris on the beach that is used for launching boats when the sand is boggy. This is unsightly and impacts on the habitat for breeding shorebirds and turtles as well as being a visitor risk for other users so this will continue to be removed and managed accordingly. Temporary moorings may be permitted in some instances according to departmental policy.

Management objective: To provide visitor access to enjoy nature-based recreation opportunities that minimises the impact on natural, cultural and recreation values

Management strategies

1. Provide public access as shown in maps 3a-3d, consistent with the appropriate visitor management setting (maps 2a and 2b), the department's road classification system and in consultation with visitors and relevant stakeholders.
2. Provide visitor information and education such as on-site directional, risk and management signage, as well as public maps and brochures to advise people of road conditions and layout.
3. Install designated tyre deflation points which may be co-located with reserve entry pullover areas and encourage visitors to deflate tyres.
4. Monitor vegetation cover along the coast to assess the nature and level of vehicle use and human impact on coastal vegetation communities.
5. Close and where appropriate, rehabilitate unnecessary, duplicated or inappropriate access that is poorly located, in poor condition, difficult to maintain, unsuitable for recreation and conservation purposes, no longer required or where there is adverse and unacceptable impact on the environment.
6. Temporarily or partially close public access as required for conservation or visitor safety reasons such as during breeding bird season, fire damage or dangerous driving conditions.
7. Prohibit vehicles driving off roads and tracks as shown on maps 3a-3d including along beaches unless they are shown as designated access (e.g. for boat launching).
8. Carry out an ethnographic survey at Cape Farquhar and conduct further planning to consider appropriate visitor access.
9. Monitor impacts of vehicle access, including erosion and dune blowouts on Aboriginal cultural sites such as middens and close access and rehabilitate where required.
10. Investigate different methods for rehabilitation works along the coast.
11. Liaise with the Shire of Camarvon and Gnarraloo Station to maintain the closure of public vehicle access into the Farquhar area for at least 5 years and until such time that management systems are in place to adequately manage visitation in order to protect cultural and natural values and visitor safety.
12. Prohibit the use of private quad bikes or any other 'off-road vehicle' as defined under the *Control of Vehicles (Off-road Areas) Act 1978*.
13. Conduct a review of commercial ATV use of the planning area.
14. Investigate options for managing access to sensitive cultural areas (such as classified 'prohibited' or 'limited access' areas under section 62 of the CALM Act, installing gates and/or signage, and consolidating or realigning tracks).
15. Where appropriate, classify land under section 62(1) of the CALM Act or apply other access restrictions to manage access for the conservation of natural values such as Cape Farquhar or the inland portion of ex-Ningaloo Station (but still allow access for the traditional owners and walk in visitor access).
16. Liaise with the local shires to develop appropriate signage and road closure mechanisms for managing access following rain events to limit ongoing road damage following such events.
17. Ensure management access tracks are effectively closed to the public and any public access only provided in exceptional circumstances with prior approval of the District Manager.
18. Monitor track erosion and rehabilitation effort and work to set targets for track density and rehabilitation during the life of the plan.
19. Work together with recreation and conservation groups to raise awareness on beach vehicle access impacts and mitigation.

20. Liaise with Main Roads WA, local government authorities and adjoining pastoralists to ensure the appropriate management and alignment of regional roads, road reserves and road development to, and through, the planning area incorporating unused road reserves into the planning area as appropriate.
21. Prohibit landing of aircraft within the planning area except in emergency situations or for departmental management purposes such as aerial feral animal control, on country trips or biological surveys.
22. Review and monitor existing beach boat launch locations for visitor safety and consistency with marine park management.

See also sections 6 *Aboriginal cultural heritage*, 11 *Native plants and plant communities – Vegetation condition* and 22 *Commercial operations*.

KPI: Visitor access

Performance measure	Target	Reporting
Track density and proliferation	A reduction in track density	Every 5 years
Track erosion and rehabilitation	An increase in areas undergoing rehabilitation	Every 3 years

21. Visitor activities

Overnight stays

Many of the visitors to the Ningaloo Coast stay overnight. Smith and Shields (2017) found that 90% of visitors stay overnight in the planning area, with the average length of stay about 16 nights. Only camping is provided for in the planning area with built accommodation available in the Red Bluff tourism lease and pastoral homestead accommodation adjacent to the planning area. Camping varies from tent-based camping to vehicle-based and caravan camping. No built accommodation is currently provided in the planning area.

Outside of the tourism lease areas (Red Bluff, 3 Mile Camp and Bruboodjoo) and the homestead accommodation precincts managed by Quobba, Gnaraloo and Warroora station lessees, there are approximately 16 camping areas in the planning area (Appendix 11 and maps 3a-3d). This roughly translates to approximately 470 camp sites³⁰. All 16 camping areas are north of Cape Farquhar.

The camping areas range in size from small camping nodes which each have space for only two or three small camp sites, to large dispersed camping areas, such as South Lefroy Bay and Point Billie (6.6km in length, see below), Winderabandi Point (2.3km in length), North Lefroy Bay (2.2km in length) and 14 Mile Camp (2.1km in length). The majority of camp sites are located within the conservation reserves adjacent to Warroora Station (approx. 220 sites) and the former Ningaloo Station (approx. 250 sites). All the camping areas in the planning area have been classified as ‘Major’, ‘Medium’ or ‘Minor’ as per Appendix 10 (see Section 19 *Visitor planning*). Campers in these areas are expected to be self-sufficient, bringing their own portable camping toilets, firewood and adequate water supplies.



Amherst Point camping area, August 2017

Online booking of camping areas is beneficial in allowing visitors to plan their trips ahead and be assured of a site when they arrive. This is especially useful during peak season when demand is high. The introduction of easy-to-use booking options provides flexibility and equal opportunity to book camping areas, and also provides a consistent and efficient method to make payments before arrival.

There is a long history of coastal camping in the planning area over several decades, with a strong desire for the coast to remain undeveloped with minimal facilities. Due to increasing demand for access to the coast, however, there is increasing visitation pressure and concern that further development will detract or destroy one of the few remaining coastal localities providing this type of experience (see Section 19 *Visitor planning*).

³⁰ In comparison, Cape Range National Park has 156 defined camp sites across 11 camping areas.

Since the Gnulli Native Title determination 17 December 2019, the department has been managing camping along the coast adjacent to Warroora and former Ningaloo stations (noting that the majority of the coastal camping occurred in the Ningaloo Marine Park coastal strip which has been conservation estate since 1989).



Vehicles and caravans parked on beach at *Walbal Wardu* (14 Mile Camp), Ningaloo Marine Park coastal strip. Photo - Amanda Smith/DBCA

The intent in managing the camping along the Ningaloo Coast into the future is to retain the remote, natural experience of ‘open’ camping, but minimise the impacts on the natural and cultural values of the area. Along with rehabilitation and essential site works, the focus will be educational management strategies to reinforce appropriate visitor behaviour and continue to engender respect for the values of the planning area and adjoining marine areas. The success or failure of this process will determine the future requirements for further site infrastructure, site definition and hardening.

Based on existing information, the planning area may be at carrying capacity in terms of camp sites. Taking a precautionary approach to protect key values, there will be no increase in the approximate number of overall camp sites within the planning area (there may be redistribution without increasing capacity) until investigations regarding carrying capacity and further heritage surveys are carried out. This will be 470 camp sites over the life of the plan. Walk-in ‘wild’ camp sites within the Cape Farquhar area, in conjunction with development of the Baiyungu Track, may be investigated in the future (see *Other recreational activities - Walking* below and Appendix 10). There may also be opportunities for recreation sites (including day use) to be developed within the ‘highly modified’ setting at former Ningaloo Homestead. There may also be an opportunity for inland camping in the remainder of Ningaloo Station proposed addition. Otherwise, no new ‘major’ camp sites and limited built accommodation will be created in the planning area (see Section 22 *Commercial operations* and Appendix 10). Sufficient highly developed accommodation options exist in Coral Bay, the existing tourism lease areas at Red Bluff and 3 Mile Camp, and the adjacent homestead accommodation areas. See Appendix 11 for the camping areas within the planning area and a summary of proposed site works.

Future heritage surveys along the coast will inform ongoing management of the recreation sites within the planning area to ensure the cultural values of the planning area are not being impacted by visitor use. Camping (and day use) areas will be moved if recreational use is impacting on cultural sites. It also may be necessary to investigate site capacity and definition at the large linear camp sites and how best to protect the natural and cultural values as well as the ongoing visitor experience.

There has been a significant loss of vegetation around some camping areas as well as issues with litter, fire ash/charcoal and toilet waste. This will be monitored and management modified as required.

Visitor survey responses indicate that the most important campsite attributes include a campsite close to the beach, minimal litter, price, reasonable distance to neighbouring campsite, and provision of sewage dump points (Shields and Smith 2016, Smith and Shields 2017).

Various models will be considered for managing camping into the future, with various options considered for different campsites. Models may include fee-for-service, licence or lease arrangements or direct management by the department as considered and assessed by the JMB.

Campfires

Campfires and firewood collection can have detrimental effects on the natural environment, including loss of vegetation cover, soil compaction and the accumulation of ash. Hot ash and coals from beach campfires can be a visitor risk, and campfire escapes can be a source of bushfires. Feedback from campers along the Ningaloo Coast reinforce that coals and other campfire remains impact on the visitor experience as large areas of sand can end up being mixed with charcoal making camping in those areas less enjoyable.



Using rocks to build walls for campfires can also disturb cultural sites as has unfortunately been the case at some sites.

We left this area with a very heavy heart. It was a place known for our artefacts, a significant site for us and we asked for people not to go there. When we last visited there were no artefacts, no nothing there for the young ones and our future generations to show their grandchildren. Respect and look after our traditional country. Our country will respect and look after you.

Hazel Walgar, traditional owner, August 2016

The use of above ground fire pits or defined campfire sites may help alleviate the problem of coal and ash on the beach and dune area and the disturbance of cultural sites. Where feasible, fire rings may be provided at camping areas, however mostly visitors will be encouraged to bring in portable fire containers along with their own firewood. Compliance will be monitored along with condition of camp sites. Fire bans may apply at times of ‘high’ or above bushfire risk.

Left Cultural sites have been significantly disturbed by inappropriate recreational activities in the area such as campfire building.

Day use sites

The location of the existing day use sites throughout the planning area is related to the site’s suitability for an activity such as surfing, swimming, snorkelling, boat launching and/or fishing. As well as attracting day use visitors, these areas provide alternative recreational opportunities for campers and add value to their stay. There are at least 52 day use sites in the planning area. Most of these sites are simply cleared areas used for parking, with no existing facilities (Appendix 11). Major day use sites include Tombstones, 3 Mile Lagoon and Gnarraloo Bay where visitor demand in peak seasons can exceed the capacity of the existing parking areas. There may be opportunity for further day use facilities within the former Ningaloo Homestead and shearing shed areas, particularly for interpretation.



Nyarrara Bula (Snapper Headland) example of what before and after proposed rationalisation of tracks, creation of a walk trail and formalisation of a day use car park may look like. Photos - DBCA

The Coral Bay settlement is the gateway for many visitors to access day use sites within the planning area and adjacent marine waters. Major day use sites occur within the Coral Bay Foreshore Reserve and in the proposed conservation and recreation reserve adjacent. The impact of unmanaged recreation by four-wheel drives and ATVs around the Coral Bay area has led to significant coastal degradation in a relatively short period of time. The impacts include damage to native vegetation, disturbance of wildlife, track degradation and impacts on cultural sites (Syme 2009) (see Section 20 *Visitor access*).


The most significant damage has occurred to the day use sites at *Mini Minimara* (Five Fingers), *Windura* (Turtle Cliffs), *Gurdbardu* (Skeleton Bay), *Murlanda* (Mauds Landing) and Lagoon. The department has recently begun remedial site protection works at these key sites, installing basic signage and fencing to try and limit damage to dunal areas. These

works have focused primarily on track rationalisation and closures, to prevent further compaction and loss of vegetation caused by vehicles.

Some day use sites will need to have car parks relocated or modified where they are at capacity or poorly located, for example at Gnarraloo Bay which is at capacity. A summary of proposed site works for the day use areas are shown in Appendix 11.



Gnarraloo Bay, where the day use carpark needs to be redesigned to improve visitor experience, increase capacity and provide designated boat trailer parking. Photo – Emma West/DBCA



Biodegradable coconut fibre matting laid over fore dunes, *Mini Minimara* (Five Fingers) August 2017. **Inset** Regeneration using the coconut fibre matting after being in place four to six weeks.

Other recreation activities

Walking

There are no designated walk trails within the planning area. Informal walk trails have generally formed between key recreation nodes and campgrounds, or visitors walk along the coast or on station vehicle tracks. Designated walk trails are required to improve the visitor experience of the reserve and limit visitor risk conflict with vehicles (e.g from Coral Bay to Five Fingers, 3 Mile to Tombstones). There is also opportunity to have a long-distance walk trail through Cape Farquhar which is currently closed to vehicle traffic. One such proposal includes the Baiyungu Walk Trail. This is a 350km long-distance coastal trail from Exmouth to Carnarvon with Coral Bay as a primary trailhead (ENFAC Consulting 2009) which would include education about the cultural values of the area. It is proposed that the track would be implemented in stages, with Stage 1 being trails in the Coral Bay area.

There may also be an opportunity to provide other walk trails. Most new walk trails within the planning area will be Class 2 to 3 classification and they will be predominately natural surface trails.

Cycling

There are no existing cycle trails or facilities within the planning area, and the climate and terrain makes cycling unattractive to many visitors. The soil type within the planning area is also problematic for cycle trails, however if warranted, constructed surfaced trails could provide cross country cycling experiences. Further research will be conducted to determine demand for cycling opportunities in the planning area.

Snorkelling and swimming

Snorkelling and swimming, as well as other water-based recreational activities, are popular in Ningaloo Marine Park and are key attractions for most visitors to the planning area. Snorkelling is known to be a popular activity at Coral Bay, and other protected lagoons and bays in the marine park including Gnarraloo Bay, Nature Bay, 3 Mile Lagoon, Elles Beach, The Lagoon, *Gabarlawangganyja* (Dog Rock) and *Nyilleri* (Oyster Bridge).

Recreation planning needs to occur to address existing visitor conflicts at sites such as Gnarraloo Bay and 3 Mile Lagoon where boat launch points are adjacent to popular snorkelling areas. General facilities at recreation sites will cater for snorkelling and swimming however, no formal snorkelling trails are proposed as part of this plan. On-site interpretation of snorkelling opportunities may be provided.

Fishing

Recreational fishing is managed under the *Fish Resources Management Act 1994* by the Department of Primary Industries and Regional Development by restricting bag and size limits, gear, seasons and by issuing licences. The department works with the Department of Primary Industries and Regional Development to ensure visitors to the planning area and adjacent marine waters comply with the fishing regulations. Since 1992, there have been daily bag limits and a possession limit specific for Ningaloo Marine Park. The marine park management plan (CALM 2005a) covers recreational fishing in the marine park, education of visitors to the coast and compliance aspects of management so this management plan will focus more on the indirect management of fishing by the provision of access and recreational facilities for this user group.

There are nine Sanctuary Zones along the coast of the planning area (CALM 2005a, maps 3a-3d). These zones preclude recreational fishing as well as traditional hunting and fishing. In some areas, a Special Purpose (shore-based activities) Zone has been created to allow recreational shore-based angling to continue. Fishing in closed waters of sanctuary zones remain the highest fisheries offence type for Department of Primary Industries and Regional Development (DPIRD) as well as excess bag limits and high levels of fish/fillets being transported away from the area (2015-2016 data). Within the planning area, the highest number of offences are at Point Cloates.

Under the CALM Act, customary activities such as hunting and fishing are permitted for traditional owners. In any review of the marine park management plan (CALM 2005a) traditional hunting and fishing in sanctuary zones in the Marine Park needs to be considered.

Surfing, windsurfing and kitesurfing

Surfing is a popular activity in the marine park, and the southern breaks along the cliff coast adjacent to Gnarraloo and Quobba stations are internationally renowned. From April through to September the winter swells from the Southern Ocean push their way as far as Indonesia and produce world class waves along this area.

Further surveying needs to be conducted to determine the requirements of the surfing community in these areas. Known issues are that access into the water from the rocky shores can be hazardous, and this combined with big swells can result in surfers sustaining serious injuries. Surf break locations will be assessed to determine suitable sizes and locations for day use parking areas, risk signage and information which can be understood by international visitors, and spectator viewing areas. A range of surfing opportunities will be maintained, from popular, formal sites to wilder sites with no facilities that are not publicly promoted.

There are a number of community surfing groups with stakeholder interest in the area. These groups may be able to provide support and assistance with maintenance and rehabilitation of surfing locations.

Other surfing and board activities such as windsurfing, kite surfing, stand up paddle boards are also popular water sports which may utilise the same recreation sites in the planning area. There is potential for conflict between users, though the peak season for each group generally does not overlap. An additional requirement for windsurfers and kite surfers is a large cleared area or beach that can be used for rigging up as well as appropriate angle and slope for access tracks.

The department will liaise with the surfing, windsurfing and kitesurfing communities and visitors to ensure appropriate codes of conduct interpretation is provided (see Section 19 *Visitor planning*).



Surfers entering the water at *Majuns* (Turtles) surf break. Photo - Tamara Beers/DBCA

All-Terrain Vehicles

Private unlicensed ATVs and other off-road vehicles are not permitted in the planning area. However, commercial ATV treks have historically been allowed to operate in these areas under licences issued through the CALM Act for Ningaloo Marine Park and the Land Administration Act for land now part of the Nyinggulu Coastal Reserve. These licences will need to be continually reviewed due to potential impacts on the natural and cultural values of the planning area (see Section 22 *Commercial operations*).

Boating

Visitors mostly launch small boats and dinghies across the beach to access the marine park (see Section 19 *Visitor access – Boat access*). Boat launching facilities may require a number of associated terrestrial facilities such as parking for boat trailers and signage conveying regulatory fishing information. The provision of these facilities will be considered, particularly at major sites such as Bruboodjoo, 14 Mile and Gnarraloo Bay.

Ongoing use of beach boat launch points will be subject to maintaining visitor safety and consistency with marine park management strategies. Existing sites will be reviewed and subject to ongoing monitoring, as part of the recreation planning for each area. None of the existing beach boat launch points are proposed to be upgraded or stabilised, though their positions may be reviewed to limit conflicts with swimmers, and improve the experience of beach users which may be compromised by vehicles launching, retrieving boats and parking on the beach.

The sheltered lagoons of Ningaloo Marine Park are also attractive to other forms of passive boating recreational activities such as paddlers, sea kayakers and stand up paddleboarders. Opportunities for short paddle trails or overnight stay trips could be explored and promoted to visitors.

Wildlife viewing

Sustainable wildlife viewing activities provide valuable opportunities to raise public awareness of wildlife conservation issues both in the planning area and beyond. However, inappropriate interaction with wildlife can put both visitors and wildlife at risk. Potential impacts include disruption of activities (e.g. feeding, breeding and/or nesting), direct injury (e.g. nest trampling) or changes to habitat. Adverse effects can be minimised through education, restricting vehicle access on beaches, and the appropriate siting/design of facilities. Feeding of wildlife either deliberately or as a consequence of poor rubbish management is also a particular problem.

Dark sky experiences

Interest was shown during the public consultation period of the draft joint management plan for areas within the planning area to be included in the *International Dark Sky Place* program which would have benefits of facilitating good light management (see Section 12 *Native animals and habitats*), protect night sky viewing for present and future generations and attract visitors interested in the dark sky tourism experience. This will be investigated.



Right Milky Way viewed from South Lefroy camping area.
Photo – Josh Baker

Sandboarding

Sandboarding can cause serious environmental damage as both sliding down the dune and climbing to the top again can destroy stabilizing vegetation. There are many large unstable sand dunes in the planning area and sandboarding will not be permitted.

Rock climbing and abseiling

To identify which/whether areas within the planning area are suitable for accommodating rock climbing and abseiling an assessment should be carried out to determine stakeholder interest, potential impact on key values and visitor risk. Rock climbing and abseiling will not be permitted in rock wallaby habitat, unstable coastal cliffs or areas of cultural significance and further restrictions may be implemented such as specified group size, or certain seasons or times to protect nesting birds. Visitors undertaking abseiling must have obtained 'lawful authority' from the Exmouth District office.

The Department's Policy Statement No. 18 *Recreation, Tourism and Visitor Services* provides further guidance regarding the management of recreational abseiling and rock climbing.

Visitors conducting commercial rock climbing and abseiling on lands managed by the department must obtain a commercial activity licence from the department. All commercial operators and not-for-profit groups conducting abseiling with dependent participants must also be registered under the Australian Adventure Activity Standards (AAAS) or hold current equivalent qualification recognised by the department³¹. Not-for-profit groups where participants are non-dependent (e.g. military and emergency services training groups or specialist abseiling clubs/groups) may operate under their own training guidelines and competencies and do not require AAAS accredited qualification, although this is subject to review by the department as warranted.

Orienteering, rogaining, geocaching, cross country running

The hot climate of the planning area is generally not suitable for orienteering, rogaining or cross country running and the native vegetation, particularly spinifex does not withstand trampling and it can cause injuries. However, orienteering, rogaining, cross country running and geocaching may be considered if these activities are proposed for environments that can withstand trampling. Applications will be considered on a case-by-case basis. Orienteering, rogaining, cross country running and geocaching will not be considered for the Cape Farquhar area.

Geocaching involves leaving containers for others to find which could present a risk to fauna. Therefore, geocaching and similar activities are not considered an appropriate recreational activity in the planning area.

Caving and cave diving

The caves within the planning area have not been assessed for possible tourism use or public access. During the life of the plan, they may be assessed using the department's cave classification system. All caves within the planning area will be managed as 'restricted access' until an assessment has been made of the values, potential impacts to these and visitor safety issues. It is important that the assessment also includes criteria for evaluation against cultural and scientific or educational values.

Horseriding and camel riding

Adjacent pastoral stations may have horses associated with pastoral activities and there may be future proposals for horse and/or camel treks within the planning area. As horses and camels can cause erosion in fragile coastal environments, introduce weeds and horses and camels using vehicle access tracks can create a visitor safety issue, especially where the tracks are narrow, they will not be permitted within the planning area.

Special events

It is possible that during the life of this plan that 'one-off' special events are proposed within the planning area (e.g. surf carnivals). These could involve large groups of people and camping in the planning area. Special events have the potential to have a significant impact on the planning area and on the experience of other visitors.

Special events must be consistent with the department's Policy Statement No. 18 *Recreation, Tourism and Visitor Services*—where requests are made to conduct special events for activities that are inconsistent with the policy, the event must be of national significance and approval is required from the JMB and Conservation and Parks Commission.

Before events are approved, the availability of suitable areas outside the planning area will be considered. Similarly, the potential impacts on the environment (cultural and natural values) and other visitors, the safety risks to the people

³¹ For example, the Abseiling Instructors Certificate and Professional Association of Climbing Instructors Schemes are currently regarded as acceptable accreditation.

involved in the event and the cost-benefits for the management of the area will also be considered. Competitive car rallies and other motor sports will not be allowed.

Waste management



Portable camping toilet dump point near The Lagoon camp site.
Photo – Mark Dixon/DBCA



Waste transfer station at Walbal Wardu (14 Mile).
Photo – Stephen Thomson/DBCA



Above Recyclable bottles and cans that need to be removed from existing rubbish dump near 3 Mile Camp

Right Bigurda (euro) amongst scattered rubbish at the rubbish dump near 3 Mile Camp.



Visitation to the recreation sites within the planning area generates waste, including human waste. Inappropriate waste disposal from camping areas or from boats can pollute the environment within and adjacent to the planning area. Visitors are encouraged at many of the recreation sites within the planning area to take their rubbish with them when they leave as opposed to providing bins at recreation sites and pick up any rubbish they find floating at sea or on the coast (see Section 17 *Marine and other pollution*).

Currently there is only one toilet (Tombstones) provided within the planning area with most overnight visitors being required to bring portable camping toilets with them. Portable camping toilet disposal sites with approved sealed systems are provided at several locations near the departmental camp sites. Otherwise other portable camping toilet disposal sites are within the adjacent pastoral leases and/or tourism lease areas as well as paid facilities at Coral Bay or Carnarvon or free disposal areas in Exmouth. Visitor compliance with the portable camping toilet policy will require ongoing monitoring to determine if the current practice is effective in protecting the environment or if toilet facilities should be installed at major or medium sites. In addition, the level of day use of a site may necessitate toilet facilities. There will also be a need to consider the impacts of grey water (water from sinks or showers in caravans) being discharged directly onto the beach.

Waste transfer stations have been set up near the turn off to Nyinggulara National Park on Minilya-Exmouth Road, as well as near Warroora Homestead and Walbal Wardu (14 Mile). In some areas adjacent to the planning area, limited facilities for rubbish disposal have been provided (Bruboodjoo, Warroora Homestead, Gnaraloo Homestead and Red Bluff) and some sites are within the planning area such as the rubbish dump near 3 Mile Camp where recyclables and other waste is dumped. These sites vary in the level of

ongoing management, compliance and containment with some dump areas being significant sources of pollution to the environment by rubbish being blown and scattered into the wider area as well as being significant potential sources of marine pollution from nutrients leaching into the marine environment (see Section 17 *Marine and other pollution*).

Future waste management within the planning area may include installing sealed vault drop toilets at a few select major or medium recreation sites if required, providing further portable camping toilet disposal sites with approved sealed systems if required, and converting existing rubbish dumps within the planning area to waste transfer stations. The department will also liaise with the tourism leaseholders to ensure their waste management practices do not impact on the values of the planning area or adjacent marine waters.

Domestic animals

As domestic animals may impact on wildlife, they are generally not allowed in national parks or conservation estate, unless it is a designated area. The exception is approved assistance dogs (guide dogs) and specially trained dogs for search and rescue operations, security or educational purposes or feral animal control. Areas may be declared designated dog areas on some department-managed lands where impacts are considered manageable and/or there has been a history of dog access in the area. Under the CALM Regulations, designated areas will be signposted where practical and the conditions specified on the sign, with dogs to remain under effective control at all times with the collection and appropriate disposal of dog faeces at the nearest waste transfer station.

Dogs will be allowed in the planning area in designated areas, mostly within the 5(1)(h) reserve where there is a history of dog access. Noting there may be seasonal modifications based on feral animal control programs and other areas where dogs are restricted such as turtle nesting or bird roosting and nesting sites.

Management objective: To maintain appropriate recreational opportunities for visitors to experience, appreciate and understand the cultural and natural values

Management strategies

1. Provide a range of camping and day use opportunities (Appendix 11) as well as visitor activities that are consistent with department policy, the proposed visitor management setting (maps 2a and 2b) and recreation site classifications (maps 3a-3d) and that they are designed and constructed to minimise environmental, cultural and social impacts.
2. Promote and support cultural ecotourism opportunities in the park.
3. Consider different management options for managing camping and day use areas such as fee-for-service, or management under a licence or a lease arrangement.
4. Refer inconsistent non-conforming visitor activities and recreational and/or tourism operations to the Conservation and Parks Commission and/or the JMB as appropriate for determination.
5. Review the limits for length of stay in some locations in consultation with key stakeholders.
6. Prohibit any vehicles not registered under the *Road Traffic Act 1974* (e.g. quad motorbikes).
7. Avoid unnecessary duplication of recreation opportunities with those occurring outside the planning area.
8. Not increase the overall current level of campsites within the planning area (470 campsites) even though some may need to be relocated until investigations regarding carrying capacity and further heritage surveys are carried out.
9. Assess the need for alternate camping areas.
10. Investigate former Ningaloo Homestead and shearing shed areas and the remainder of Ningaloo Station proposed addition for new recreation site opportunities including day use sites.
11. Otherwise not create any new 'major' camping experiences and only limited built accommodation within the planning area.
12. Monitor visitor impacts and review access where impacts are unacceptable.
13. Monitor levels of change and impacts of visitor use on recreational areas and facilities, and modify management where appropriate.
14. Monitor visitor impact within the planning area and adjacent marine park (e.g. relating to compliance, track proliferation, site compaction, track erosion, vegetation cover, littering/waste disposal, disease/weed spread, disturbance zones, informal camping sites and/or site condition).
15. Maintain an online booking system for camping sites as required.
16. Undertake low key site protection and maintenance works at existing sites, by installing the minimum amount of infrastructure and site definition required to protect natural and cultural values and limit site expansion.
17. Work with leaseholders of the tourism lease areas at Red Bluff, 3 Mile Camp and Bruboodjoo regarding issues such as building standards and compliance, provision of facilities, site capacity, coastal setbacks and waste disposal so management can be integrated and complementary where possible and to reduce impacts on the planning area and adjacent marine environment.

18. In partnership with DPIRD undertake an education program to ensure recreational and commercial fishers are aware of zoning restrictions and regulations, which apply to their activities within the planning area and adjacent marine park, in particular in camping areas adjacent to Sanctuary Zones.
19. Develop walk trails to improve visitor experience and limit conflict with vehicles (e.g. from Coral Bay to Monck Head, 3 Mile Camp to Tombstones).
20. Support the development of a long-distance walk trail through the planning area (e.g. the Baiyungu Walk Trail).
21. Investigate the demand for mountain biking or cycling trails in the planning area and if warranted provide sustainable cross-country trails.
22. Review existing boat launching locations and separate boat launching activities from areas where visitors swim or snorkel where possible (e.g. Gnarraloo Bay and 3 Mile Lagoon).
23. Undertake joint surveillance and enforcement programs with the DPIRD to ensure compliance with restrictions and fishing regulations.
24. Work with the DPIRD to consider opportunities for customary take of fish in the marine park.
25. Provide further specific wildlife viewing opportunities that can increase visitor's enjoyment of the planning area and awareness of wildlife conservation issues whilst minimising the potential for disruption of activities, direct injury, and habitat alteration.
26. Provide or authorise guided turtle-watching within the planning area if appropriate and provide visitors with information on turtles, their conservation and ways to prevent disturbance.
27. Investigate suitable areas for the *International Dark Sky Place* program and ensure light pollution is reduced.
28. Undertake a review of abseiling and rock climbing with relevant stakeholder groups involving assessment against criteria based on protection of key values and visitor safety, to identify which/whether areas within the planning area are suitable for accommodating the activities.
29. Restrict abseiling and rock climbing (e.g. to specific areas, seasons, times, visitor numbers) and implementing other visitor management measures as necessary in the light of the review, to protect black-flanked rock wallabies, nesting birds, other key values and visitor safety and prohibit use if unacceptable impacts to key values cannot be effectively mitigated.
30. Implement an access monitoring and management system (e.g. registration or booking system) as required to assist with monitoring and managing abseiling and rock climbing use.
31. Ensure VRM assessments of abseiling and rock climbing sites including geotechnical investigations are undertaken and responded to as required.
32. Manage all caves in the park as restricted access until assessment (environmental, cultural and safety) and classification has been undertaken.
33. Assess requests for special events as per the department's Policy Statement No. 18 *Recreation, Tourism and Visitor Services* with approval required by the JMB and Conservation and Parks Commission.
34. Require that visitors remove the rubbish and waste generated during their visit to the planning area to waste transfer stations where provided or to other waste disposal areas outside of the planning area.
35. Monitor portable toilet dumping areas and provide toilet facilities if required to reduce risk of contamination of the groundwater and receiving waters of the marine park.
36. Educate visitors to the planning area and adjacent areas on the appropriate management of waste, the harmful effects of marine debris and encourage waste minimisation.
37. Rehabilitate or contain historical waste disposal sites (including portable toilet dump pits) and provide waste transfer sites.
38. Monitor visitor behaviour in relation to waste disposal, to determine if the existing practice of using portable camping toilets and designated dump points is effective, or if toilet facilities should be installed at major or medium sites.
39. Allow campfires in designated campfire sites or portable above ground fire pits (subject to fire restrictions) and provide disposal points for ash and charcoal waste as feasible.
40. Provide information to visitors about the environmental impacts of firewood collection and campfires.
41. Not allow competitive car rallies, motor sports, hang-gliding, paragliding and sandboarding and/or variations thereof, within the planning area.
42. Manage domestic animals in accordance with department policies and relevant legislation.
43. Allow dogs in designated areas under the CALM Regulations seasonally restricting access to turtle nesting or bird roosting and nesting sites.
44. Educate visitors to the planning area about the harmful impacts of domestic pets and the necessary measures to protect wildlife, and the dangers to their pets in areas where feral animal baiting programs are conducted.

See also sections 6 *Significant Law and cultural sites*, 11 *Native plants and plant communities*, 12 *Native animals and habitats*, 17 *Marine and other pollution*, 19 *Visitor planning*, 20 *Visitor access* and 22 *Commercial operations*.

KPI: Visitor activities		
Performance measure	Target	Reporting
Visitor impacts from camping and day use	No increase in the overall footprint/disturbance zone, compaction or vegetation cover of camping areas	Every 5 years
Compliance	Compliance with regards to appropriate visitor behaviour such as the disposal of portable camping toilet waste, general waste disposal, informal camping, designated dog areas and campfires	Every 2 years

22. Commercial operations

Commercial concessions, such as licences and leases for commercial operations, provide opportunities for private businesses to offer tourism and recreation opportunities, facilities and services to the public. Licences allow commercial operators to enter and use lands and waters managed under the CALM Act to conduct activities such as guided walks and tours. Leases can be granted for commercial services that occupy land, require exclusive rights of access and require substantial infrastructure.

Commercial concessions are granted with approval from the Minister in consultation with the Conservation and Parks Commission and traditional owners through the JMB. They must be consistent with the purpose of the planning area, the protection of its values, the conditions of the department's *Commercial operator handbook* as applicable and the objectives of this plan. Most importantly, natural values must be maintained and cultural heritage protected and respected including associated site restrictions and protocols.

The department encourages traditional owners to develop commercial opportunities to promote Aboriginal culture and enhance economic benefits and employment opportunities on land that the CALM Act applies to. This would also contribute to a diversity of recreational opportunities provided for visitors, complement aspirations of traditional owners and increase cultural awareness of visitors. This may include, but not be limited to, cultural tours, language courses, cultural awareness programs, camping activities, tag along tours and on-country cultural events. Low impact facilities³² may also be developed to support commercial operations by traditional owners (including operations based at Coral Bay or Cardabia Station) such as camping areas, interpretation areas or yarning places. All opportunities would involve due consideration of impacts on the key values of the area.

Licences

Licences are the key instrument used to authorise and manage the activities of commercial tour operators. There are two types of commercial operations licences depending on the nature of the operation; unrestricted 'T' Class and restricted 'E' Class licences. Most commercial operations are 'T' Class and examples include safari tours, guided walks and general snorkel/dive charters. In these circumstances, environmental and visitor management objectives can be achieved simply through appropriate licence conditions which are in the *Commercial operator handbook* and can be for periods of two months and one, three, five, seven and 10 years.

In some cases, the department may choose to conduct a higher level of assessment. 'E' Class licences are required when there are environmental, management, safety, or access reasons why licence numbers must be limited, for example when demand for licences exceeds the number that can be sustainably managed. They are usually allocated via a publicly advertised call for an Expression of Interest (EOI) which is a competitive process. These licences can be granted for periods of up to 10 years and may be renewed for up to a further five. After this time, the restricted opportunities are then offered through another competitive application process, usually an EOI.

Currently there are two commercial operators licensed to operate in the Ningaloo Marine Park coastal strip of the planning area; two ATV companies that provide guided tours to visitors to Coral Bay. As part of their 'T' Class licence conditions they currently have approved routes to be used north and south of Coral Bay including Five Mile Bay, Lagoon, Oyster Bridge, Mauds Beach, Monck Head, Five Fingers Reef and Turtle Cliffs. These routes transverse the marine park as well as the planning area. Other licence conditions include a maximum of 10 registered ATVs being used in the tour, a maximum speed of 40km/hr and only being able to drive below the mean high water mark during turtle breeding season and accessing Bateman Beach only once between sunrise and sunset. Whilst the ATVs give visitors a novel way to experience the area, often an ATV will venture where a four-wheel drive will not, creating new tracks which are eventually also utilised by four-wheel drives.

³² Facilities in keeping with the visitor management settings and the recreation site classification (see Section 19 *Visitor planning* and Appendices 9 and 10).



ATV tours often stop at dune crests and ridges for visitors to appreciate the views out to the marine park. Dune crests are vulnerable to erosion.



Evidence of likely ATV impacts as vehicles encroach on the dune system.



Tracks used by four-wheel drives and ATVs crisscross the landscape.

There has been significant degradation around Coral Bay due to a combination of four-wheel drive and ATV use (Syne 2009, Kobryn *et al.* 2011, Murray *et al.* 2104 and Kobryn *et al.* 2017) (see sections 6 *Significant Law and cultural sites*, 11 *Native plants and plant communities – Vegetation condition*, 12 *Native animals and habitats – Majun [turtles]*, 20 *Visitor access – Vehicle access*, 21 *Visitor activities – Day use sites*).

A review of the commercial ATV use of the beaches and coastal dunes in the context of vehicle use within the planning area will be undertaken as soon as practicable to determine suitability of future operations. The review will be undertaken in consultation with the relevant stakeholders as appropriate.

This review will inform a decision by the JMB on whether commercial ATV use is acceptable and sustainable in the planning area. Existing and potential impacts on the natural, cultural and other recreational values will be taken into account with the possibility that commercial ATV use will be phased out (see Section 19 *Visitor planning*). In the meantime, consultation with commercial ATV operators will commence and licences for the planning area will be only issued on an annual and restricted basis, with yearly reviews of operations to review routes and to ensure adherence to licence conditions.

Note that as is the case throughout the planning area, that some areas due to cultural significance may be closed to visitor access and/or certain recreational activities (including ATV use) at any time as requested by the traditional owners.

Future applications for licences for commercial activities such as tours and nature appreciation activities (e.g. turtle watching) will be assessed in accordance with the CALM Act and Regulations, this management plan and departmental policy.

Leases

Leases are the key instrument used to enable tourism operations that require occupancy of land, such as tourism accommodation. There are currently no CALM Act leases in the planning area. Future leases will be assessed on a case-by-case basis within the appropriate visitor management settings.

Further to the department supporting traditional owners to develop commercial opportunities within the planning area, the grant of tourism leases in the planning area will be to Nganhurra Thanardi Garrbu Aboriginal Corporation or entities approved by them only. These leases for tourism will be subject to assessment in accordance with the relevant legislation and may be approved where the proposal does not unacceptably impact on natural and cultural heritage values, visitor experiences and the Ningaloo Coast sense of place, and where the proposal demonstrates good business and management outcomes. Any such proposal would need to be of a nature and scale that is suitable to retaining the ‘Ningaloo experience’.

Such opportunities may include camping areas within appropriate visitor management settings (see Section 19 *Visitor planning* and Appendices 9 and 10) or low impact accommodation and facilities in the ‘highly modified’ settings.

The tourism leases in the enclaves and pastoral stations are managed under the Land Administration Act by the Department of Planning, Lands and Heritage. DBCA will have a role in providing advice to other government departments and the local council with regards to any developments in these areas so the values of the planning area and adjacent marine park are protected.

Management objective: To ensure that commercial activities are compatible with the values of the planning area and the range of services, facilities and experiences available to the visitor are extended through the involvement of private enterprise and/or traditional owners

Management strategies

1. Support traditional owner enterprises that meet the objectives of protecting and conserving the natural and cultural values of the planning area and adjacent marine park e.g. tourism operations, cultural tours, language courses, passing on traditional knowledge and law to the younger generations. .
2. Evaluate and grant licences and leases according to departmental policy and ensure that operators demonstrate a commitment to protect and promote the planning area’s values, behave appropriately and respectfully at cultural sites and conduct operations according to departmental policy and licence or lease conditions.
3. Grant commercial tourism leases to Nganhurra Thanardi Garrbu Aboriginal Corporation or entities approved by them only.
4. Encourage operators to maximise opportunities for business, partnerships, employment and training with traditional owners within the planning area.
5. Ensure all commercial operations operate under a lease or licence with appropriate conditions.
6. Ensure licence and lease conditions include requirements where deemed necessary, to provide information to enable impact assessment of the tourism activity and monitor compliance with general conditions.
7. Apply commercial operator licence conditions to ensure accurate cultural heritage information is provided to visitors and that visitation to cultural heritage sites is culturally sensitive and appropriate.
8. Collect and compile data from tour operators as required to be submitted under the various conditions of the leases and licences.
9. Monitor impacts of commercial operations on turtles that breed or haul-out in the planning area.
10. Conduct a review of commercial ATV use of the planning area and present results to JMB for evaluation of suitability of the activity. In the meantime engage with commercial ATV operators on operations, allowing licences to continue on an annual basis, modifying routes and licence conditions as necessary to minimise environmental and/or cultural impacts.
11. Consider different management options for managing camping and day use areas such as fee for service or management under a licence or lease arrangement.

See also sections 6 *Aboriginal cultural heritage* and 21 *Visitor activities*.

KPI: Commercial operations

Performance measure	Target	Reporting
Traditional owner enterprises	Traditional owners are engaged in commercial operations either as partners, consultants, contractors, employees or business operators	Every 3 years



Left Traditional owners, Ronnie Johnston, Glenda Morrison, Hazel Walgar, Damien Cooyou, Turtles day use site, August 2016.

23. Community involvement

In addition to joint managers, neighbouring land managers and relevant government agencies, involving the wider community is an integral part of the department’s operations, including the development and implementation of this plan. It increases the capacity to undertake works programs, research and monitoring, and fosters communication links, sense of place and understanding within the community.

Non-government organisations, research institutions, conservation groups, tour operators, recreational peak bodies and volunteers are key groups within the community that can contribute to management of the planning area through programs such as revegetation, weed control, flora and fauna surveys, interpretation and development of visitor facilities. Examples of community involvement to date include North-West Board Riders and North-West Surf Alliance partnering with the department in a rehabilitation project south of Fenceline.

Management objective: To promote and facilitate community involvement in the management of the planning area

Management strategies

1. Engage the community in planning to foster appreciation and respect for the planning area’s landscape and environmental values.
2. Continue to foster links and partnerships with stakeholders including local government, adjacent land managers, the Coral Bay community, research institutions, conservation groups, volunteers and recreational groups.
3. Consider opportunities and provide support (i.e. advice, financial and/or logistical assistance) for community participation in management (including research and monitoring) of the planning area (e.g. universities, non-government organisations and community groups).



Surfers waiting beyond the break along the Ningaloo Coast. Photo - Mark Graves/DBCA



Using resources from country (managing economic and resource use)

The department may be asked to provide comment on development proposals relating to the planning area. The responsible and sustainable use of natural resources in and adjacent to the planning area will need to be managed to not impact on the cultural, natural and recreational values of this area or interfere with the objectives of this plan.

Strategic objective

To minimise impacts from economic and resource use on the values of the planning area.

The main existing and potential extractive activities associated with or adjacent to the planning area are pastoralism and groundwater abstraction and mining. Public and private utilities also sometime request to locate their services within or adjacent to conservation reserves.

24. Grazing

Prior to mid-2015, the majority of the planning area was held under pastoral lease. Grazing is now not permitted, however pastoral operations (goats, cattle and sheep) continue on stations to the east of the planning area with incursion of livestock an existing and potentially ongoing management issue. It is a priority that any remaining stock be removed as soon as possible and further incursions prevented.

Historical grazing has impacted on the planning area, with stock trampling vegetation and fragile dune systems, preventing native vegetation re-sprouting, overgrazing/browsing, increasing erosion, exposing midden sites, introducing nutrients and was a vector for the introduction of exotic pasture grasses and other weeds. Grazing by livestock is known to alter habitat structure, negatively affecting species that depend on vegetation for foraging and nesting (Martin and Possingham 2005). The pastoralists have also widely introduced buffel grass into the planning area to provide feed for stock, changing the environment drastically (see Section 13 *Weeds*). The interaction between the goats and the rock wallabies could be more complex, with the goats perhaps acting as sentinel species alerting the rock wallabies to predators. These factors should be considered in developing and implementing goat control programs adjacent to rock wallaby habitats (see sections 12 *Native animals and habitats* and 15 *Introduced and other problem animals*).

Other indirect impacts include alteration of the movement and behaviour of native and introduced fauna species and altered fire, nutrient and surface water flow regimes. Weeds and introduced animals are often favoured by ecological changes arising from grazing (e.g. nutrient availability). Research from sites with a history of pastoralism elsewhere suggest that ecological recovery is achievable reasonably quickly following removal of livestock (Legge *et al.* 2011, Woinarski and Ash 2002).

Management objective: To reduce the impact of grazing on the planning area

Management strategies

1. Work with the pastoralists to facilitate the removal of livestock from the planning area.
2. Investigate the need for and feasibility of installing and maintaining stock-proof fencing to exclude livestock from sensitive sites and locations.
3. Undertake regular estimates of feral stock abundance.
4. Investigate the interaction between goats and rock wallabies in the north of the planning area.
5. Remove and where appropriate relocate pastoral infrastructure from within the planning area to the pastoral lease area.

See also sections 6 *Aboriginal cultural heritage*, 12 *Native animals and habitats* and 15 *Introduced and other problem animals*.

KPI: Grazing

Performance measure	Target	Reporting
Numbers of goats, sheep and cattle within the planning area	Reduce numbers of stock within the planning area to almost nil within 10 years	Every 2 years

25. Mineral and petroleum exploration and development

Exploration, extraction and rehabilitation activities are approved and largely governed by other government agencies under legislation such as the *Environmental Protection Act 1986*, *Mining Act 1978* and state agreements. Petroleum (which includes oil, gas and geothermal energy) exploration and production within state land and onshore waters is authorised under the *Petroleum and Geothermal Energy Resources Act 1967* (Petroleum Act). The Department of Mines, Industry Regulation and Safety (DMIRS) is the State's lead agency for related assessment and approvals under the Mining Act and the Petroleum Act and is a decision-making authority for non-state agreement projects under these Acts. Projects of state significance may be administered by the Department of Jobs, Tourism, Science and Innovation under project specific agreement acts.

The planning area includes important mineral resources such as limestone, oil and gas. It may be also prospective for a range of mineral resources (including bauxite and diamonds) and base metals (copper, lead and zinc).

Potential threats from mining include habitat destruction from clearing, mining, fracking and quarrying. Applications to explore or mine within reserves vested in the Conservation and Parks Commission may be referred to the Minister for Environment as required under environmental, mining and petroleum legislation. Exploration and development proposals that may cause significant impact on and risks to key values may be referred to the Environmental Protection Authority (EPA) for environment impact assessment. Developments that can potentially have a significant impact on matters of national environmental significance³³ may also be referred to the Australian Government Minister for the Environment (or equivalent) for assessment under the EPBC Act.

There is a live Temporary Reserve (TR7002614) covering part (7,567ha) of the northern part of the planning area (Cape Range National Park South). This is part of a large Temporary Reserve for limestone that covers land to the east of Cape Range National Park. The mining of this part of the planning area may impact on the karst and rock-wallaby habitat values.

Basic raw materials

Basic raw materials including gravel, sand and limestone should be preferentially sourced from outside conservation reserves. However, the remote nature of the planning area makes it difficult to source these materials from elsewhere. Therefore, access to basic raw materials for departmental operations such as road building (for use within the planning area only) may be considered if it is not feasible to bring in the material from somewhere else.

Management objective: Impacts of mineral and petroleum exploration and development, including basic raw material extraction and development activities, on the key values are minimised

Management strategies

1. Review and advise Government (including the Conservation and Parks Commission) on the effect of resource development proposals on the values and integrity of the conservation reserve system relative to the planning area.
2. Liaise with DMIRS (or equivalent) in their monitoring of existing exploration and/or development activities within and adjacent to the planning area and request they take any necessary action where conditions are breached.
3. Refer or recommend referral of exploration or development proposals with the potential to impact significantly on the values of the planning area to the EPA for consideration of assessment under the Environmental Protection Act.
4. Make exploration or development proponents aware of their legal obligation to refer proposals that could have a significant impact on matters of national significance to the Australian Government Minister for the Environment, Heritage and the Arts (or equivalent) for assessment under the EPBC Act.
5. Ensure that all areas in which mining activity occurs within the planning area are rehabilitated according to the approval conditions of the proposal as well as departmental rehabilitation standards and guidelines.
6. Rehabilitate disused gravel pits in accordance with departmental guidelines.
7. Source basic raw materials including gravel, sand and limestone from outside the planning area where possible but otherwise only to be used by the department for operational purposes within the planning area.

³³ There are nine matters of national environmental significance protected under the Act. Four of them are relevant to the planning area: world heritage properties, national heritage places, listed threatened species and ecological communities and migratory species protected under international agreements.

26. Water resource use

Groundwater in the planning area is brackish to very saline, varies in temperature and is corrosive (see Section 10 *Hydrology*). Intercepted by a bore, substantial treatment is required (i.e. desalinisation, iron removal) to achieve potable drinking water (WAPC 2004). Limited supplies of treated groundwater from the Birdrong Sandstone Formation are provided at Coral Bay, Gnaraloo, Warroora and Cardabia. Fresh groundwater is generally restricted within the vicinity of major rivers (WAPC 2004).

Historically the groundwater was first used by the traditional owners as they moved up and down the coast with campsites often located at well sites (see Section 10 *Hydrology*). As a consequence, most of these well locations have cultural significance. These well locations are also used as a resource by the pastoralists for their stock and associated operations and dwellings.

Freshwater soaks are important to us, it was a matter of survival. Most of these water places have been used for pastoralism. If there are places we can still access we should and look after them.

Paul Baron, traditional owner, September 2018.



Pastoral infrastructure can be found throughout the planning area.

Groundwater abstraction from the planning area or adjacent pastoral areas has the potential to impact on the cultural and natural values of the planning area by impacting on the quantity and/or quality of the groundwater. Karst environments in the north of the planning area have a dependent relationship on groundwater but not much is known on the requirements of these communities in those areas.

Under the pastoral lease renegotiations, ongoing use has been granted pastoral infrastructure with easements to be created within the planning area across the water source, pipes and pipelines.

The continued use of bores or soaks within the planning area should be investigated and discussed by the JMB to whether this use should continue on a case-by-case basis. Any new request for water resource use within the planning area should be thoroughly investigated and only permitted if there is no impact on cultural and natural values. Any bores or soaks not in use or seen to be a priority by the JMB should be restored to their natural state if feasible and protected taking into account their non-Indigenous heritage values and/or value as a water source for native animals. In addition, departmental use of groundwater bores should be monitored for impacts (see Section 10 *Hydrology*).

Management objective: the impacts of water resource use are minimised

Management strategies

1. Liaise with the Department of Water and Environmental Regulation (or equivalent) and adjacent land managers to ensure impacts of water abstraction are minimised.
2. In partnership with the traditional owners, identify and rehabilitate some of wells to their natural state if feasible.
3. Protect the Aboriginal cultural values of the soaks and preserve the non-Indigenous heritage value of the wells as required.
4. Investigate the relationship between karst environments and groundwater in the north of the planning area.
5. Identify potential water sources for management purposes.

See also Section 10 *Hydrology*.

27. Flora harvesting

Native flora (including flowers, seeds, whole plants, timber and firewood) is protected in Western Australia. Commercial harvesting of native plants is not permitted in conservation reserves other than under special circumstances for the harvest of propagation material for revegetation activities associated with the planning area.

Firewood collection

Firewood collection is not allowed within the planning area. All firewood must be brought in with the visitor and used appropriately in fire containers in accordance with the CALM regulations (see Section 21 *Visitor activities – Campfires*).

Bush tucker and *gulbayamarnu* (medicine)

Traditional owners have the right to use plants (and animals) for cultural purposes such as bush tucker and natural *gulbayamarnu* (medicine) (see sections 3 *Management context – Native Title* and 6 *Aboriginal cultural heritage – Traditional knowledge, Plants and animals of significance and Enjoyment of country and customary activities*).

There is a need to protect the traditional knowledge and plant resources associated with bush tucker and *gulbayamarnu* (medicine) in the light of the demand in biotechnology and genetic engineering, hospitality and health industries and as researchers, universities, companies and scientists seek to experiment and innovate using plants. Any use of traditional knowledge and/or plant resources (including genetic material) from the planning area will require approval from DBCA and the knowledge holders prior informed consent with a continuing sharing of benefits to the traditional knowledge holders.

Management objective: To protect flora resources and traditional knowledge

Management strategies

1. Prohibit the removal of any native flora for commercial use.
2. Prohibit firewood collection within the planning area.
3. Ensure any use of traditional knowledge and/or plant resources (including genetic material) is only by departmental approval and prior informed consent from the traditional knowledge holders with continuing sharing of benefits.

28. Utilities and services

Utility corridors are sometimes requested through conservation estate so that electricity, gas, telephone, radio communications, fibre optic cable, water and rail services can be provided to enclaves of private property, or as the most direct route for these services to townsites or other nearby lands. The construction and subsequent maintenance of these locations or corridors in proximity to the planning area, as with all development or access routes, can result in impacts on scenic quality, soil erosion, the introduction of weeds and disease as well as create problems for managing visitor access.

There are currently limited utilities or services located within or adjacent to the planning area with most utility structures and services located in Coral Bay and the homesteads on neighbouring stations. Utility infrastructure that is not servicing the planning area itself should be located outside the conservation reserves. When this is not possible, the use of already degraded areas, pre-existing corridors or co-location with existing infrastructure is preferred.

There is one functioning lightstation in the planning area at Perth Hill (A44892) which is managed by Australian Marine Safety Authority (AMSA). Prior to the creation of Nyinggulara National Park, the lighthouse reserve was leased by DPLH to AMSA. Upon expiration of the lease in November 2020, the reserve became a CALM Act section 5(1)(h) reserve leased back to AMSA as part of a Statewide master lease for lighthouses on departmental managed reserves. AMSA will continue to be responsible for the lightstation's maintenance and public liability risk.

Management objective: To minimise the impact of utilities on cultural, natural, recreation and tourism values

Management strategies

1. Recommend any new utilities or services be located within existing corridors and/or off conservation estate where possible.
2. Liaise with providers to ensure that the operation and maintenance of utility and services are in accordance with departmental lease conditions including:
 - the responsible management of environmental issues, particularly bushfire prevention and the introduction and/or spread of weeds, problem animals and disease
 - a visual impact assessment is conducted and visual impacts are minimised
 - the removal of infrastructure (except if the department considers it to have cultural heritage value) and rehabilitation of land, if utilities and services are no longer required.

Keeping country healthy (monitoring and assessment)

Strategic objective

To increase understanding of the values and management issues of the planning area, and gain knowledge to guide, adapt and improve management.

29. Research and monitoring

Research and monitoring are essential components of management, and are required to successfully implement this management plan. Research leads to improved knowledge and a better understanding of the values of the planning area, while long-term monitoring³⁴ should inform adaptive management and performance assessment against the objectives of the management plan (see Section 5 *Performance assessment* and Appendix 2).

Monitoring should also include measurement of pressures so that the asset condition can be linked to variance related to natural/anthropogenic influences. Linking cause-effect relationships is a key requirement of effective monitoring and is needed for evidence-based adaptive management. If there are declines in key values then knowing why (e.g. natural variance, climate change or local anthropogenic pressures) will assist in determining whether a management response will be effective in mitigating the impact.



Research also includes social research, which contributes to an understanding of people's attitudes and behaviour towards the environment and how they interact with it. It can also help in better understanding issues related to the department's programs, improve decision making and the effective and timely delivery of services. It is important that surveys are periodically conducted throughout the planning area, targeting high use areas and areas of interest.

Left Flora transect surveying during the Back to Country trip in August 2018. Ranger Judith Peck and Carmel Cooyou. Photo - Eleanor Killen/DBCA

The involvement of a wide group of volunteers, educational institutions and research organisations in research and monitoring can reduce costs for the department and assist in providing quality information for the benefit of implementing the plan and for the broader scientific community. Proposals for research will be assessed as to their suitability and be subject to appropriate conditions if necessary to ensure that the research itself does not impact on the values of the planning area.

University of Western Australia has an Ocean Monitoring Facility in the Point Billie area of Nyinggulara National Park. This facility is part of Australia's Integrated Marine Observing System (IMOS) monitoring surface currents in oceans around the country. This facility which consists of a sea container, an array of solar panels and 16 mast antenna transmitters will need to be authorised under the CALM Act now that the conservation reserve has been created.

³⁴ Monitoring refers to ongoing and systematic collection and analysis of routine quantitative data and qualitative information used by management and joint management partners to determine progress on the implementation of activities, achievement of objectives and use of resources, and allows for adjustments and improvements to be made.

Management objective: Increase knowledge and understanding of the key values and management issues of the planning area to inform management and allow assessment of the KPIs in this plan

Management strategies

1. Conduct integrated research and monitoring programs that facilitate management of the planning area, with a focus on key issues and values identified in this management plan, the establishment of baseline information, determining cause-effect relationships, natural variance, collecting evidence to allow reporting on KPIs, and other departmental research priorities.
2. Ensure that traditional knowledge about country informs research and monitoring programs so they are culturally appropriate.
3. Advocate the involvement of the traditional owners in the research and monitoring carried out in the planning area and adjacent marine areas.
4. Ensure relevant information gained through research, monitoring and experience is available to the JMB (especially where there has been traditional owner involvement) and the department in regional and district office libraries/databases, and updated when required.
5. Develop and maintain a database of historical, current and required research to address knowledge gaps and in the planning area and requirements of this plan.
6. Prioritize research and monitoring requirements within the planning area and contribute to other departmental programs and strategies as applicable.
7. Develop and maintain relationships with research institutions and provide prioritized research requirements as opportunities arise.
8. Establish and maintain a portfolio of evidence relating to the KPIs throughout the life of the plan to enable measurement of implementation and management effectiveness of actions.
9. Monitor, review and continuously improve the effectiveness and applicability of management techniques and strategies, and implement adaptive management as required.
10. Incorporate research and monitoring findings into interpretive and educational material where appropriate.
11. Pursue external funding sources to assist in achieving research and monitoring objectives.
12. Encourage and support, wherever possible, external agencies and individuals where their research contributes directly to the strategies or the implementation and auditing of this management plan.
13. Ensure that research and monitoring activities do not adversely impact on the values of the planning area or adjacent marine park.
14. Assess proposals for research as to their suitability and issue appropriate licences or leases as required.

See also Section 5 *Performance Assessment* and various research and monitoring strategies throughout the plan.



Section banner photo Lagoon Day Use Site.

References

- Abbott, I. and Burrows, N. (eds.) (2003). *Fire in ecosystems of the South-West of Western Australia: Impacts and management*.
- AHDB (2002). Cape Range and adjacent coastal plain, Exmouth. *Register for the National Estate*. Commonwealth of Australia, Canberra. www.environment.gov.au/heritage/places/register-national-estate
- AHDB (2010). The Ningaloo Coast, Ningaloo Rd, Ningaloo, WA, Australia. *National Heritage List*. Australian Government Department of Environment and Energy, Canberra. www.environment.gov.au/cgi-bin/ahdb/search.pl?mode=place_detail;place_id=105881
- AMSA (2019). National plan for maritime environmental emergencies. Australian Maritime Safety Authority. www.amsa.gov.au/sites/default/files/amsa-496-national-plan.pdf
- Austin, P. (1992). *A dictionary of Payungu, Western Australia*. La Trobe University, Department of Linguistics, Victoria.
- Bates, D. (1913). *Geographical distribution of the groups of the Gascoyne and surrounding area*. Section II 2b:129-130.
- Bates, D. (1985). *The native tribes of Western Australia*. White, I. (ed.). National Library of Australia, Canberra.
- Baudin, N. *The journal of post Captain Nicolas Baudin, Commander-in-Chief of the corvettes Geographe and Naturaliste, assigned by order of the government to a voyage of discovery*. Translated Christine Cornell (1974). Libraries Board of South Australia, Adelaide.
- BBG (1995). *Public environmental review: Coral Coast Resort—Mauds Landing. Prepared for Coral Coast Marina Development Pty Ltd*. Bowman Bishaw Gorham, Koltasz Smith & Partners, Ewing Consulting Engineers, M.P. Rogers & Associates and Trevor Saleeba & Associates, February 1995.
- Beard, J.S. (1980). A new phytogeographic map of Western Australia. *Western Australia Herbarium Research Notes* 3:37-58.
- Berndt, R.M. and Berndt, C.H. (1999). (5th ed) *The world of the first Australians: An introduction to the traditional life of the Australian aborigines*.
- Best, R.A. (1998). *The effect of introduced buffel grass (Cenchrus ciliaris L.Poaceae) on the diversity and abundance of invertebrates in semi-arid central Australia*. Masters Thesis, Northern Territory University, Darwin.
- BoM (2000). *Severe Tropical Vance 16 March 1999 – 23 March 1999*. Bureau of Meteorology, Department of Environment and Heritage. www.bom.gov.au/announcements/sevwx/vance.pdf
- Brandenstein, C-G. von, (1967). The language situation in the Pilbara: Past and present. *Pacific Linguistics V*. Series A:1-20a.
- Burbidge, A.A. (1985). Fire and mammals in hummock grasslands of the arid zone. In: *Fire Ecology and Management in Ecosystems of Western Australia*. Proceedings of a Symposium. J. Ford (ed.): 91–94. Western Australian Institute of Technology Campus, May 1985, Perth, Western Australia.
- Burbidge, A.A. and McKenzie, N.L. (1989). Patterns in the modern decline of Western Australia's vertebrate fauna: Causes and conservation implications. *Biological Conservation* 50: 143-198.
- Burrows, N.D., Ward, B., Robinson, A. (1991). Fire behaviour in spinifex fuels of the Gibson Desert Nature Reserve, Western Australia. *Journal of Arid Environments* 20: 189–204.
- Burrows, N. (2004). Guiding principles for fire management in spinifex grasslands of Western Australia: CALM Workshop. In: *Fire management of spinifex grasslands: Round table and workshop, Kensington, 18-19 November 2004*.
- Butt, N., Whiting, S. and Dethmers, K. (2016). Identifying future sea turtle conservation areas under climate change. *Biological Conservation* (204): Part B 189-196.
- CALM (1986). *Policy Statement No. 10 Rehabilitation of disturbed land*. Department of Conservation and Land Management, Kensington, Western Australia.
- CALM (1987). *Cape Range National Park management plan 1987*. Management Plan No. 8. Department of Conservation and Land Management, Perth, Western Australia.
- CALM (2003). *A biodiversity audit of Western Australia's 53 biogeographical subregions in 2002*. J.E. May and N.L. McKenzie (eds). www.dpaw.wa.gov.au/about-us/science-and-research/biological-surveys/117-a-biodiversity-audit-of-wa

- CALM (2004). *Policy Statement No. 62 Identification and management of wilderness and surrounding areas*. Department of Conservation and Land Management, Crawley, Western Australia.
www.dpaw.wa.gov.au/images/documents/about/policy/Identification_and_management_of_wilderness_and_surrounding_areas_Policy_62.pdf
- CALM (2005a). *Management plan for the Ningaloo Marine Park and Muiron Islands Marine Management Area*. Management Plan No. 52. Department of Conservation and Land Management. Perth, Western Australia.
www.dpaw.wa.gov.au/images/documents/parks/management-plans/decarchive/ningaloo_mp_01_2005_withmaps.pdf
- CALM (2005b). *Cape Range National Park draft management plan*. Department of Conservation and Land Management, Perth.
- Carmody, F.V. (1979). Carter, Thomas (1863–1931). *Australian dictionary of biography, National Centre of Biography, Australian National University*. Adb.anu.edu.au/biography/carter-thomas-5526/text9411 accessed online 22 September 2017.
- Carter, T. (1903). Birds occurring in the region of the North West Cape: Part 4. *The Emu* 3: 207-213.
- Chisholm (2013). *Desktop report of known Aboriginal and European heritage places and values within the Shire of Exmouth local planning scheme no. 4 area*.
- Clark, B. (1992). *Yammatji: Aboriginal memories of the Gascoyne*. Hesperian Press, Carlisle, Western Australia.
- Clark, R.N. and Stankey, G.H. (1979). Determining the acceptability of recreational impacts, an application of the outdoor recreation opportunity spectrum. *Recreational Impact on Wildlands*. Conference proceedings: 32-42. US Dept. of Agriculture, Portland, Oregon.
- Considine and Griffiths (2000). Point Cloates Lightstation (Ruins) 5 Lighthouse conservation assessment, Point Cloates, Exmouth. *Western Australia Register of Heritage Places – Assessment Documentation 22/08/2006*.
- CRC for Australian Weed Management (2008). *Weed management guide: Managing weeds for biodiversity*.
- Creese, S. (2007). *A comparative dietary analysis of the black-flanked rock-wallaby (*Petrogale lateralis lateralis*), euro (*Macropus robustus*) and feral goats (*Capra hircus*) in Cape Range National Park, Exmouth, Western Australia*. Unpublished Honours Thesis, Murdoch University, Perth, Western Australia.
- Crooks, K.R. and Soulé, M.E. (1999). Mesopredator release and avifaunal extinctions in a fragmented system. *Nature* 400: 563 – 566.
- CTRC (1974). *Conservation reserves in Western Australia*. Report of the Conservation Through Reserves Committee to the Environmental Protection Authority 1974.
- Dagmar, H. (1984). A Gascoyne land claim. *Australian Aboriginal Studies*: 54 – 56.
- DAL Science and Engineering (2002). *Public environmental review for Coral Bay boating facility technical appendix 1: Coral Bay boating facility coastal geomorphology and processes*. Prepared for Department of Planning and Infrastructure.
- Dampier, W. (1703). *A voyage to New Holland, &c, in the year 1699*. 3 volumes. James Knapton, London.
- Daniel, D. (1990). *Thalu sites of the West Pilbara*. Western Australian Museum, East Perth, Western Australia.
- DBCA (2019). *Nyinggulu (Ningaloo) coastal reserves: Red Bluff to Winderabandi draft joint management plan*. Department of Biodiversity, Conservation and Attractions, Kensington, Western Australia.
- DCE (1984). Coral Bay draft coastal management plan. Department of Conservation and Environment, Perth, Western Australia. *Bulletin 174*.
- DEC (2008). *Fire management information note S12 buffel grass and fire management*. Department of Environment and Conservation, Perth, Western Australia.
- DEC (2010). *Cape Range National Park management plan*. No. 65. Department of Environment and Conservation. Perth, WA.
www.dpaw.wa.gov.au/images/documents/parks/management-plans/decarchive/cape-range-2010-print-and-web.pdf
- DEE (2010). *National Heritage listing Ningaloo Coast*. Department of the Environment and Energy, Commonwealth of Australia.
- DEE (2011). *National Heritage listing HMAS Sydney and the HSK Kormoran shipwreck sites*. Department of the Environment and Energy, Commonwealth of Australia.
- DEE (2017). *Recovery plan for marine turtles in Australia*. Department of the Environment and Energy, Commonwealth of Australia.

- DEE (2018). *Threat abatement plan for the impacts of marine debris on the vertebrate wildlife of Australia's coasts and oceans*. Department of the Environment and Energy, Commonwealth of Australia. www.environment.gov.au/system/files/resources/e3318495-2389-4ffc-b734-164cdd67fe19/files/tap-marine-debris-2018.pdf
- DEH (2003). *Injury and fatality caused by the ingestion and entanglement of marine life in marine debris*. Advice to the Minister for Environment and Heritage from the Threatened Species Scientific Committee on a public nomination of a Key Threatening Process under the Environment Protection and Biodiversity Conservation Act 1999. Department of Environment and Heritage, Commonwealth of Australia.
- Depczynski, M., Heyward, A., Radford, B., O'Leary, R., Babcock, R., Haywood, M., Thomson, D. (2009). *Stock assessment of targeted invertebrates at Ningaloo Reef*. WAMSI Node 3 Project 3.1.3. Final Report to the Western Australian Marine Science Institution, Perth, Western Australia. ningaloo-atlas.org.au/sites/default/files/WAMSI%203.1.3%20final%20report.pdf
- Desmond, A. and Chant, A. (2001). Carnarvon 2 (CAR2 – Wooramel subregion). In: CALM (2003). *A biodiversity audit of Western Australia's 53 biogeographical subregions in 2002*. Department of Conservation and Land Management, Western Australia.
- Det Norkse Veritas (2011). *Final report assessment of the risk of pollution from marine oil spills in Australian ports and waters*. Report for Australian Maritime Safety Authority.
- DEWHA (2007). *Marine protected areas: Ningaloo Marine Park (Commonwealth waters)*. Department of the Environment, Water, Heritage and the Arts, Canberra, ACT.
- DEWHA (2008a). *Approved conservation advice for Milyeringa veritas (blind gudgeon)*. Department of the Environment, Water, Heritage and the Arts, Canberra, ACT. www.environment.gov.au/biodiversity/threatened/species/pubs/66676-conservation-advice.pdf
- DEWHA (2008b). *Threat abatement plan for competition and land degradation by unmanaged goats*. Department of the Environment, Water, Heritage and the Arts, Canberra, ACT.
- DEWHA (2008c). *Threat abatement plan for predation by feral cats*. Department of the Environment, Water, Heritage and the Arts, Canberra, ACT.
- DEWHA (2008d). *Threat abatement plan for predation by the European red fox*. Department of the Environment, Water, Heritage and the Arts, Canberra, ACT.
- DEWHA (2010). *Ningaloo Coast: World Heritage nomination*. Department of the Environment, Water, Heritage and the Arts, Canberra, ACT. www.environment.gov.au/system/files/pages/31a9e336-d04a-48cb-810b-76a2b53751ac/files/ningaloo-nomination.pdf
- Dixon, I.R., Dixon, K.W., and Barrett, M. (2001). Eradication of buffel grass (*Cenchrus ciliaris*) on Airlie Island, Pilbara Coast, Western Australia. In: Veitch, C.R. and Clout, M.N. (eds.). *Turning the tide: The eradication of invasive species*. IUCN SSC Invasive Species Specialise Group, IUCN, Gland, Switzerland and Cambridge, UK: 92-101. www.issg.org/database/species/reference_files/TURTID/Dixon.pdf
- DPaW (2015a). *Policy Statement No. 86 Aboriginal customary activities*. Department of Parks and Wildlife, Kensington, Western Australia.
- DPaW (2015b). *Report for the annual assessment of the implementation of the management plan for the Ningaloo Marine Park and Muiron Islands Marine Management Area 2005-2015 for the 2014/15 financial year*. Prepared by the Exmouth District for submission to the Marine Parks and Reserves Authority, Western Australia.
- DPaW (2016a). *Corporate Guideline No. 22 Guidelines regarding Aboriginal customary activities*. Department of Parks and Wildlife, Kensington, Western Australia.
- DPaW (2016b). *Exmouth District Weed Strategy*. Department of Parks and Wildlife, Exmouth, Western Australia.
- DPaW (2016c). *Guide to Aboriginal customary activities on Parks and Wildlife-managed lands and waters*. Department of Parks and Wildlife, Kensington, Western Australia.
- DPaW and AMOSC (2014a). *Pilbara region oiled wildlife response plan*. Department of Parks and Wildlife, Kensington, Western Australia and Australian Marine Oil Spill Centre, Geelong, Victoria.
- DPaW and AMOSC (2014b). *Western Australian oiled wildlife response plan*. Department of Parks and Wildlife, Kensington, Western Australia and Australian Marine Oil Spill Centre, Geelong, Victoria.
- DPI (2002). *Public environmental review for two proposals for the development of a single boating facility at either Monck Head or North Bills Bay, near Coral Bay*. Department of Planning and Infrastructure.

- DoE (2013a). *Threat abatement plan for competition and land degradation by unmanaged goats (2008): Five yearly review 2013*. Department of Environment, Canberra, ACT.
- DoE (2013b). *Threat abatement plan for predation by the European red fox (2008): Five yearly review 2014*. Department of Environment, Canberra, ACT.
- DoE (2014). *Threat abatement plan for predation by feral cats (2008): Five yearly review 2014*. Department of Environment, Canberra, ACT.
- DoE (2015a). *Draft threat abatement plan for competition and land degradation by rabbits*. Department of Environment, Canberra, ACT.
- DoE (2015b). *Threat abatement advice for ecosystem degradation, habitat loss and species decline in arid and semi-arid Australia due to the invasion of buffel grass (*Cenchrus ciliaris* and *C. pennisetiformis*)*. Department of Environment, Canberra, ACT. www.environment.gov.au/system/files/pages/19e6108c-d6a4-489f-9ac9-9f0754788080/files/threat-abatement-advice-buffel-grass_1.pdf
- DoE (2017). *Australia's 15 National Biodiversity Hotspots*. Department of Environment website. www.environment.gov.au/biodiversity/conservation/hotspots (Accessed 21 February 2017)
- DoT (2019). *State hazard plan: Maritime environmental emergencies*. Maritime Environment Emergency Response Unit, Department of Transport, Fremantle, Western Australia. www.transport.wa.gov.au/mediaFiles/marine/MAC_P_StateHazardPlanMaritimeEnviroEmergMEE.pdf
- Dwyer, S.A., Ghannoum, O., Nicotra, A. and von Caemmerer, S. (2007). High temperature acclimation of C4 photosynthesis is linked to changes in photosynthetic biochemistry. *Plant, Cell and Environment* 30(1): 53–66.
- Ecoscope (2010). *Coral Bay foreshore management plan*. Prepared for Department of Environment and Conservation. Ecoscope (Australia), North Fremantle, Western Australia.
- Edmunds, M. (1989). *They get heaps: A study of attitudes in Roebourne, Western Australia*. Aboriginal Studies Press for the Australian Institute of Aboriginal Studies, Canberra.
- Eldridge, M.D.B, King, J.M, Loupis, A.K., Spencer, P.B.S., Taylor, A.C., Pope, L.C. and Hall, G.P. (1999). Unprecedented low levels of genetic variation and inbreeding depression in an island population of the black-footed rock wallaby. *Conservation Biology* 13(3): 531-541.
- Eliot, I., Gozzard, J.R., Eliot, M., Stul, T. and McCormack, G. (2012). *The coast of the shires of Shark Bay to Exmouth, Gascoyne, Western Australia: Geology, geomorphology & vulnerability*. Prepared by Damara WA Pty Ltd and Geological Survey of Western Australia for the Department of Planning and the Department of Transport.
- ENFAC Consulting (for the Baiyungu Aboriginal Corporation) (2009). *Baiyungu Track Stage 1 Development Plan*. Coral Bay, Western Australia.
- Environment Australia (2003). *Recovery Plan for Marine Turtles in Australia*. Environment Australia, Canberra.
- EPA (1975). *Conservation reserves in Western Australia as recommended by the Environmental Protection Authority 1975*. Systems 4, 8, 9, 10, 11, 12.
- Flinders, M. (1814). *A voyage to Terra Australis*. 2 volumes with an atlas. G. and W. Nicol (eds.). London.
- Forsey, C. and Morgan, S. (2019). *Final report regarding the archaeological and ethnographic, site avoidance heritage survey of Department of Biodiversity, Conservation and Attractions' Ningaloo Coast heritage survey project areas undertaken by the Gnulli representatives and Yamatji Marlpa Aboriginal Corporation*. Yamatji Marlpa Aboriginal Corporation, Western Australia.
- Franks, A.J., Butler, D. and Fairfax, R. (2000). A weed by any other name. *Wildlife Australia* 37:24.
- Fulbright, N. and Fulbright, T.E. (1990). Germination of 2 legumes in leachate from introduced grasses. *Journal of Rangeland Management* 43: 466-467.
- GDC (2016). *Business case for the Coral Bay development project*. Gascoyne Development Commission.
- Gillieson, D., Humphreys, W.F. and Spate, A. (2006). *Cape Range*. Unpublished report to the Department of the Environment and Heritage, Commonwealth of Australia, Canberra.
- Glen, A.S., Dickman, C.R., Soule, M.E, and Mackey, B.G. (2007). Evaluating the role of the dingo as a trophic regulator in Australian ecosystems. *Austral Ecology* 32: 492–501.

- Goode, B., Huxtable, L., and Greenfeld, P. (2014). *Report of an aboriginal heritage survey of the north west coastal highway and materials pits slk 690-766.03, in the Gnully WC1997/028 and Budina WC2004/005 NTC: Gascoyne Region, Western Australia*. A report prepared for AECOM on behalf of Main Roads Western Australia. Brad Goode and Associates.
- Griffin, G. F., Price, N. F., and Portlock, H. F. (1983). Wildfires in the central Australian Rangelands, 1970–1980. *Journal of Environmental Management* 17: 311–323.
- Groom, J.D., McKinney, L.B., Ball, L.C., Winchell, C.S., (2007). Quantifying off- highway vehicle impacts on density and survival of a threatened dune-endemic plant. *Biological Conservation* 135: 119-134.
- Gross, J.E., Woodley, S., Welling, L.A., and Watson, J.E.M. (eds.) (2016). *Adapting to climate change: Guidance for protected area managers and planners*. Best Practice Protected Area Guidelines Series No. 24, Gland, Switzerland: IUCN.
- Hall, G.P. and Kinnear, J.E. (1991). *Recovery plan for the black-flanked rock-wallaby Petrogale lateralis lateralis (Gould)*. Department of Conservation and Land Management, Wanneroo, WA.
- Halkyard, B.R. (2005). *Historical exploitation of turtles and lobsters at Ningaloo Reef*. Unpublished Dissertation, Postgraduate Diploma in Professional Experience. Department of Conservation and Land Management, Fremantle and Murdoch University, Western Australia.
- Halkyard, B. (2014). Chapter 11: Exploiting green and hawksbill turtles in Western Australia: The commercial marine turtle fishery. In: J. Christensen, M. Tull (eds.). *Historical Perspectives of Fisheries Exploitation in the Indo-Pacific*, MARE Publication Series 12.
- Hamilton-Smith, E., Kiernan, K. and Spate, A. (1998). *Karst management considerations for the Cape Range karst province, Western Australia*. Report prepared for the Department of Environmental Protection, Western Australia.
- Hayward, M.W. and Somers, M.J. (2009). *Reintroduction of top-order predators*. Oxford: Wiley-Blackwell.
- Havlick, D.G. (2002). *No place distant: Roads and motorized recreation on America's public lands*. Washington, DC: Island Press.
- Hennessy, K., Macadam, I. and Whetton, P. (2006). *Climate change scenarios for initial assessment of risk in accordance with risk management guidance*. CSIRO Marine and Atmospheric Research for the Australian Greenhouse Office, Department of the Environment and Heritage.
- Heron, S.F., Eakin, C.M. and Douvère, F. (2017). *Impacts of climate change on World Heritage coral reefs : A first global scientific assessment*. Paris, UNESCO World Heritage Centre.
- Hesp, P.A. (1986). *Ningaloo Marine Park: Terrestrial geomorphology and potential development sites*. School of Earth Sciences, Macquarie University, Sydney, NSW.
- Holland, E. (1994). The effects of fire on soluble rock landscapes. *Helictite* 32 (1): 3-9.
- Humphreys, W.F. (2004). Cape Range, Australia: Biospeleology. In: Gunn, J. (ed.). *Encyclopaedia of caves and karst science*.
- Humphreys, L.R. (1967). Buffel grass (*Cenchrus ciliaris*) in Australia. *Tropical Grasslands* 1:123-134.
- Humphreys, L.R. (1974). *A guide to better pastures for the tropics and sub-tropics*. Wright Stevenson & Co. (Aust) Pty. Ltd.
- IPPC (2014). *Climate Change 2014: Synthesis report*. Contribution of Working Groups I, II and III to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change. The Core Writing Team, Pachauri, R.K. and Meyer, L.A. (eds.). Intergovernmental Panel on Climate Change, Switzerland.
- IPCC (2018). *Global Warming of 1.5°C: An IPCC special report on the impacts of global warming of 1.5°C above pre-industrial levels and related global greenhouse gas emission pathways, in the context of strengthening the global response to the threat of climate change, sustainable development, and efforts to eradicate poverty*. Intergovernmental Panel on Climate Change, Switzerland. www.ipcc.ch/site/assets/uploads/sites/2/2019/06/SR15_Full_Report_Low_Res.pdf
- Keighery, G. and Gibson, N. (1993). Biogeography and composition of the flora of the Cape Range peninsula, Western Australia. *Records of the Western Australian Museum*. Supplement 45: 51-85.
- Kendrick P.G. (1993). Biogeography of the vertebrates of the Cape Range Peninsula Western Australia. *Records of the Western Australian Museum*. Supplement 45: 193-206.
- Kendrick, G.W. and Morse, K. (1990). Evidence of recent mangrove decline from an archaeological site in Western Australia. *Australian Journal of Ecology* 15:349-353.
- Kinnear, J. (1995). *The Cape Range black-flanked rock wallaby (Petrogale lateralis): A report on the population status and response of remnant populations to twice yearly baiting*. Unpublished report for the Department of Conservation and Land Management.

- Kobryn, H., Wouters, K. and Beckley, L. (2011). *Ningaloo collaboration cluster: Habitats of the Ningaloo Reef and adjacent coastal areas determined through hyperspectral imagery*. Ningaloo Collaboration Cluster Final Report.
- Kobryn H., Beckley L., Cramer V. and Newsome D. (2017). An assessment of coastal land cover and off-road vehicle tracks adjacent to Ningaloo Marine Park, north-western Australia. *Ocean & Coastal Management* 145.
- Lane, P. (2004). *Geology of Western Australia's National Parks: Geology for everyone*. Perth, Western Australia.
- Lantze, D., Murphy, A. and Hammond, M. (1995). *Report of an Aboriginal heritage survey. Proposed limestone quarry; transport corridor and laydown facility, Exmouth, Western Australia*. DAA report # 102402.
- Legge S., Kennedy M.S., Lloyd R., Murphy S. and Fisher A. (2011). Rapid recovery of mammal fauna in the central Kimberley, northern Australia, following removal of herbivores. *Austral Ecology* 36: 791-799.
- Long, V. (2019). *Coral Coast, Western Australia flora and vegetation surveys*. Prepared for DBCA, Vicki Long & Associates, Karratha, Western Australia.
- Lowe, R.J., Taebi, S., Symonds, G., Pattiaratchi, C.B., Ivey, G.N. and Brickman, R. (2008). Hydrodynamics of fringing reef systems: Ningaloo Reef, Western Australia. In: Waples, K. (2008). *Discovering Ningaloo: Latest findings and their implications for management*. Ningaloo Research Program Progress Report. Ningaloo Research Coordinating Committee. Department of Environment and Conservation, Western Australia.
- Lucrezi, S. and Schlacher, T.A. (2010). Impacts of off-road vehicles on burrow architecture of ghost crabs (Genus *Ocypode*) on sandy beaches. *Environmental Management* 45:1352–1362.
- Machin, B. (1998). *Anthropological survey for Aboriginal sites for Magellan leases M/L 53/501, 502, 503, 504, 505, E/L 53/28, 644, 694, 695, 315, 327*. Tamara Pty Ltd, Fremantle.
- Marchant, L.R. (1988). The French discovery and survey of the legendary North-West Cape and Willem River in western New Holland. *Imago Mundi* 40: 46-56.
- Martin T.G. and Possingham, H.P. (2005). Predicting the impact of livestock grazing on birds using foraging height data. *Journal of Applied Ecology* 42: 400-408.
- McGann, S. (1999). *Report on an archaeological survey for Aboriginal sites on the proposed Coral Bay to Yardie Creek road alignment*. Quatermaine Consultants.
- McKenzie, N.L., Burbidge, A.A., Baynes, A., Brereton, R.N., Dickman, C.R., Gordan G, Gibson, L.A., Menkhorst, P.W., Robinson, A.C., Williams, M.R. and Woinarski, J.C.Z. (2007). Analysis of factors implicated in the recent decline of Australia's mammal fauna. *Journal of Biogeography* 34: 597-611.
- Mcphee, D. and Moss, D. (2006). The impacts of recreational four-wheel driving on the abundance of the ghost crab (*Ocypode cordimanus*) on a subtropical sandy beach in SE Queensland. *Coastal Management* 34: 133-140.
- Morse, K. (1992). *Archaeological research at North West Cape Western Australia*. Final report prepared for the National estate Program, Department of Anthropology, Western Australia Museum, Perth, Western Australia.
- Morse, K. (1993a). New radiocarbon dates from North West Cape, Western Australia: A preliminary report. In: Smith, M.A., Spriggs, M. and Fankhauser, B. (eds.). *Sahul in review: Pleistocene archaeology in Australia, New Guinea and Island Melanesia* 155-63. ANU, Canberra.
- Morse, K. (1993b). Shell beads from Mandu Mandu Creek rock-shelter, Cape Range peninsula, Western Australia, dated before 30,000 BP. *Antiquity* 67: 877-83.
- Morse, K. (1993c). Who can see the sea? Prehistoric Aboriginal occupation of the Cape Range Peninsula, Western Australia. In: Humphreys, W.F. (ed.). *The biogeography of the Cape Range, Western Australia. Records of the Western Australian Museum*. Supplement 45: 227-242.
- Morse, K. (1996). Coastal shell middens, Cape Range Peninsula, Western Australia: An appraisal of the Holocene evidence. In: Veth, P. and Hiscock, P. (eds.). *Archaeology of northern Australia: Regional perspectives* 4: 9-25. University of Queensland, St Lucia, Queensland.
- Morse, K. (1999). Coastwatch: Pleistocene resource use on the Cape Range Peninsula. In: Hall, J. and McNiven, I.J. (eds.). *Australian coastal archaeology* 73-78. ANH Publications, Department of Archaeology and Natural History, RSPAS, Australian National University, Canberra.
- Muller, C. (2001). *Review of fire operations in forest regions managed by the Department of Conservation and Land Management*. Western Australia.

- Murray, K., Bancroft, K.P., Do Khac, E. (2014). *Monitoring the coastal biological communities of Ningaloo Marine Park: A remote sensed standard method*. Western Australian Marine Monitoring Program, Department of Parks and Wildlife, Perth, Western Australia.
- Ocean Conservancy (2015). *Stemming the tide: Land-based strategies for a plastic-free ocean*. McKinsey & Company and Ocean Conservancy.
- Payne, A.L., Curry, P.L. and Spencer, G.F. (1987). *An inventory and condition survey of rangeland in the Carnarvon Basin, Western Australia*. Western Australian Department of Agriculture Technical Bulletin No. 73.
- Pearson, D.J. (2013). *Recovery plan for five species of rock wallabies: Black-footed rock wallaby (*Petrogale lateralis*), Rothschild rock wallaby (*Petrogale rothschildi*), short-eared rock wallaby (*Petrogale brachyotis*), monjon (*Petrogale burbidgei*) and nabarlek (*Petrogale concinna*) 2012-2022*. Western Australian Wildlife Management Program No. 55. Department of Parks and Wildlife, Perth, Western Australia.
- Péron, F. and de Freycinet, L. (1807-16). *Voyage de découvertes aux terres australes... pendant les années 1800, 1801, 1802, 1803 et 1804*. 2 volumes. Paris.
- Petkovic, J. (2007). Aboriginal groups in the Stefano Manuscript. In: J Petkovic (ed.). *The wreck of the Austro- Hungarian barque Stefano on the North West Coast of Australia*. National Academy of Screen and Sound, Murdoch WA. imjournal.murdoch.edu.au/im-issue-3-2007/
- Priskin, J. (2003). Physical impacts of four-wheel drive related tourism and recreation in a semi-arid, natural environment. *Ocean & Coastal Management* 46:127–155.
- Przywolnik, K (2002). Coastal sites and severe weather in Cape Range Peninsula, northwest WA. *Archaeology in Oceania* 37(2): 137-52.
- Przywolnik, K. (2003). Shell artefacts from northern Cape Range Peninsula, northwest Western Australia. *Australian Archaeology* 56: 12-21.
- Przywolnik, K. (2005). Long-term transitions in hunter-gatherers of coastal northwestern Australia. In: Veth, P., Smith, M. and Hiscock, P. (eds.). *Desert people: Archaeological perspectives* 177-205. Blackwell Publishing, Malden,
- Radcliffe-Brown, A.R. (1926). The rainbow-serpent myth of Australia. *The Journal of the Royal Anthropological Institute of Great Britain and Ireland* 56.
- Radcliffe-Brown, A.R. (1931). The social organization of Australian tribes. *Oceania* 1(2): 206-246.
- Rathe, G. (1990). *The wreck of the barque Stefano on the North West Cape of Australia in 1875*. Hesperian Press, Perth, Western Australia.
- Read, J. and Ward, M. (2011). *Warru recovery plan: Recovery of *Petrogale lateralis* MacDonnell Ranges race in South Australia, 2010-2020*. Department of Environment and Natural Resources, Adelaide, South Australia.
- Register of Heritage Places (2006). *Assessment documentation Norwegian Bay Whaling Station (ruins) 22/08/2006*. inherit.stateheritage.wa.gov.au/Admin/api/file/151bb44d-0998-2ace-92b9-af68f11c6dd5
- Ritchie, E.G. and Johnson, C.N. (2009). Predator interactions, mesopredator release and biodiversity conservation. *Ecology Letters* 12: 982–998.
- Rochman, C.M., Tahir, A., Williams, S., Baxa, D., Lam, R., Miller, J.T., Teh, F.C., Werorilangi, S. and Swee J.T., (2015). Anthropogenic debris in seafood: Plastic debris and fibers from textiles in fish and bivalves sold for human consumption. *Scientific Reports* 5: art.no. 14340.
- Rockwater (1994). Evaluation of groundwater conditions near Mauds Landing, in the Coral Bay area for public environmental review. In: Coral Coast Marine Development (1995). *Coral Coast Resort Mauds Landing Public Environmental Review Appendices*.
- Rogers, C., (1990). Response of coral reefs and reef organisms to sedimentation. *Marine Ecology Progress Series* 62: 185–202.
- Russell, P.J. (2004). *Geological and geomorphic features and evolution of the Lake Macleod - Ningaloo - Cape Range - Exmouth Gulf area, Western Australia, including an assessment of values against World Heritage List criteria*. Unpublished report prepared for the WA Department of Conservation and Land Management, Western Australia.
- Sanderson, P. (1997). The interaction of process and landform in the Ningaloo Reef lagoon, Western Australia. In: Lassios, H.A. and Macintyre, I.G. (eds.). *Proceedings of the 8th International Coral Reef Symposium, Panama, June 24-29, 1996* 1: 833-838. Smithsonian Tropical Research Institute, Balboa, Panama.

- Schlacher, T.A. and Thompson, L.M.C. (2007). Exposure of fauna to off-road vehicle (ORV) traffic on sandy beaches. *Coastal Management* 35: 567–583.
- Schlacher, T.A., Carracher, L.K., Porch, N., Connolly, R.M., Olds, A.D., Gilby, B.L., Ekanayake, K.B., Maslo, B. and Weston, M.A. (2016). The early shorebird will catch fewer invertebrates on trampled sandy beaches. *PLoS ONE* 2016 11(8): e0161905. DOI:10.1371/journal.pone.0161905.
- Schlacher, T.A., Lucrezi, S., Connolly, R.M., Peterson, C.H., Gilby, B.L., Maslo, B., Olds, A.D., Walker, S.J., Leon, J.X., Huijbers, C.M., Weston, M.A., Turra, A., Hyndes, G.A., Holt, R.A. and Schoeman, D.S. (2016). Human threats to sandy beaches: A meta-analysis of ghost crabs illustrates global anthropogenic impacts. *Estuarine, Coastal and Shelf Science* 169: 56–73.
- Schlacher, T.A., Nielsen, T. and Weston, M.A. (2013). Human recreation alters behaviour profiles of non-breeding birds on open-coast sandy shores. *Estuarine, Coastal and Shelf Science* 118: 31–42.
- Schlacher, T.A., Richardson, D. and McLean, I. (2008). Impacts of Off-Road Vehicles (ORVs) on macrobenthic assemblages on sandy beaches. *Environmental Management* 41: 878–892.
- Schlacher, T.A., Weston, M.A., Lynn, D.D. and Connolly, R.M. (2013). Setback distances as a conservation tool in wildlife-human interactions: testing their efficacy for birds affected by vehicles on open-coast sandy beaches. *PLoS ONE* 8(9): e71200.
- Scott, J.K. (2014). *Australian rangelands and climate change – Cenchrus ciliaris (buffel grass)*. Ninti One Limited and CSIRO, Alice Springs, Northern Territory.
- Shepherd, M.J. (1990). *Hydrologic environments and sedimentation, Cygnet seepage face, Lake Macleod, Western Australia*. Unpublished PhD thesis, Department of Geology, University of Western Australia.
- Shields, B.P. and Smith, A. (2016). *Literature review of Ningaloo Coast: Visitor usage patterns*. Visitor Research Unit, Department of Parks and Wildlife, Western Australia.
- Short, A. (2005). *Beaches of the Western Australian coast: Eucla to Roebuck Bay. A guide to their nature, characteristics, surf and safety*. Coastal Studies Unit and Surf Life Saving Australia, Sydney, New South Wales.
- Slatyer, C., Ponder, W., Rosauer, D. and Davis, L. (2007). *Between a rock and a dry place: Land snails in arid Australia*. National Heritage Assessment Section, Department of the Environment and Heritage, Australian Government. In: Dickman, C. Lunney, D. and Burgin, S. (eds.). (2007). *The animals of arid Australia: Out on their own?* 30 – 41. Royal Zoological Society of New South Wales, Mosman, New South Wales.
- Smith, A.J. and Shields, B.P. (2017). *Proposed Ningaloo Coastal Reserves adjacent to stations visitor survey report 2017*. Visitor Research Unit, Parks and Wildlife Service, Department of Biodiversity, Conservation and Attractions, Western Australia.
- Steffen, W., Burbidge, A.A., Hughes, L., Kitching, R., Lindenmayer, D., Musgrave, W., Stafford Smith, M. and Werner, P.A. (2009). *Australia's biodiversity and climate change: A strategic assessment of the vulnerability of Australia's biodiversity to climate change*. A report to the Natural Resource Management Ministerial Council commissioned by the Australian Government. Department of Climate Change, Canberra, ACT.
- Stanbury, M. (1985). *Norwegian Bay Whaling Station: An archaeological report*. Western Australian Museum, Perth, Western Australia.
- Syme, R. (2009). *The impact of all terrain vehicles on the coastal environment: Coral Bay Tourism Precinct*. Department of Environment and Conservation.
- Thackway, R. and Cresswell, I.D. (1995). *An interim biogeographic regionalisation for Australia: A framework for setting priorities in the National Reserves System Cooperative Program. National Reserves System Cooperative Program (Australia)*.
- Tindale, N.B. (1974). *Aboriginal tribes of Australia*. Australian National University Press, Canberra, ACT.
- Tonkinson, R. (1991). *The Mardu Aborigines: Living the dream in Australia's desert (2nd ed.)*. Holt, Rinehart & Winston, Fort Worth, Texas.
- Tooth, I.M. and Leishman, M.R. (2014). Elevated carbon dioxide and fire reduce biomass of native grass species when grown in competition with invasive exotic grasses in a savanna experimental system. *Biological Invasions* 16: 257–268.
- Trudgen, M. (1994). A flora and vegetation survey and assessment of conservation values for flora and vegetation in the area proposed for the Coral Coast Marina. In: *Coral Coast Resort Mauds Landing: Public environmental review – Appendices*. Bowman Bishaw Gorham.
- Turner, J. (1985). *Report on preliminary ethnographic investigations for the area encompassed by the proposed Ningaloo Marine Park*. Unpublished report, Department of Aboriginal Sites, Western Australian Museum, Perth, Western Australia.

- UNESCO (2011). *Decisions adopted by the World Heritage Committee at its 35th session*: 177-180. United Nations Educational, Scientific and Cultural Organization, Paris, France. whc.unesco.org/en/decisions/4278
- Vines, F. (1968). Thomas Carter, ornithologist. *The Royal Western Australian Historical Society Journal* 6: 7-21.
- Waayers, D. (2003). *Developing a wildlife tourism optimisation management model based on marine turtle tourism on the Ningaloo Region: Draft version subject to further consultation with stakeholders 2003 – 2008*. Murdoch University, Western Australia.
- WAM Shipwrecks database. www.museum.wa.gov.au/collections/databases/maritime/shipwrecks/shipwreck.asp.
- WAM (2011). *Shipwrecks of the Ningaloo Reef: Maritime archaeological projects from 1978–2009*. Special Publication No. 14, Australian National Centre of Excellence for Maritime Archaeology. Department of Maritime Archaeology, Western Australian Museum, Fremantle, Western Australia.
museum.wa.gov.au/maritime-archaeology-db/sites/default/files/no_14_shipwrecks_of_ningaloo_reef.pdf
- Wangka Maya Pilbara Aboriginal Language Centre (2007). *Bayungu dictionary English-Bayungu wordlist and thematic wordlist*.
- WAPC (1996). *Gascoyne Coast regional strategy*. Western Australia Planning Commission, Perth, Western Australia.
- WAPC (2004). *Ningaloo Coast regional strategy: Carnarvon to Exmouth*. Prepared by the Department for Planning and Infrastructure. Western Australian Planning Commission, Perth, Western Australia.
- Watterson, I. (2015). *Rangelands cluster report: Climate change in Australia projections for Australia's NRM regions*. Ekström, M. et al. (eds.). CSIRO and Bureau of Meteorology, Australia.
www.climatechangeinaustralia.gov.au/media/ccia/2.1.6/cms_page_media/172/RANGELANDS_CLUSTER_REPORT_1.pdf
- Wells, F.E. (1980). The distribution of shallow-water marine prosobranch gastropod molluscs along the coastline of Western Australia. *Veliger* 22(3): 232–247.
- Weston, M.A., Schlacher, T.A. and Lynn, D. (2014). Pro-environmental beach driving is uncommon and ineffective in reducing disturbance to beach-dwelling birds. *Environmental Management* 53: 999–1004.
- WHC (2008). *Operational guidelines for the implementation of the World Heritage Convention*. UNESCO World Heritage Centre, Paris, France. whc.unesco.org/en/guidelines/
- WHCC (2004). *Report on a proposal to nominate the North West Cape – Ningaloo Reef area for inscription on the world heritage list: Final report*. World Heritage Consultative Committee, Australia.
- Whiteford, D. (1993). Maud's Landing: A history. *Light Railways* 119: 5-13.
- Woinarski, J.C.Z. and Ash A.J. (2002). Responses of vertebrates to pastoralism, military land use and landscape position in an Australian tropical savanna. *Aust Ecol* 27: 311–323.
- World Economic Forum (2016). *The new plastics economy rethinking the future of plastics*.
- Withnell, J. (1901). *The customs and traditions of the Aboriginal natives of North Western Australia*. Hesperian Press, Carlisle.
- Wyroll, K-H. (2000). *Cape Range and adjacent coastal plain: Assessment of geomorphic values*. A report to the Australian Heritage Commission. Department of Geography, University of Western Australia, Nedlands, Western Australia.
- Ziembicki, M. (2009). *Ecology and movements of the Australian bustard *Ardeotis australis* in a dynamic landscape*. Thesis submitted for the degree of Doctor of Philosophy, School of Earth and Environmental Sciences, University of Adelaide.

Additional references used in the visitor research literature review (Shields and Smith 2016) but not directly cited in this plan

- Beckley, L., Smallwood, C., Moore, S.A. and Kobryn, H. (2010). *Human use of Ningaloo Marine Park*. Technical Report, Ningaloo Collaboration Cluster, Western Australia.
- Carlsen, J. and Wood, D. (2004). *Assessment of the economic value of recreation and tourism in Western Australia's national parks, marine parks and forests*. Technical Report, CRC for Sustainable Tourism, Gold Coast, Queensland.
- Chandler, P. (2011). Ningaloo Coast remote campers: A comparison of preferred campsite attributes and activities. In: Jones et al. *Socio-economics of Tourism*. Gold Coast, Queensland.

- Christensen, J., Cox, S., Hughes, M., Jones, R. and Jones, T. (2013). *Community and socio-economic impacts of World Heritage designation on Shark Bay and the Ningaloo Coast*. Report to the Department of Environment and Conservation and Tourism Western Australia, Curtin University, Western Australia.
- Davies, A., Tonts, M., and Cammell, J. (2009). *Coastal camping in the rangelands – Emerging opportunities for natural resource management*. School of Environment and Earth, University of Western Australia.
- DPaW and DoF (2014). *Ningaloo Marine Park Sanctuary Zones and Muiron Islands Marine Management Area*. Exmouth, Western Australia.
- Hopkins, D. and Wood, D. (2006) *Ningaloo Marine Park tourism scoping paper*. Curtin Sustainable Tourism Centre, Curtin University, Western Australia.
- Hornback, K.E. and Eagles, P.F.J. (1999). *Guidelines for public use measurement and reporting at parks and protected Areas*. World Commission on Protected Areas (WCPA), IUCN, Gland, Switzerland and Cambridge, UK.
- Jones, T., Hughes, M., Wood, D., Lewis, A. and Chandler, P. (2009). *Ningaloo coast region visitor statistics: Collected for the Ningaloo destination modelling project*. Cooperative Research Centre for Sustainable Tourism, Gold Coast, Queensland.
- Jones, T., Wood, D., Hughes, M., Deery, M., Fredline, L., Jones, R., Fulton, B., Pham, T., Pambudi, D., Dwyer, L., Spurr, R., Chapman, K., Lewis, A., Chandler, P. and Catlin, J. (2011). *Socio-economics of tourism*. Technical report, Ningaloo Collaboration Cluster, Western Australia.
- Lawrie, M. (2007). *Patterns of coastal tourism growth and multiple dwelling: Implications for informal camping along the Ningaloo coastline*. PhD thesis, University of Western Australia, Western Australia.
- Lewis, A. (2013). *Remote camping along the Ningaloo Coast, Western Australia: Relationship between management and the variables of visitor preferences, resource use and environmental impacts*. PhD, Curtin University, Western Australia.
- Northcote, J., and Macbeth, J. (2008). *Socio-economic impacts of sanctuary zone changes in Ningaloo Marine Park*. Technical Report, CRC for Sustainable Tourism, Gold Coast, Queensland.
- Pickering, M. (2004). *Towards an understanding of the grey nomad consumer*. PhD thesis, Edith Cowan University, Western Australia.
- Polley, A. (2002). *Visitor perceptions and preferences regarding Cape Range National Park*. Honours thesis, Murdoch University, Western Australia.
- Shields, B.P. and Smith, A. (2016). *Cape Range National Park visitor survey report 2014-15*. Visitor Research Unit, Department of Parks and Wildlife, Western Australia.
- Smallwood, C.B. (2009). *Spatial and temporal patterns of recreational use at Ningaloo Reef, north-western Australia*, PhD thesis, Murdoch University, Western Australia.
- Smallwood, C.B., Beckley, L.E. and Moore, S.A. (2010). Recreational use in a marine park in North-Western Australia: Effects of adjacent land tenure. In: Beckley, L.E., Smallwood, C.B., Moore, S.A. and Kobryn, H.T. *Ningaloo collaboration cluster: Human use of Ningaloo Marine Park: 73-94*. CSIRO, Western Australia.
- Smallwood, C.B., Beckley, L.E. and Moore, S.A. (2013). Effects of adjacent land tenure on visitor use of Ningaloo Marine Park, Western Australia. *Australasian Journal of Environmental Management* 20(2): 130-146.
- Smith A.J. (2004). *Campsite impact monitoring and assessment in the temperate eucalypt forests of Western Australia: An integrated approach*. PhD thesis, Murdoch University, Perth, Western Australia.
- Tonge, J. (2012). *Understanding the place attachment of campers along the southern Ningaloo Coast, Australia*. PhD thesis, Curtin University, Western Australia.
- TRC Tourism, EC3 and DMS (2014). *Ningaloo-Shark Bay: National landscape experience development strategy*. www.gdc.wa.gov.au/wp-content/uploads/2015/10/Ningaloo-Shark_Bay_EDS_FINAL-26_06_2014.pdf (accessed 17 May 2016)
- Waples, K and Hollander, E. (2008). *Discovering Ningaloo: Latest findings and their implications for management*. Ningaloo research progress report, Ningaloo Research Coordinating Committee, Department of Environment and Conservation, Western Australia.

Appendices

Appendix 1. Tenure of the planning area

Name	No.	Tenure	Size (ha)	Purpose	Notes
Existing conservation reserves (North to South)					
Nyinggulara National Park (from Winderabandi Point to Jane Bay)	A53770	National Park vested in the Conservation and Parks Commission and NTGAC*	27,094.39		<p>Created 29 October 2020 as per CTRC (1974) recommendations, subsequent planning documents and CALM Act management plans (EPA 1975, CALM 1987, WHCC 2004, CALM 2005a, CALM 2005b, DEWHA 2007, DEC 2010).</p> <p>Reserve created to protect:</p> <ul style="list-style-type: none"> the southern extent of the Cape Range formation and include more of the range within the Cape Range National Park identity the associated karst habitats with unique cave fauna and fossils National Heritage and potential World Heritage values with uplifted terraces along the coast and anticlinal range inland partly overlain by sand dunes. Recommended to amend the World Heritage Area boundary to capture these values significant cultural sites including Jarvis Well shell midden (DAA ID16595 not registered) which has <i>Terebralia</i> shells, a species that normally inhabits mangroves which have not existed in the great numbers in this area since the mid-Holocene. The presence of <i>Terebralia</i> at the site indicates this may be one of the older surviving shell middens in the area (McGann 1999) poorly reserved vegetation associations 662 and 681 (were 1.82% and 0.78% respectively). This addition adds 8.3% good quality of VA662 and 69.24% of VA681 significant populations of the threatened black-flanked rock wallaby. These populations are the southernmost populations of the Cape Range black-faced rock wallabies and may be used in future translocations in Kalbarri National Park. Reservation allows goat and fire management along with ongoing monitoring of the populations

Name	No.	Tenure	Size (ha)	Purpose	Notes
					<ul style="list-style-type: none"> endemic reptiles, camelid land snails and other significant flora and fauna. <p>This also allows ongoing monitoring of flora and fauna populations and provides integrated management across the marine and terrestrial environments to preserve cultural, natural and recreation values.</p>
Ningaloo Marine Park Coastal Strip (terrestrial strip 40m landwards of HWM Winderabandi Point to Amherst Point)	A40079	CALM Act 5(1)(g) reserve under management order to the Conservation and Parks Commission	557.10	Marine Park	No change proposed or add it to adjacent terrestrial conservation reserve (if 'A' class) for ease of administration.
Point Cloates (Perth Hill) Lighthouse	A44892	CALM Act 5(1)(h) reserve under management order to the Conservation and Parks Commission	0.14	Navigation, Communication, Meteorology, Survey and Conservation	Created 29 January 2021, previous lease to AMSA expired 20 November 2020.
Nyinggulu Coastal Reserve	53686 Non Class A	CALM Act 5(1)(h) reserve under management order to the Conservation and Parks Commission and NTGAC*	21,362.43	Conservation and Recreation	<p>Created 12 October 2020 as per CTRC (1974) recommendations, subsequent planning documents and CALM Act management plans (EPA 1975, CALM 1987, WHCC 2004, CALM 2005a, CALM 2005b, DEWHA 2007, DEC 2010, Ecoscape 2010).</p> <p>Reserve created to protect:</p> <ul style="list-style-type: none"> poorly reserved vegetation associations 95, 329, 345, 662, 676, 681 and 2685 (previously 1.50%, 0%, 0%, 1.83%, 3.75%, 0.84% and 0.05% respectively). However, how much this reserve protects depends on how much buffel grass has displaced the native vegetation populations of Priority 3 flora <i>Whiteochloa capillipes</i>. <p>This reserve also provides integrated management across the marine and terrestrial environments to preserve cultural, natural and recreation values. Incorporates former foreshore reserve C41869 adjacent to 3 Mile Camp.</p>

Name	No.	Tenure	Size (ha)	Purpose	Notes
					Proposed to change to Class A to provide the same level of protection as Ningaloo Marine Park Coastal Strip and Nyinggulara National Park.
Coral Bay Foreshore Reserve	C37500	CALM Act 5(1)(g) reserve under management order to the Conservation and Parks Commission	5.93	Foreshore management	No change or add to Nyinggulu Coastal Reserve 53686 for ease of administration.
Total existing			49,019.99		
Proposed conservation reserves					
Ningaloo remainder (former Ningaloo Station) inland portion South of Janes Bay		Unallocated Crown land	21,210.36		Proposed addition to Nyinggulara National Park A53770 or Nyinggulu Coastal Reserve 53686. This would protect populations of Priority 3 flora <i>Corchorus congener</i> and include further under represented vegetation associations (662 and 681) into the conservation reserve system. VA662 is in good condition on this portion, not degraded by much buffel grass and reservation of this parcel represents the only opportunity to reach the target of 15% reservation of this VA outside of other pastoral stations and the Commonwealth Defence land (condition unknown). There may also be range end populations of endemic reptiles such as the Ningaloo worm-lizard.
UCL adjacent to Coral Bay Townsite landwards of HWM		Unallocated Crown land	21.43		Proposed addition to Nyinggulu Coastal Reserve 53686 or Coral Bay Foreshore Reserve C37500 as per CTRC (1974) recommendations, subsequent planning documents and CALM Act management plans (EPA 1975, WHCC 2004, CALM 1987, CALM 2005a, CALM 2005b, DEWHA 2007, DEC 2010, Ecoscape 2010). This would protect: <ul style="list-style-type: none"> poorly reserved vegetation association 662 (1.83%). How much this addition will add depends on the vegetation condition and degradation by buffel grass. This would also provide integrated management across the marine and terrestrial environments to preserve cultural, natural and recreation values.
Total proposed			21,231.79		

Name	No.	Tenure	Size (ha)	Purpose	Notes
Potential reserves					
Scorpion Ridge		Unallocated Crown land	22.83		Originally excluded from pastoral lease to be part of the Nyinggulu Coastal Reserve 53686. Still proposed as addition to Nyinggulu Coastal Reserve 53686 pending pastoral leasee's negotiations surrounding extension to their tourism lease.
Quobba pastoral lease (part surrounding Red Bluff)		Pastoral lease	65.32		Potential addition to Nyinggulu Coastal Reserve 53686 if leasee of the Red Bluff Land Administration Act section 79 lease area surrenders lease.
Red Bluff Land Administration Act section 79 lease area		General Crown lease	55.19		Potential addition to Nyinggulu Coastal Reserve 53686 if leasee surrenders lease.
Red Bluff coastal strip 40m landward of HWM south of the Red Bluff Land Administration Act section 79 lease area		Unallocated Crown land	2.33		Potential addition to Nyinggulu Coastal Reserve 53686 if leasee of the Red Bluff Land Administration Act section 79 lease area surrenders lease.
Various road reserves within the planning area			TBD		Add into the surrounding tenure in consultation with the appropriate shire and DPLH with priority given to unused road reserves.
Total potential			145.67		
Total planning area			70,397.45		

*NTAGAC Nganhurra Thanardi Garrbu Aboriginal Corporation

Note: Some of these reserves have had consent granted under the 2020 ILUA between Nganhurra Thanardi Garrbu Aboriginal Corporation (Ref: SSO 991-16) with further reserves to be included in the forthcoming ILUA centred on the proposed national park to be created from former Giralia Station.

Appendix 2. Performance assessment

Key values	Key objectives	Performance measure	Key Performance Indicators Target	Reporting
Section 6 Aboriginal cultural heritage				
<ul style="list-style-type: none"> • Connection to country • Traditional cultural knowledge • Significant sites (registered and otherwise) • Plants and animals of cultural significance • Customary activities, including ceremonial and hunting activities 	To protect and conserve cultural sites and support the continuation and strengthening of connection to country and sharing of cultural knowledge	<i>Joint management</i>		
		Level of joint management partner satisfaction with joint management	Joint management partners are both satisfied that they can undertake their roles and responsibilities as custodians and managers of country in the context of jointly managed conservation estate	Annually
		The ability of the traditional owners to make decisions about the management of their country	Conduct JMB meetings in accordance with the JMA	Annually
		<i>Cultural sites</i>		
		Identification and protection of sites	Stable or increasing number of sites being protected	Annually
			All known sites and areas with cultural and/or gender access restrictions are monitored and managed accordingly	Annually
			Physical disturbance to significant sites is being mitigated and no new signs of physical disturbance to specified sites and areas within three years of the release of the plan	Annually
		<i>Traditional law and knowledge</i>		
		Employment and training opportunities (direct and indirect) are generated as a result of the reserves	Stable or increasing number of full-time equivalent positions as indicated in the ILUA and provide opportunities for the development of supervisory/management positions as desired	Annually
		Level of traditional owner satisfaction that traditional knowledge is being considered and adopted into management	Traditional owners (through the JMB) are satisfied that traditional knowledge is being considered and adopted as appropriate into management of the planning area	Annually
		<i>Customary activities</i>		
		Opportunities for traditional owners to visit their country within the planning area, including for on-country planning meetings and visiting of special sites	Maintain or increase opportunities for traditional owners to access their traditional lands	Annually
		Level of traditional owner satisfaction that they have been able to continue customary practices and remain custodians of country and culture	Traditional owners (through the JMB) are satisfied that they are able to access the planning area for the purposes of carrying out customary practices, transferring knowledge to younger generations and enjoying country	Annually
Opportunities for traditional owners to visit their country within the planning area, including for on-country planning meetings and visiting of special sites	Maintain or increase opportunities for traditional owners to access their traditional lands	Annually		
Section 7 Other Australian cultural heritage				
<ul style="list-style-type: none"> • European heritage associated with early explorers, shipping, 	To conserve and protect other Australian cultural sites within	Protection of known or identifiable other Australian cultural heritage sites	No further disturbance without formal approval and consultation	Every 3 years

Key values	Key objectives	Key Performance Indicators		
		Performance measure	Target	Reporting
pastoralism, whaling, rock lobster and turtle fisheries as well as heritage associated with the afghan and north Indian cameleers and traders	the planning area in consultation with relevant stakeholders			
Section 9 Geology, landforms and soils				
<ul style="list-style-type: none"> Landscape and coastal scenery values Geological features of national and cultural heritage significance 	To identify, protect and conserve geological features, coastal landforms and visual landscape quality	Cultural significance of geological features and artefacts	Traditional owners are satisfied with the protection of cultural significant geological features and artefacts	Every 2 years
		Coastal erosion and beach sedimentation	Natural coastal beach processes are not disrupted by management or recreational activities	Every 5 years
		Karst	More information on karst systems and interglacial fossil reefs within the planning area is known and values protected	Every 5 years
		Interglacial fossil reefs	No damage to the interglacial fossil reefs	Every 5 years
Section 10 Hydrology				
<ul style="list-style-type: none"> Freshwater soaks Watering points of cultural significance 	To protect and conserve the natural hydrological regimes, particularly freshwater wells and minimise the impacts of altered hydrological regimes on the planning area and adjoining marine receiving waters	Watering points of cultural significance	Traditional owners are satisfied with the rehabilitation and condition of culturally significant watering points	Every 3 years
		Water quality and quantity of groundwater, soaks and receiving waters (e.g. nutrient levels, salinity, sedimentation, groundwater levels)	No significant detrimental changes in water quality and quantity parameters (i.e. beyond natural seasonal or other cyclic variation) due to onshore activities during the life of the plan	Every 2 years
Section 11 Native plants and plant communities				
<ul style="list-style-type: none"> Conservation significant plants and communities Food and medicinal plants Culturally significant animals and <i>thalu</i> e.g. totems, bush tucker 	To protect and conserve native plants and plant communities particularly those of cultural and/or conservation significance	Health and condition of species of cultural significance	Traditional owners are satisfied with the health and condition of culturally significant species	Every 2 years
		Knowledge of plant diversity	Flora surveys are carried out identifying species of cultural and conservation significance	Every 2 years
		Persistence and status of populations of threatened and Priority 1 and 2 flora	Subject to natural variation, taxonomic changes, recovery and/or maintenance of populations of threatened and priority flora	Every 2 years
		Vegetation cover and density ⁺	No further loss of coastal biological community biomass as a result of human activity in the planning area	Annually
Section 12 Native animals and habitats				
<ul style="list-style-type: none"> Conservation significant animals e.g. turtles, rock wallabies, shorebirds and cave fauna Culturally significant animals and <i>thalu</i> e.g. totems, bush tucker Habitat values (e.g. karst, turtle nesting areas, seabird and 	To identify, protect and conserve native animals and habitats, particularly those of cultural and/or conservation significance	Health and condition of fauna species and <i>thalu</i> of cultural significance	Traditional owners are satisfied with the health and condition of culturally significant species and <i>thalu</i>	Every 2 years
		Knowledge of animal diversity	Fauna surveys are carried out identifying species of cultural and conservation significance	Every 2 years
		Range and population size of threatened and other conservation significant fauna	Subject to natural variation, recovery and maintenance of viable populations of threatened and other conservation significant fauna within the planning area	Every 5 years, or as per recovery plans
		Conservation status of threatened fauna species	No decline in the conservation status of threatened fauna species	Every 3 years, or as per

Key values	Key objectives	Key Performance Indicators		
		Performance measure	Target	Reporting
shorebird roosting and breeding areas) <ul style="list-style-type: none"> • Area of transition between temperate and tropical zones • High level of diversity and endemism for reptiles and land snails 		Nesting turtles ⁺	More than 70% of nests produce hatchlings	recovery plans Annually
			Trends in nesting turtle numbers continue to be stable or increasing	Annually
		Diversity and abundance of seabirds, migratory shorebirds and waders ⁺	No loss of seabird, migratory shorebird and wader diversity or abundance as a result of human activity in the planning area	Every 5 years
		World Heritage values	Ningaloo Coast World Heritage Advisory Committee are satisfied with the management of the planning area as it relates to the identified outstanding universal value	Annually
Section 14 Weeds				
<ul style="list-style-type: none"> • Natural and cultural values as above 	To minimise the negative impact of weeds on the planning area	Weed control plan	A weed control plan is developed and implemented	Every 5 years
		Cultural value of native species	Traditional owners are satisfied that traditional knowledge is being consulted and adopted as appropriate into management of weeds to protect culturally significant species	Annually
			No bush tucker or cultural site is affected by weeds	Annually
		Presence of weeds of local priority	Decrease in the area of weeds of local priority	Every 2 years
Section 15 Introduced and other problem animals				
<ul style="list-style-type: none"> • Natural and cultural values as above 	To minimise the negative impact of introduced and other problem animals on the key values of the planning area and adjacent Marine Park	Introduced animal control plan	A control plan is developed and implemented	Every 5 years
		Integrated predator control program	Decreasing activity of introduced predator and/or increasing habitat use of the native species such as the black-flanked rock wallaby	Every 5 years
			Reduce predation of turtle hatchlings by 5%*	Annually
		Introduced herbivores	Decreasing trend in numbers of introduced herbivores (observable impacts at monitored sites to be kept at 'low' or 'no' observable impact)	Every 5 years
	Cultural values of native species	Reduction in impact on bush tucker and cultural sites affected by introduced or problem animals	Annually	
Section 18 Fire				
<ul style="list-style-type: none"> • Natural and cultural values as above 	To protect human life and maintain key values by actively managing fire	Bushfire risk mitigation	A strategic buffer system of low-fuel loads is identified and maintained	Every 3 years
		Size of large, intense fires	Reduction in area of large, intense bushfires, using the 2017 to 2022 five-year levels as the comparison	Every 5 years
		Knowledge of fire ecology within the planning area	Identification of fire-sensitive habitats and communities	Every 5 years
			Increased knowledge of vital attributes of species and ecological communities	Every 5 years
			Increased knowledge of the interaction between fire and buffel grass	Every 5 years
			Increased knowledge of the impact of fire on karst systems	Every 5 years
			Increased knowledge of optimal fire regimes for the black-flanked rock wallaby and interrelation with competition for food resources with goats	Every 5 years

Key values	Key objectives	Key Performance Indicators		
		Performance measure	Target	Reporting
		The condition of nominated fire-sensitive habitats and communities	Fire sensitive or threatened taxa or communities are maintained or enhanced	Every 5 years
		The persistence of fire-sensitive species within the planning area (e.g rock-wallabies)	Nominated populations of species maintained	Every 5 years
Section 19 Visitor planning				
<ul style="list-style-type: none"> Low-key remote recreational experiences, the 'Ningaloo experience' 	The 'Ningaloo experience' is maintained and the visitors' awareness, safety, understanding, enjoyment and appreciation of the values of the planning area are improved through the provision of a range of interpretative and educational material, and visitor programs	Cultural knowledge shared appropriately	Traditional owner satisfaction with provision of information to visitors	Every 2 years
		Visitor satisfaction levels of nature-based experiences	Maintained or increased from when the conservation reserves are created with a target to be achieved of over 85% satisfaction after 10 years	Every 5 years
		The extent of visitor management settings and recreation site classes	Maintain the extent of visitor management settings and recreation site classes	Every 5 years
		Knowledge of natural values including World Heritage values	Information, interpretation and education programs transmit knowledge of the planning area and adjacent area values to future generations	Annually
Section 20 Visitor access				
<ul style="list-style-type: none"> Terrestrial base for accessing, exploring and appreciating the adjacent Ningaloo Reef 	To provide visitor access to enjoy nature-based recreation opportunities that minimises the impact on natural, cultural and recreation values	Track density and proliferation	A reduction in track density	Every 5 years
		Track erosion and rehabilitation	An increase in areas undergoing rehabilitation	Every 3 years
Section 21 Visitor activities				
<ul style="list-style-type: none"> Landscapes and cultural heritage providing opportunities for a diverse range of cultural and nature-based visitor experiences including four-wheel driving and camping 	To maintain appropriate recreational opportunities for visitors to experience, appreciate and understand the cultural and natural values	Visitor impacts from camping and day use	No increase in the overall footprint/disturbance zone, compaction or vegetation cover of camping areas	Every 5 years
		Compliance	Compliance with regards to appropriate visitor behaviour such as the disposal of portable camping toilet waste, general waste disposal, informal camping, designated dog areas and campfires	Every 2 years
Section 22 Commercial operations				
<ul style="list-style-type: none"> Commercial nature-based tourism operations 	To ensure that commercial activities are compatible with the values of the planning area and the range of services, facilities and experiences available to the visitor are extended through the involvement of private enterprise and/or traditional owners	Traditional owner enterprises	Traditional owners are engaged in commercial operations either as partners, consultants, contractors, employees or business operators	Every 3 years
Section 24 Grazing				
<ul style="list-style-type: none"> Natural and cultural values as above 	To reduce the impact of grazing on the planning area	Numbers of goats, sheep and cattle within the planning area	Reduce numbers of stock within the planning area to almost nil within 10 years	Every 2 years

+Links with KPI in the *Recovery Plan for Marine Turtles in Australia* (DEE 2017).

*Links with KPI in *Ningaloo Marine Park management plan* (CALM 2005a).

Appendix 3. Vegetation associations of the planning area

Within the Carnarvon IBRA bioregion, five of the nine vegetation associations within the planning area are poorly reserved with <15% of pre-1750 extent in the conservation reserve system (VA95, VA345, VA662, VA676 and VA2685). The existing reserves in the planning area have increased reserve levels over 15% for VA329 and VA681.

Beards vegetation associations		Pre-1750 extent	Current extent	(proportion of pre-1750 extent)	Pre-1750 extent in conservation reserves	(proportion of pre-1750 extent)	Current extent in existing conservation reserves	(proportion of Pre-1750 extent)	(proportion of current extent)	Current extent in existing reserves in PA	(proportion of pre-1750 extent)	Current extent in proposed reserves in PA	(proportion of pre-1750 extent)	Current extent in PA	(proportion of pre-1750 extent)
No.	Description	(Ha)	(Ha)	(%)	(Ha)	(%)	(Ha)	(%)	(%)	(Ha)	(%)	(Ha)	(%)	(Ha)	(%)
95	Hummock grasslands, shrub steppe; acacia & grevillea over <i>Triodia basedowii</i>	332,277.23	332,140.15	99.96	4,746.38	1.43 ¹	4,746.39	1.43	1.43	4,746.38	1.43	-	0.00	4746.38	1.43
329	Shrublands; dwarf waterwood (<i>Acacia coriacea</i>) shrubs on recent dunes	25,113.19	25,100.87	99.95	4,412.67	17.57	4,412.67	17.57	17.58	4,412.67	17.57	-	0.00	4503.14	17.93
345	Mosaic: Shrublands; <i>Acacia sclerosperma</i> & <i>A. victoriae</i> patchy scrub, barren / Succulent steppe; saltbush & bluebush	57,166.11	57,166.11	100.00	18.48	0.03 ¹	18.48	0.03	0.03	18.48	0.03	-	0.00	18.48	0.03
662	Hummock grassland; shrub steppe; mixed acacia scrub & dwarf scrub with soft spinifex & <i>Triodia basedowii</i>	282,709.68	281,679.33	99.64	32,917.88	11.64 ¹	32,881.20	11.63	11.67	27,950.19	9.89	21,184.83	7.49	49135.02	17.38
663	Hummock grasslands, shrub steppe; waterwood over soft spinifex	29,068.26	25,866.32	88.98	9,571.14	32.93	8,772.36	30.18	33.91	1,995.15	6.86	-	0.00	1995.15	6.86
664	Hummock grasslands, sparse tree-steppe; scattered bloodwood over soft spinifex & <i>Triodia</i> sp. indet. aff. <i>Angusta</i>	83,739.62	82,154.14	98.11	36,063.70	43.07	36,059.11	43.06	43.89	1,070.12	1.28	-	0.00	1070.12	1.28
676	Succulent steppe; samphire	51,983.51	51,232.57	98.56	3,794.20	7.30 ¹	3,794.20	7.30	7.41	438.17	0.84	-	0.00	438.17	0.84
681	Shrublands; open dwarf scrub, waterwood (<i>Acacia coriacea</i>) on recent dunes	5,687.50	5,406.56	95.06	5,594.07	98.36	5,586.82	98.23	103.33	5,602.53	98.51	25.53	0.45	5628.06	98.95
2685	Shrublands; <i>Acacia quadrimarginea</i> & jam scrub on greenstone	39,718.93	39,693.81	99.94	1,747.93	4.40 ¹	1,753.03	4.41	4.42	1,756.83	4.42	-	0.00	1756.83	4.42

Source Vegetation_Statistics_statewide_2018_Full_report.xlsx, modified to include new 2020 conservation reserves

Significant vegetation associations are indicated in **bold** according to the following criteria:

1. Poorly reserved <15% of pre-1750 extent in conservation reserve system
2. Extensively cleared <10% of pre-1750 extent remaining and can therefore be considered endangered (not applicable)
3. Extensively cleared <30% of pre-1750 extent remaining is the threshold level below which species loss appears to accelerate exponentially at an ecosystem level and can therefore be considered vulnerable (not applicable)
4. Limited current extent <2,000ha extant (not applicable)

Appendix 4. Plants, animals and habitats of cultural significance

The following plants, animals and habitats are especially important to traditional owners. This list is not comprehensive at this stage, it is considered draft and will be added to during the life of the plan.

Language name	Common name	Scientific name	Significance	Locations
Plants				
<i>Warlawarla</i>	Sandalwood	<i>Santalum spicatum</i>	Bush tucker, incense	
<i>Gagulara</i>	Bush tomato		Bush tucker	
	Dampier pea	<i>Swainsona pterostylis</i>	Medicinal, sunscreen and moisturiser	Adjacent to Cardabia Station
<i>Barrumba</i>	Wattle	various	Bush tucker, ceremonial (smoking tree for warding off bad spirits)	
<i>Gurra</i>	Wattle	<i>Acacia tetragonophylla</i>	Bush tucker (seeds dried, ground up and used for flour and then made into bread), ceremonial (tapping sticks)	
<i>Gurrawiny/gunthuwa/gulya</i>	Wild potato		Bush tucker	
<i>Wardula</i>	Wild onion		Bush tucker	
<i>Gulijiguliji</i>	Bloodwood tree fruit		Bush tucker	
<i>Gagurla</i>	Bush banana		Bush tucker	
	Bush with red berries		Soap	Adjacent to Cardabia Station
(Medicine tree)	Currant bush/maroon bush (bush with cream flowers and black purple berries)	<i>Scaevola spinescens</i>	Bush tucker, medicine plant (boil the young ends and use to gargle, wash eyes, put on sores or in a bath - has antibacterial properties)	
(Wax spinifex)			Ceremonial and hunting – can be melted down for jewellery, weighing down spears and used as incense to ward off evil spirits	
	Yam	<i>Ipomea</i>	Bush tucker	
Animals				
<i>Nyirlbu</i>	Bardie grub		Bush tucker	
<i>Yunggurri</i>	Sand goanna	<i>Varanus gouldii</i>	Bush tucker (“don’t eat the black one jirdarra” [perentie])	
<i>Majun</i>	Saltwater turtle	various	Bush tucker; spiritual; ceremonial	

Language name	Common name	Scientific name	Significance	Locations
<i>Gajalbu/ Jankurna</i>	Emu	<i>Dromaius novaehollandiae</i>	Bush tucker, eggs; totem	
<i>Bilygurumarda</i>	Osprey	<i>Pandion haliaetus</i>	Dreaming	
<i>Bardurra</i>	Australian bustard/bush turkey	<i>Ardeotis australis</i>	Bush tucker, totem	
<i>Mabanu</i>	Dingo	<i>Canis familiaris dingo</i>	Companion animal	
<i>Bigurda/pigurda</i>	Hill kangaroo/euro/common wallaroo	<i>Macropus robustus</i>	Bush tucker (cook in the ground)	
<i>Bunggurdi/punggurdi</i>	Red kangaroo	<i>Macropus rufus</i>	Bush tucker, totem	
Language name	Other name	Species	Significance	Locations
Thalu and other habitats				
<i>Gurdbardu</i>	Skeleton Bay	Shark	Thalu/breeding area	Ningaloo Marine Park adjacent to former Cardabia Station
<i>Wambabarndi</i>	Termite mounds	Termites	Use the black wax spinifex that the termites have used to build their tunnels and tubes as above	Former Cardabia Station
<i>Yambarna</i>		Manta rays	Thalu/breeding area	Ningaloo Marine Park adjacent to former Cardabia Station
<i>Majun</i>		Green turtles	Thalu/breeding area	Coastline adjacent to former Warroora Station

Appendix 5. Native animal records of the planning area

Below is a list of native animals within the planning area compiled from NatureMap (data August 2020) as well from other sources (surveys and sightings) as per the reference list below. It is not an exhaustive list and should be added to and updated during the life of the plan.

Common name	Scientific name	WA Cons Code	EPBC Cons Code	Int. conv.	Other	MPCS	NNP	NCR	CBFS	Ref
Mammals (10)										
Little red kaluta	<i>Dasykaluta rosamondae</i>				RE(Sth)			✓		NM
Euro	<i>Macropus robustus erubescens</i>							✓		NM
Red kangaroo	<i>Macropus rufus</i>							✓		NM
Spinifex hopping mouse	<i>Notomys alexis</i>							✓		NM, 9
Common wallaroo, euro	<i>Osphranter robustus robustus</i>								✓	NM
Black-flanked rock-wallaby	<i>Petrogale lateralis lateralis</i>	T(EN)	EN			✓	✓			NM
Sandy inland mouse	<i>Pseudomys hermannsburgensis</i>							✓		9
Stripe-faced dunnart	<i>Sminthopsis macroura</i>							✓		9
Lesser hairy-footed dunnart	<i>Sminthopsis youngsoni</i>							✓		9
Short-beaked echidna	<i>Tachyglossus aculeatus</i>							✓		NM
Birds (173)										
Spiny-cheeked honeyeater	<i>Acanthagenys rufogularis</i>								✓	NM
Inland thornbill (broad-tailed)	<i>Acanthiza apicalis</i>						✓			6
Chestnut-rumped thornbill	<i>Acanthiza uropygialis</i>						✓	✓		6, 8
Collared sparrowhawk	<i>Accipiter cirrocephalus</i>						✓			6
Brown goshawk	<i>Accipiter fasciatus</i>						✓			6
Common sandpiper	<i>Actitis hypoleucos</i> (prev. <i>Tringa hypoleucos</i>)	MI	Mig, Mar	MS, J, C, R, BC	Shorebird	✓	✓	✓		NM, 3, 4, 5
Common noddy	<i>Anous stolidus</i>	MI	Mig, Mar	J, C	Seabird		✓	✓	✓	NM, 6
Richard's pipit	<i>Anthus australis australis</i> (syn. <i>A. novaeseelandiae novaeseelandiae</i>)		Mar				✓	✓		NM, 6
Pacific swift	<i>Apus pacificus</i>	MI	Mar, Mig	J, C, R				✓		NM
Wedge-tailed eagle	<i>Aquila audax</i>						✓	✓		NM, 6
Australian bustard	<i>Ardeotis australis</i>	Prev. P4					✓	✓		NM, 5, 6
Ruddy turnstone	<i>Arenaria interpres</i>	MI	Mig, Mar	MS, J, C, R, BC	Shorebird	✓	✓			NM
Black-faced woodswallow	<i>Artamus cinereus melanops</i>						✓			6
Little woodswallow	<i>Artamus minor</i>						✓			NM
Masked woodswallow	<i>Artamus personatus</i>						✓	✓		NM, 6
Musk duck	<i>Biziura lobata</i>				RE(Nth)			✓		7
Galah	<i>Cacatua roseicapilla</i> (syn. <i>Eolophus roseicapillus</i>)					✓	✓	✓		NM
Galah	<i>Cacatua roseicapilla assimilis</i>							✓		NM, 6
Little corella	<i>Cacatua sanguinea</i>						✓	✓		NM
Little corella	<i>Cacatua sanguinea westralensis</i>						✓	✓		NM, 6
Fan-tailed cuckoo	<i>Cacomantis flabelliformis</i> (prev. <i>Cuculus phyrrophanus</i> , <i>Cuculus flabelliformis</i>)						✓			6
Rufous field wren	<i>Calamanthus campestris</i>					✓	✓	✓		NM, 6
Sharp-tailed sandpiper	<i>Calidris acuminata</i>	MI	Mig, Mar	MS, J, C, R, BC	Shorebird		✓	✓		NM, 5
Sanderling	<i>Calidris alba</i> (syn. <i>Crocethia alba</i>)	MI	Mig, Mar	MS, J, C, R, BC	Shorebird		✓	✓		NM, 1, 3, 6, 8

Common name	Scientific name	WA Cons Code	EPBC Cons Code	Int. conv.	Other	MPCS	NNP	NCR	CBFS	Ref
Curlew sandpiper	<i>Calidris ferruginea</i>	T(CR)	CR, Mig, Mar	MS, J, C, R, BC	Shorebird	✓		✓		NM, 3
Red-necked stint	<i>Calidris ruficollis</i>	MI	Mig, Mar	MS, J, C, R, BC	Shorebird	✓	✓	✓		NM, 3, 4
Great knot	<i>Calidris tenuirostris</i>	T(CR)	CR, Mig, Mar	MS, J, C, R, BC	Shorebird			✓		NM, 2
Pied honeyeater	<i>Certhionyx variegatus</i>						✓	✓		NM, 6
Large (greater) sand plover	<i>Charadrius leschenaultii</i>	T(VU)	VU, Mig, Mar	MS, J, C, R, BC	Shorebird		✓	✓		NM, 1
Lesser sand plover	<i>Charadrius mongolus</i>	T(EN)	EN, Mig, Mar	J, C, R, BC	Shorebird	✓		✓		NM
Red-capped plover	<i>Charadrius ruficapillus</i>		Mar		Shorebird	✓	✓	✓		NM, 1, 2, 3, 6
Oriental plover	<i>Charadrius veredus</i>	MI	Mig, Mar	J, C, R, BC	Shorebird		✓	✓		NM, 2, 3, 8
White-backed swallow	<i>Cheramoeca leucosternum</i>					✓	✓	✓		NM, 5, 6
White-winged black tern	<i>Chlidonias leucopterus</i> (syn. <i>Sterna leucoptera</i>)	MI	Mig, Mar	J, C, R	Seabird			✓		NM, 3
Silver gull	<i>Chroicocephalus novaehollandiae</i> (prev. <i>Larus novaehollandiae</i>)		Mar		Seabird	✓	✓	✓		NM, 1, 2, 3, 6
Brown songlark	<i>Cincloramphus cruralis</i>					✓	✓	✓		NM, 6
Rufous songlark	<i>Cincloramphus mathewsi</i>						✓	✓		NM, 6, 8
Swamp harrier	<i>Circus approximans</i>		Mar					✓		NM
Spotted harrier	<i>Circus assimilis</i>						✓	✓		NM, 5, 6
Black-faced cuckoo-shrike	<i>Coracina novaehollandiae</i>						✓	✓		NM
Little crow	<i>Corvus bennetti</i>					✓	✓	✓	✓	NM
Torresian crow	<i>Corvus orru</i>					✓	✓	✓	✓	NM, 6
Stubble quail	<i>Coturnix pectoralis</i> (prev. <i>C. novaezealandiae</i> , <i>C. novaezealandiae pectoralis</i>)						✓	✓		NM, 5, 8
Pied butcherbird	<i>Cracticus nigrogularis</i>					✓	✓	✓	✓	NM, 6
Black swan	<i>Cygnus atratus</i>						✓			5, 6
Varied sittella	<i>Daphoenositta chrysoptera pileata</i>						✓			6
Plumed whistling duck	<i>Dendrocygna eytoni</i>				Locally extinct		✓			7
Mistletoebird	<i>Dicaeum hirundinaceum</i>						✓			6
Emu	<i>Dromaius novaehollandiae</i>						✓	✓		NM, 6
Eastern reef egret	<i>Egretta sacra</i> (prev. <i>Ardea sacra</i>)		Mar				✓	✓		6
Black-shouldered kite	<i>Elanus axillaris</i> (syn. <i>E. caeruleus</i> , prev. <i>E. notatus</i>)						✓			NM, 6
Black-fronted (plover) dotterel	<i>Elsayornis melanops</i> (syn. <i>Charadrius melanops</i>)				Shorebird		✓			5, 6
Painted firetail finch	<i>Emblema pictum</i> (prev. <i>E. picta</i>)				RE(Sth coastal), D		✓			6
White-fronted chat	<i>Epthianura albifrons</i>				RE(Nth)		✓	✓		7, 8
Orange chat	<i>Epthianura aurifrons</i>						✓	✓		8, 6
Crimson chat	<i>Epthianura tricolor</i>					✓	✓	✓		NM, 6
Spinifex bird	<i>Eremiornis carteri</i>						✓	✓		NM, 6
Red-kneed dotterel	<i>Erythrogonyx cinctus</i>				Shorebird			✓		3, 6
Beach stone curlew	<i>Esacus magnirostris</i> (prev. <i>Burhinus neglectus</i>)		Mar		RE(Sth), shorebird		✓			3
Spotted nightjar	<i>Eurostopodus argus</i>						✓	✓		NM, 6
Dollarbird	<i>Eurystomus orientalis pacificus</i>							✓		6
Brown falcon	<i>Falco berigora</i>						✓			NM, 6

Common name	Scientific name	WA Cons Code	EPBC Cons Code	Int. conv.	Other	MPCS	NNP	NCR	CBFS	Ref
Nankeen (Australian) kestrel	<i>Falco cenchroides</i>					✓	✓	✓		NM, 6
Australian hobby (little falcon)	<i>Falco longipennis</i>						✓	✓		NM, 6
Peregrine falcon	<i>Falco peregrinus</i>	OS						✓		NM, 9
Lesser frigate bird	<i>Fregata ariel</i>	MI	Mig, Mar	J, C, R	Seabird		✓			5, 6
Black-tailed native hen	<i>Gallinula ventralis</i> (syn. <i>Tribonyx ventralis</i>)						✓			6
Banded land (buff-banded) rail	<i>Gallirallus philippensis</i> (prev. <i>Rallus philippensis</i>)						✓			5, 6
Singing honeyeater	<i>Gavicalis virescens</i> (prev. <i>Lichenostomus virescens</i> and <i>Meliphaga virescens</i>)					✓	✓	✓		NM, 6
Gull-billed tern	<i>Gelochelidon nilotica</i> (syn. <i>Sterna nilotica</i>)	MI	Mig, Mar	C	Seabird		✓	✓		NM, 3, 6, 8
Diamond dove	<i>Geopelia cuneata</i>							✓		NM, 6
Peaceful (zebra) dove	<i>Geopelia striata</i>					✓	✓	✓		NM, 6
Spinifex pigeon	<i>Geophaps plumifera</i> (prev. <i>Petrophassa plumifera</i>)				RE(Sth coastal)		✓			NM, 6
Oriental pratincole	<i>Glareola maldivarum</i>	MI	Mig, Mar	J, C, R	Shorebird			✓		NM
Australian magpie-lark (mud lark)	<i>Grallina cyanoleuca</i>					✓		✓		NM
Sooty oystercatcher	<i>Haematopus fuliginosus</i>				Shorebird		✓	✓		NM, 4, 6
Pied oystercatcher	<i>Haematopus longirostris</i>				Shorebird		✓	✓		NM, 3
White-bellied sea eagle	<i>Haliaeetus leucogaster</i>		Mar		Seabird		✓	✓		6, 8
Brahminy kite	<i>Haliastur indus girrenera</i>				RE(Sth coastal)		✓			6
Whistling kite	<i>Haliastur sphenurus</i>						✓			NM, 5
Black-breasted buzzard	<i>Hamirostra melanosternon</i>						✓			6
Little eagle	<i>Hieraaetus morphnoides</i> (syn. <i>Aquila morphnoides</i>)						✓			NM, 6
Black-winged stilt	<i>Himantopus himantopus</i>		Mar		Shorebird		✓	✓		NM, 3, 6
Welcome swallow	<i>Hirundo neoxena</i>					✓	✓	✓	✓	NM, 6
Caspian tern	<i>Hydroprogne caspia</i> (syn. <i>Sterna caspia</i>)	MI	Mig, Mar	J	Seabird		✓	✓		NM, 1, 3, 4, 8
White shouldered triller	<i>Lalage sueurii</i>						✓			5
White winged triller	<i>Lalage tricolor</i>						✓			6
Pacific gull	<i>Larus pacificus</i>				Seabird	✓	✓	✓		NM, 4, 5
Pacific gull	<i>Larus pacificus georgii</i>				Seabird		✓			6, 8
Malleefowl	<i>Leipoa ocellata</i>	T(VU)	VU		RE(Nth)			✓		NM
Brown honeyeater	<i>Lichmera indistincta</i>						✓	✓		NM
Bar-tailed godwit	<i>Limosa lapponica</i>	MI	Mig, Mar	MS, J, C, R, BC	Shorebird		✓			NM
Black-tailed godwit	<i>Limosa limosa</i>	MI	Mig, Mar	MS, J, C, R, BC	Shorebird		✓			4
(Southern) Giant petrel	<i>Macronectes giganteus</i>	MI	EN, Mig, Mar	BC	Seabird		✓			5
Variegated fairy-wren	<i>Malarus lamberti</i>						✓	✓	✓	NM
Variegated fairy-wren	<i>Malarus lamberti assimilis</i>						✓	✓		NM, 6
White-winged fairy wren	<i>Malarus leucopterus</i>					✓	✓	✓	✓	NM
Blue and white fairy wren	<i>Malarus leucopterus leuconotus</i>					✓	✓	✓		NM, 6
White-winged fairy wren	<i>Malarus leucopterus leucopterus</i>		VU				✓	✓		NM
Yellow-throated miner	<i>Manorina flavigula</i>						✓	✓	✓	NM
Budgerigar	<i>Melopsittacus undulatus</i>					✓	✓	✓		NM, 6
Rainbow bee-eater	<i>Merops ornatus</i>		Mar				✓	✓	✓	NM, 6
Little pied cormorant	<i>Microcarbo melanoleucos</i>				Seabird		✓			NM
Black kite	<i>Milvus migrans</i>						✓			6

Common name	Scientific name	WA Cons Code	EPBC Cons Code	Int. conv.	Other	MPCS	NNP	NCR	CBFS	Ref
Horsfield's bushlark	<i>Mirafra javanica</i>						✓	✓		NM
Horsfield's bushlark	<i>Mirafra javanica horsfieldii</i>						✓	✓		6
Horsfield's bushlark	<i>Mirafra javanica woodwardi</i>						✓	✓		NM
Elegant parrot	<i>Neophema elegans</i>				RE(Nth)		✓	✓		5, 7
Barking owl	<i>Ninox connivens connivens</i>						✓			NM, 6
Southern boobook	<i>Ninox novaeseelandiae</i>						✓			6, 8
Eastern curlew	<i>Numenius madagascariensis</i>	T(CR)	CR, Mig, Mar	MS, J, C, R, BC	Shorebird		✓			NM
Little curlew (little whimbrel)	<i>Numenius minutus</i>	MI	Mig, Mar	J, C, R, BC	Shorebird		✓			5, 6, 8
Whimbrel	<i>Numenius phaeopus</i>	MI	Mig, Mar	MS, J, C, R, BC	Shorebird		✓	✓		NM, 4
Nankeen night (rufous) heron	<i>Nycticorax calendonicus hilli</i>		Mar				✓			6, 8
Cockatiel	<i>Nymphicus hollandicus</i>					✓	✓	✓		NM
White-faced storm petrel	<i>Oceanites marinus dulciae</i> (syn. <i>Pelagodroma marina dulciae</i>)				RE(Nth), seabird		✓	✓		5, 7
Crested pigeon	<i>Ocyphaps lophotes</i>					✓	✓	✓	✓	NM, 6
Bridled tern	<i>Onychoprion anaethetus</i>	MI	Mar, Mig	J,C	Seabird		✓			NM
Crested bellbird	<i>Oreoica gutturalis</i>	P4					✓	✓		NM, 6
Rufous whistler	<i>Pachycephala rufiventris</i>							✓		NM
Osprey	<i>Pandion haliaetus</i> (syn. <i>P. haliaetus cristatus</i> , <i>P. cristatus</i>)	MI	Mig, Mar	BC	Seabird	✓	✓	✓		NM, 6, 8
Red-browed pardalote	<i>Pardalotus rubricatus</i>						✓			6
Australian pelican	<i>Pelecanus conspicillatus</i>		Mar					✓		3, 6
Inland (Australian) dotterel	<i>Peltohyas australis</i> (syn. <i>Charadrius australis</i>)				Shorebird		✓			6
Fairy martin	<i>Petrochelidon ariel</i>						✓			NM
Tree martin	<i>Petrochelidon nigricans</i> (syn. <i>Hirundo nigricans</i>)						✓	✓	✓	NM, 6
Hooded robin	<i>Petroica cucullata</i> (syn. <i>Melanodryas cucullata</i>)							✓		6
White-tailed tropic-bird	<i>Phaethon lepturus</i>	MI	Mar, Mig	J,C	RE(Sth), seabird			✓	✓	NM
Red-tailed tropic-bird	<i>Phaethon rubricauda</i>	MI, P4			Seabird		✓			5
Little black cormorant	<i>Phalacrocorax sulcirostris</i>				Seabird		✓	✓		NM, 1, 8
Pied cormorant	<i>Phalacrocorax varius</i>				Seabird	✓	✓	✓		NM1, 3, 6
Flock pigeon	<i>Phaps histrionica</i>				RE(Sth)		✓			5
Pacific golden plover	<i>Pluvialis fulva</i>	MI	Mig, Mar	J, C, R, BC	Shorebird			✓		1
Grey plover	<i>Pluvialis squatarola</i>	MI	Mig, Mar	MS, J, C, R, BC	Shorebird		✓	✓		NM, 1, 3
Tawny frogmouth	<i>Podargus strigoides</i>						✓			6
Hoary headed grebe	<i>Poliiocephalus poliocephalus</i>				Shorebird		✓			5, 6
Grey-crowner babbler	<i>Pomatopus temporalis rebeculus</i>						✓			6
Western wedgebill	<i>Psophodes occidentalis</i>						✓	✓		NM, 6
Western bowerbird	<i>Ptilonorhynchus guttatus</i> (prev. <i>P. maculatus guttatus</i>)						✓			NM, 6
Grey-headed honeyeater	<i>Ptilotula keartlandi</i>				RE(Sth coastal)			✓		NM
White-plumed honeyeater	<i>Ptilotula penicillata</i>						✓			6
Little shearwater	<i>Puffinus assimilis</i>		Mar		RE(Nth), seabird			✓		7
White-fronted honeyeater	<i>Purnella albifrons</i> (prev. <i>Phylidonyris albifrons</i>)						✓			6, 8
Redthroat	<i>Pyrrholaemus brunneus</i> (prev. <i>Sericornis brunneus</i>)							✓		NM, 6, 8

Common name	Scientific name	WA Cons Code	EPBC Cons Code	Int. conv.	Other	MPCS	NNP	NCR	CBFS	Ref
Red-necked avocet	<i>Recurvirostra novaehollandiae</i>		Mar		Shorebird		✓	✓		NM, 3, 6
Grey fantail	<i>Rhipidura albiscapa</i>							✓		NM
Willie wagtail	<i>Rhipidura leucophrys</i>					✓	✓	✓		NM, 6
Roseate tern	<i>Sterna dougallii</i>	MI	Mig, Mar	J, C	Seabird		✓	✓		NM, 1, 3, 6
Common tern	<i>Sterna hirundo</i>	MI	Mig, Mar	J, C, R	Seabird		✓	✓		NM, 1, 3
Whiskered tern	<i>Sterna hybrida</i> (prev. <i>Chlidonias hybridus</i>)		Mar		Seabird		✓	✓		6
Little tern	<i>Sternula albifrons</i> (syn. <i>Sterna albifrons</i>)	MI	Mig, Mar	J, C, R, BC	Seabird		✓	✓		NM, 2, 3
Fairy tern	<i>Sternula nereis nereis</i> (syn. <i>Sterna nereis</i>)	T(VU)	VU, Mar		Seabird		✓	✓	✓	NM, 3, 4, 6
Freckled duck	<i>Stictonetta naevosa</i>				RE(Nth), D			✓		7
Rufous-crowned emu wren	<i>Stipiturus ruficeps ruficeps</i>				RE(Sth coastal)		✓			6
Black honeyeater	<i>Sugomel nigrum</i> (syn. <i>S. niger</i>)						✓			6
Australian gannet	<i>Sula serrator</i> (syn. <i>Morus serrator</i> , <i>Sula bassana</i> , <i>Sula bassana serrator</i>)		Mar		Seabird		✓	✓		5, 6, 7
Australian shelduck (mountain duck)	<i>Tadorna tadornoides</i>							✓		NM, 3
Zebra finch	<i>Taeniopygia guttata</i> (syn. <i>Poephila guttata</i>)					✓	✓	✓	✓	NM, 6
Lesser crested tern	<i>Thalasseus bengalensis</i> (prev. <i>Sterna bengalensis</i>)		Mig, Mar	J, C, R	Seabird		✓	✓		NM, 1, 3, 4, 6
Crested tern	<i>Thalasseus bergii</i> (prev. <i>Sterna bergii christata</i>)	MI	Mig, Mar	J	Seabird	✓	✓	✓	✓	NM, 1, 3, 4, 6
Straw necked ibis	<i>Threskiornis spinicollis</i>		Mar				✓	✓		NM, 5, 6
Pilbara collared kingfisher	<i>Todiramphus chloris pilbara</i>				En (Pilb), RE(Sth coastal)		✓			6
Sacred kingfisher	<i>Todiramphus sanctus sanctus</i>		Mar			✓	✓			NM, 6
Grey-tailed tattler	<i>Tringa brevipes</i> (syn. <i>Heteroscelus brevipes</i>)	MI, P4	Mig, Mar	MS, J, C, R, BC	Shorebird	✓	✓	✓		NM, 1, 3, 4
Wood sandpiper	<i>Tringa glareola</i>	MI	Mig, Mar	MS, J, C, R, BC	Shorebird			✓		NM, 3
Common greenshank	<i>Tringa nebularia</i>	MI	Mig, Mar	MS, J, C, R, BC	Shorebird	✓	✓	✓		NM
Common redshank	<i>Tringa totanus</i>	MI	Mig, Mar	J, C, R, BC	Shorebird			✓		8
Little button-quail	<i>Turnix velox</i>						✓	✓		NM, 6
Barn owl	<i>Tyto alba</i> (prev. <i>T. javanica</i>)						✓			6
Masked lapwing	<i>Vanellus miles</i>				Shorebird			✓		NM
Banded lapwing (plover)	<i>Vanellus tricolor</i>				Shorebird	✓	✓	✓	✓	NM, 3
Silvereye	<i>Zosterops lateralis gouldi</i> (prev. <i>Z. lateralis</i> , <i>Z. gouldi</i>)				RE(Nth)		✓	✓		NM, 5, 6, 8
Yellow white-eye	<i>Zosterops luteus</i>						✓	✓		NM, 6
Reptiles (43)										
Gilbert's dragon (ta-ta)	<i>Amphibolurus gilberti</i> (prev. <i>Lophognathus gilberti</i>)						✓			NM
Long-nosed dragon	<i>Amphibolurus longirostris</i>				RE(Sth)			✓		NM
Pale-headed blind snake	<i>Anilius hamatus</i>							✓		NM
Legless lizard sp.	<i>Aprasia</i> sp.									NM
Loggerhead turtle	<i>Caretta caretta</i>	T(EN)	EN	En				✓		NM
Green turtle	<i>Chelonia mydas</i>	T(VU)	VU	En		✓	✓	✓		NM
Clawless gecko	<i>Crenadactylus ocellatus horni</i>							✓		NM
Crested dragon (military dragon)	<i>Ctenophorus isolepis isolepis</i>						✓			NM

Common name	Scientific name	WA Cons Code	EPBC Cons Code	Int. conv.	Other	MPCS	NNP	NCR	CBFS	Ref
Spotted military dragon	<i>Ctenophorus maculatus</i> (prev. <i>Amphibolurus maculatus</i>)							✓		NM, 9
Spotted military dragon	<i>Ctenophorus maculatus badius</i>				RE(Nth)			✓		NM
Crested netted dragon	<i>Ctenophorus nuchalis</i>						✓	✓		NM
Western heath dragon (northern heath dragon)	<i>Ctenophorus parviceps</i>				R, En			✓		NM
West-coast laterite ctenotus	<i>Ctenotus fallens</i>				RE(Nth)			✓		NM
Leopard ctenotus	<i>Ctenotus pantherinus</i>							✓		NM
Rock ctenotus	<i>Ctenotus saxatilis</i>				RE(Sth)		✓			NM
Slender blue tongue	<i>Cyclodomorphus melanops melanops</i>						✓			NM
Black-necked whipsnake	<i>Demansia calodera</i>				R		✓	✓		NM, 9
Olive whipsnake	<i>Demansia olivacea</i>				D			✓		NM
Hawksbill turtle	<i>Eretmochelys imbricata</i>	T(VU)	VU	CE				✓		NM
Variiegated tree dtella	<i>Gehyra variegata</i>						✓	✓		NM
Long nosed water dragon	<i>Gowidon longirostris</i>							✓	✓	NM
Bynoe's gecko	<i>Heteronotia binoei</i>							✓		NM
North-western sand slider	<i>Lerista bipes</i>				RE(Sth coastal)			✓		9
Elegant slider	<i>Lerista elegans</i>							✓		NM, 9
Southern dotted-line robust slider	<i>Lerista lineopunctulata</i>							✓		NM, 9
Unpatterned robust slider	<i>Lerista macropisthopus</i>							✓		9
North dotted-line robust slider	<i>Lerista miopus</i>							✓		9
Keeled slider	<i>Lerista planiventralis</i>						✓	✓		NM, 9
Keeled slider	<i>Lerista planiventralis planiventralis</i>				R, En		✓	✓		NM
Blunt-tailed west-coast slider	<i>Lerista praepedita</i>							✓		NM, 9
Spotted broad-blazed slider	<i>Lerista uniduo</i>							✓		NM
Burton's legless lizard	<i>Lialis burtonis</i>							✓		NM, 9
Common dwarf skink	<i>Menetia greyii</i>							✓		NM, 9
Western dwarf skink	<i>Menetia surda</i>				D		✓			NM
Thorny devil	<i>Moloch horridus</i>							✓		NM
West coast morethia skink	<i>Morethia lineocellata</i>							✓		NM, 9
Line fire-tailed skink	<i>Morethia ruficauda exquisita</i>				RE(Sth)			✓		NM
Smooth knob-tailed gecko	<i>Nephrurus levis</i>							✓		NM, 9
Smooth knob-tailed gecko	<i>Nephrurus levis occidentalis</i>							✓		NM
Dwarf bearded dragon	<i>Pogona minor minor</i> (prev. <i>Amphibolurus minor minor</i>)						✓	✓		NM, 9
Mulga snake (<i>Jirndalmarda</i>)	<i>Pseudechis australis</i>						✓			NM
West coast banded snake	<i>Simoselaps littoralis</i>						✓	✓		NM, 9
Exmouth spiny-tailed gecko	<i>Strophurus rankini</i>				R, En		✓	✓		NM
Fish (1)										
Cave gudgeon	<i>Milyeringa veritas</i>	T(VU)	VU		R, En		✓			
Invertebrates (54)										
Red headed mouse spider	<i>Missulena occatoria</i>							✓		NM
Two spotted line blue	<i>Nacaduba biocellata biocellata</i>							✓		NM
Horned ghost crab	<i>Ocypode ceratophthalma</i>							✓		NM, 9

Common name	Scientific name	WA Cons Code	EPBC Cons Code	Int. conv.	Other	MPCS	NNP	NCR	CBFR	Ref
Golden ghost crab	<i>Ocypode convexa</i>				En (CAR)		✓	✓		NM
	<i>Onthophagus flavoapicalis</i>							✓		NM
	<i>Onthophagus godarra</i>							✓		NM
	<i>Onthophagus mjobergi</i>							✓		NM
Dung beetle	<i>Onthophagus rupicapra</i>							✓		NM
	<i>Onthophagus sloanei</i>				R, En			✓		NM
Citrus butterfly	<i>Papilio demoleus</i>				RE(Sth)			✓		NM
	<i>Pilodius areolatus</i>				RE(Nth)			✓		NM
	<i>Plectorhagada carcharias</i>							✓		NM
	<i>Plectorhagada sp.</i>							✓		NM
	<i>Pupoides contrarius</i>							✓		NM
	<i>Quistrachia lefroyi</i>				R, En			✓		NM
	<i>Rhagada capensis</i>							✓		NM
	<i>Rhagada convicta</i>							✓		NM
	<i>Rhagada globosa</i>							✓		NM
	<i>Rhagada torulus</i>						✓			NM
	<i>Strepsitaurus cardabius</i>							✓		NM
	<i>Strepsitaurus ningaloo</i>							✓		NM
	<i>Strepsitaurus rugus</i>							✓		NM
Tree trunk spider	<i>Tamopsis occidentalis</i>				RE(Nth coastal)			✓		NM
	<i>Tesserodon tenebroides</i>							✓		NM
Bitter-bush blue	<i>Theclinesstes albocinctus</i>							✓		NM
Wattle blue	<i>Theclinesstes miskini miskini</i>							✓		NM
Saltbush blue	<i>Theclinesstes serpentatus serpentatus</i>							✓		NM
	<i>Urodacus hartmeyeri</i>									NM

MPCS Marine Park coastal strip NNP Nyinggulara NP NCR Nyinggulu Coastal Reserve CBFR Coral Bay Foreshore Reserve

Conservation codes

WA

Under the Biodiversity Conservation Act 2016:

T(CR) Threatened species considered to be “facing an extremely high risk of extinction in the wild in the immediate future”.

T(EN) Threatened species considered to be “facing a very high risk of extinction in the wild in the near future”.

T(VU) Threatened species considered to be “facing a high risk of extinction in the wild in the medium term future”.

MI Fauna that periodically or occasionally visit Australia or an external Territory or the exclusive economic zone; or the species is subject of an international agreement that relates to the protection of migratory species and that binds the Commonwealth.

CD Conservation dependent fauna of special conservation need being species dependent on ongoing conservation intervention to prevent it becoming eligible for listing as threatened.

OS Other specially protected fauna otherwise in need of special protection to ensure their conservation.

P1 Priority One: Species that are known from one or a few locations (generally five or less) which are potentially at risk.

P2 Priority Two: Species that are known from one or a few locations (generally five or less), some of which are on lands managed primarily for nature conservation.

P3 Priority Three: Species that are known from several locations, and the species does not appear to be under imminent threat, or from few but widespread locations with either large population size or significant remaining areas of apparently suitable habitat, much of it not under imminent threat.

P4 Priority Four: (a) Rare. Species that are considered to have been adequately surveyed, or for which sufficient knowledge is available, and that are considered not currently threatened or in need of special protection, but could be if present circumstances change. These species are usually represented on conservation lands. (b) Near Threatened. Species that are considered to have been adequately surveyed and that are close to qualifying for Vulnerable, but are not listed as Conservation Dependent. (c) Species that have been removed from the list of threatened species during the past five years for reasons other than taxonomy.

EPBC

Under the Environment Protection and Biodiversity Conservation Act:

CR Critically Endangered, **EN** Endangered, **VU** Vulnerable, **CD** Conservation Dependent, **Mig** Migratory, **Mar** Marine

International Conventions

J Jamba, **C** Camba, **R** ROKAMBA, **BC** Bonn Convention, **CITES** CITES Convention

Other

D Disjunct, **R** Restricted, **En** Endemic, **LE** Locally Endemic, **RE** Range End, **Sth** Southern extent, **Nth** Northern extent

References

NM NatureMap (August 2020)

- 201308nmpexgulfcoastalbirdgrounddatakimfr.xlsx.
- Birddata2017NMPsurveys.xls.
- Birdsrecordsalmalgamated.xls.
- Halse, S.A. (1998). Seabirds and shorebirds at Ningaloo in Winter, with comments on Hutton's shearwater. *The Western Australian Naturalist*. 17(5):97-106.
- Johnstone, R.E. (1980). Birds of the coastal fringe and seas from North-West Cape to Point Cloates, WA. In: Weaver Oil and Gas Corporation (1980). *Biology of the Ningaloo Reef around Low Point, North West Cape*.
- Johnstone, R.E., Burbidge, A.H. and Darnell, J.C. (2013). Birds of the Pilbara Region, including seas and offshore islands, Western Australia: distribution, status and historical changes. *Records of the western Australian Museum*, Supplement 78:343-441.
- Kendrick, P.G. (1993). Biogeography of the vertebrates of the Cape Range peninsula, Western Australia. *Records of the Western Australian Museum* Supplement 45: 193-206.
- Storr, G.M. (1984). Birds of the Pilbara Region, Western Australia. *Records of the Western Australian Museum*, Supplement No. 16.
- District records including 2019 Cape Farquhar Fauna Survey.

Appendix 6. Summary of fire management for Carnarvon Fire Management Area by vegetation type

Vegetation type and indicator species	Fire management outcome	Prescribed fire regime	Bushfire response	Monitoring for fire management effectiveness
<i>Acacia</i> shrublands over limestone	Retention of shrublands	Unknown	Does not burn readily	Compartmentalisation of conservation estate and adjoining UCL using roads and physical features Monitor on a landscape scale e.g using Landsat
Dune fields	Management of fuels at a landscape scale	Differential burning based on fuel type/age and arrangement, vegetation, physical features Patch size <2,000ha Identify combined fire percentage annually	Where feasible contain to smallest area	
Northwest Cape coastal plains – grasses and <i>Acacia</i> shrub on sandplains	Minimise impact of fire on buffel grass infestation and erosion	Fire suppression	Fire suppression	No fire greater than 5ha

Based on *Regional Fire Management Plan Pilbara* (DEC 2008)

Appendix 7. Guiding principles for fire management in landscapes dominated by spinifex grasslands

1. Climate and vegetation make landscapes dominated by spinifex grasslands highly prone to fire. For thousands of years, lightning and human ignitions have ensured that fire is an environmental factor that has influenced the structure, function and biodiversity of spinifex grasslands.
2. Species and communities vary in their adaptations to, and reliance on fire. Knowledge of the ways in which species and communities respond to fire, and of the temporal and spatial scales of fires in relation to life histories of organisms or communities, underpins the use of fire.
3. Rainfall is a primary driver of the rate of fuel accumulation and subsequent flammability of spinifex grasslands and large, extensive bushfires are usually preceded by several seasons of above average rainfall.
4. The response of species and communities to fire will be influenced by the subsequent rainfall and by the scale and patchiness of fire, which can drive systems towards a new transient state with respect to species composition and structure.
5. Fire management is required primarily to conserve biodiversity. In some circumstances, it may be necessary to manage fire to protect property, infrastructure and cultural values.
6. Fire management should be both precautionary and adaptive, considering the requirements of both fire sensitive (habitat specific) and fire-maintained communities and species in order to optimize biodiversity conservation outcomes.
7. Landscapes dominated by spinifex grasslands are vast, remote and difficult to access. Fire management resources are scarce, so active fire management including fire suppression and prescribed burning, should focus on areas of high conservation value and on high value built and cultural assets. On much of the spinifex grasslands, passive management, including allowing unplanned fires to burn, is a realistic and acceptable management option.
8. Fire diversity can support biodiversity both at landscape and local scales. At the landscape scale, a fine grain mosaic of patches of vegetation representing a range of interlocking seral (post-fire) stages will provide diversity of habitats for organisms that are mobile and can move through the landscape. At the local scale, appropriate intervals between fire, based on vital attributes of key species, are necessary to ensure the persistence of sessile or less mobile organisms.
9. Avoid applying the same fire regime (frequency, interval, season and scale) over large areas for long periods and avoid seral and structural homogenization by not treating large areas with extreme regimes such as sustained frequent burning or infrequent burning.
10. The scale or grain size of the mosaic should a) enable natal dispersal, b) optimize boundary habitat (boundary between two or more seral stages), and c) optimize connectivity (ability of key species to migrate between seral stages).
11. A sequence of 2-3 years or more of above average rainfall will result in rapid growth of spinifex and flammable soft grasses, predisposing landscapes to large bushfires capable of burning through fire mosaics. While such events are infrequent, strategically located low fuel buffers 500-1,000m wide may be required to contain bushfires under these conditions.
12. All available knowledge including scientific, local and indigenous knowledge should be utilized to develop ecologically appropriate fire management.
13. Consultation and partnerships with neighbours, including traditional custodians, is an effective way of managing fire for mutual benefit.
14. Fire management should be planned and implemented in an adaptive management framework. Use of tools including remote sensing and aircraft, will be essential for planning and implementing fire use and for mapping and monitoring fire mosaics and fire history.
15. As part of an adaptive management framework, biodiversity monitoring should focus on: 1) threatened species and communities, 2) fire sensitive species and communities and 3) the remaining biota. Threats such as introduced plants and animals, and abiotic processes including weather (rainfall) and fire history, must be monitored/recorded in order to help interpret changes in biodiversity.
16. Where spinifex grasslands have been invaded by flammable weed species such as buffel grass, which is capable of adversely altering the frequency and intensity of fire, prescribed fire should be used conservatively and strategically to break up the run of major bushfires.

Source Burrows (2004)

Appendix 8. Visitor numbers

Annual aerial coastal camp survey

Since 1995, during school holiday periods the coast has been flown with the purpose of counting campsites along Ningaloo Marine Park. These results are presented below.

	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
April																									
Cape Range National Park				30	7	32	35	49	57	54	77	54	51	69	71	62	84	84	101	104	54	97	132	137	87
Commonwealth Defence Land				9	1	2	10	2	25	15	13	39	20	11	19	17	1	0	0	0	0	0	0	0	0
Coastline adj to former Ningaloo Station				19	14	60	36	84	87	73	79	93	56	123	158	81	69	92	119	127	137	168	156	178	114
Coastline adj to Cardabia Station				4	6	4	6	8	14	1	5	3	2	9	10	5	7	3	8	13	16	16	6	8	26
Coastline adj to Warroora Station				18	15	27	22	43	72	39	37	57	21	51	92	49	70	61	103	130	73	124	125	81	111
Coastline adj to Gnaraloo Station												41	26	34	36	36	53	48	50	54	49	65	57	86	48
Coastline adj to Quobba Station													5	7	25	12	20	15	27	30	12	10	15	12	20
Sub total				80	43	125	109	186	255	182	211	287	181	304	411	262	304	303	408	458	341	480	491	502	406
July																									
Cape Range National Park	70	63	82	79	71	94	116	89	105	107	107	109	76	87	83	88	85	104	132	111	126	125	120	112	135
Commonwealth Defence Land	37	43	34	43	25	35	35	46	63	38	28	35	43	25	23	9	0	0	0	0	0	0	0	0	0
Coastline adj to former Ningaloo Station	74	101	128	107	141	141	154	208	202	181	97	165	180	167	173	170	179	182	229	203	270	211	252	245	338
Coastline adj to Cardabia Station	20	18	52	33	28	29	46	24	27	27	11	26	24	22	28	35	36	38	44	46	69	61	60	48	91
Coastline adj to Warroora Station	56	76	110	96	92	105	121	110	140	111	122	109	117	145	172	138	146	192	211	183	273	274	232	254	306
Coastline adj to Gnaraloo Station												107	73	74	53	55	65	74	68	70	105	97	79	95	110
Coastline adj to Quobba Station													48	23	34	37	35	40	25	35	76	46	52	38	60
Sub total	257	301	406	358	357	404	472	477	537	464	365	551	561	543	566	532	546	630	709	648	919	814	795	792	1040

	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
October																									
Cape Range National Park														62	93	76	90	103	120	73	106	107	111	131	114
Commonwealth Defence Land														5	6	0	0	0	0	0	0	0	0	0	0
Coastline adj to former Ningaloo Station														47	32	33	46	58	44	43	59	53	69	110	96
Coastline adj to Cardabia Station														2	10	7	1	6	10	5	18	5	20	12	10
Coastline adj to Warroora Station														23	50	22	30	48	60	61	60	68	83	91	72
Coastline adj to Gnaraloo Station														55	48	80	60	73	71	70	92	72	83	65	72
Coastline adj to Quobba Station															22	21	9	12	19	8	8	30	23	10	20
Sub total														194	261	239	236	300	324	260	343	335	389	419	384
December																									
Cape Range National Park													43												
Commonwealth Defence Land													3												
Coastline adj to former Ningaloo Station													20												
Coastline adj to Cardabia Station													1												
Coastline adj to Warroora Station													12												
Coastline adj to Gnaraloo Station													45												
Coastline adj to Quobba Station													7												
Sub total													131												
TOTAL	257	301	406	438	400	529	581	663	792	646	576	838	873	1041	1238	1033	1086	1233	1441	1366	1603	1621	1675	1713	1830

Note: April School Holiday data collection commenced in 1998, October School Holiday data in 2008 and Gnaraloo data only incorporated into the aerial surveys following the extensions of the Ningaloo Marine Park in 2005. December flights completed in 2007 only.

Appendix 9. Visitor management settings criteria

Visitor management settings in the planning area

Visitor management setting class					
	Wilderness*	Natural	Natural - recreation	Recreation	Highly modified
Principal purposes	Conservation, low level recreation	Conservation, low level recreation	Conservation, low to medium level recreation	Conservation, medium level recreation, education and interpretation	High level recreation, education and interpretation, conservation, multiple-use
Description	Natural areas with minimal evidence of modern human activity. Large, remote areas (8,000ha in temperate areas)	Natural areas with minimal evidence of modern human activity. No size criteria	Predominantly natural areas, with some disturbance and modern human activity apparent at specific sites	Mostly natural areas, but with disturbance and modern human activity apparent at some sites	Concentrated areas of modified environment but with natural or rural background. Human activity conspicuous
Access Access standards and type of transport used for visitors, resource users and protected area managers	Vehicles: mechanised access in emergency situations or essential management operations only Walking: via natural routes formed principally by human use (AS Walking Track class 6 only) Aircraft: no airstrips allowed and landing of non-fixed wing aircraft is allowed for emergency and essential research purposes only. Fixed wing aircraft must fly above 2,000 feet and non-fixed wing above 1,500 feet	Vehicles: mechanised access in emergency situations or essential management operations only Walking: via natural routes formed to a minimum standard (AS Walking Track class 4 to 5)	Vehicles: mechanical access on 4WD tracks. Cycle type 4 trails Walking: formed walk trails (AS Walking Track class 2 to 5)	Vehicles: mechanical access on 2WD unsealed tracks. Cycle type 2 and 3 trails Walking: well-built walking trails with direction signs (AS Walking Track class 2 to 4)	+Vehicles: mechanical access on 2WD sealed tracks. Cycle type 1 trail Walking: Well-built, signposted walking trails (AS Walking Track class 1 and 2)
Site modification Extent, type and design of infrastructure, facilities, amenities and the style of accommodation provided	No site modification and no facilities or structures except for reasons of visitor safety, resource protection and/or management operations. Camping sites are not defined (wild camping)	No site modification and no facilities or structures except for reasons of visitor safety, resource protection and/or management operations. Trail markers may be used. Camping sites are not defined. Day use sites not defined	Minor modification of specific sites. Basic facilities may be provided in specific locations. ‘Minor’ or ‘Medium’ recreation sites may be provided	Modification of specific sites. Low-key facilities such as simple car parks, toilets, shelters and picnic areas may be present. ‘Major’ or ‘Medium’ recreation sites may be provided	Modified site, with often a range of facilities. accommodation facilities, picnic areas, visitor centres and lookouts may be present. ‘Major’ recreation sites may be provided
Commercial uses	Commercial recreation and tourism operations not allowed	Commercial tourism licences allowed, but may consider regulating numbers (e.g. E Class Licence)	Commercial tourism licences allowed with a focus on nature-based/cultural activities	Commercial tourism licences allowed with a focus on nature-based/cultural and adventure activities	Commercial tourism licences allowed with a focus on nature-based/cultural and adventure activities

Visitor management setting class					
	Wilderness*	Natural	Natural - recreation	Recreation	Highly modified
		Leases not allowed	Leases allowed	Leases allowed	Leases allowed
Probable social interaction Density of users and degree of social interaction and opportunities for solitude	Interaction between users is minimal, with usually less than two other groups encountered during a day, and no other groups within sight or sound at camp sites. Maximum group size of about six to eight people	Little interaction between users, with usually less than about four to six other groups encountered during a day, and usually no more than about two other groups within sight or sound at camp sites. Group size approximately 8-12 people	Moderate interaction between users, with encounters with several other groups likely along access routes and at camp sites. Group size approximately 12-15 people	High level of contact and interaction with other users on roads and in camping and picnic areas, moderate interaction on walking tracks. Groups of more than 15 people may be expected, depending on location	High level of contact and frequent interaction with many other groups. Groups may exceed 20 people
Probable recreation experiences	Opportunities for isolation, independence, closeness to nature, tranquillity and self-reliance through the application of outdoor skills in an environment that offers a high degree of challenge	Opportunities for isolation, independence, closeness to nature, tranquillity and self-reliance through the application of outdoor skills in an environment that offers a high degree of challenge	Opportunities for closeness to nature, tranquillity and self-reliance through the application of outdoor skills in an environment that offers a moderate degree of challenge	Opportunities include closeness to nature and nature appreciation. Moderate levels of social contact and some opportunity to experience tranquillity	Opportunities for nature appreciation, and for social interaction. Facilities often support presentation of nature or access to nature-based opportunities in nearby areas
Degree of self-reliance Level of support services provided	Visitors must be totally self-reliant as support services are inappropriate and are not provided. Commercial tourism and recreation operators not allowed	Visitors must be totally self-reliant, as support services are minimal or non-existent	Visitors must be largely self-reliant as basic support services are provided in specific locations only	Self-reliance requirements are generally low where facilities are provided, but outdoor skills will be important in areas away from roads and tracks	+Low level of self-reliance due to high level of support services and facilities present
Style of visitor management Level of on-site management, site constraints and regulations	On-site visitor management is very low with controls primarily off site. All interpretation is off-site. No trail information in brochures. Boundary signage only. Very infrequent ranger presence	On-site regimentation is low with controls primarily off site. Generally, boundary signs only. Infrequent ranger presence	Low on-site regimentation. Walking trails and camp sites may be defined. Most interpretation is off-site. Along trails and at trail camping sites there may be basic markers and signage with minimal management messages. Infrequent ranger presence	Moderate on-site regimentation, including some signs and barriers. Facilities may be common and clustered. Track signs may include interpretation. Brochures and track guides often available. May be frequent ranger presence	+A high degree of on-site visitor management, including the use of physical barriers to constrain movement of pedestrians and vehicles/boats. Well-developed structures. There may be considerable interpretive signage, materials or activities. Frequent ranger presence likely

*Refer to *Policy No. 62 Identification and Management of Wilderness and Surrounding Areas* (CALM 2004). However, note there are no proposed or gazetted wilderness areas in the planning area.

+This is generally not applicable in this planning area, visitors may still have to be largely self-reliant due to the vision of the planning area.

Appendix 10. Recreation site classification

	Recreation site categories			
	Major	Medium	Minor	No facilities, no vehicles ³
General facilities				
Vehicle access to area	Yes	Yes	Optional	No
Long vehicle turning & parking ¹	Preferred	Optional	No	No
Water provided	Optional	Optional	Optional	No
Toilets or portable camping toilet disposal sites	Preferred	Optional	Optional	No
Cooking – Gas/Electric BBQs	Acceptable	Optional	Optional	No
Cooking – Wood BBQs/Fire rings ⁴	Yes	Yes	Yes	No
Tables	Optional	Optional	Optional	No
Shelters	Optional	Optional	No	No
Rubbish collection	Acceptable	Optional	No	No
Visitor information	Yes	Optional	Optional	No
Overnight stays specific				
Camping sites defined	Yes	Optional	Optional	No
Resident manager	Optional	Optional	No	No
Campground host (peak)	Optional	Optional	No	No
Cooking – fuel stoves only	Optional	Optional	Optional	Yes
Fires allowed in container (where/when ground fires permitted) ⁴	Yes	Yes	Yes	No
Camping area numbers ²	20+ sites 100+ people	6 – 20 sites 21 – 100 people	1 – 5 sites 1 – 20 people	One group of <10 people
Built accommodation ⁵				
Basic shelter (e.g. 3-sided)	Optional	Optional	No	No
Semi-permanent structure (e.g. safari tent)	Optional	Optional	No	No
Other (e.g. permanent structures)	Yes	No	No	No
Day use specific				
Car parking	Yes	Yes	Optional	NA
Site numbers	Up to 200 vehicles or 800 people	Up to 30 vehicles or 120 people	Up to 12 vehicles or 50 people	NA

1 – Long vehicles include coaches, buses, caravans, campervans and motor homes.

2 – To preserve the visitor management setting, the maximum number of people ideally should not be exceeded; as a site reaches the threshold limits, a review should be conducted to confirm future intent of site.

3 – Often referred to as ‘wild’ or remote camping.

4 – Permitted in this planning area.

5 – No new built accommodation in this plan other than within leases assessed by the department, approved by the JMB and held by Nganhurra Thanardi Garbu Aboriginal Corporation or entities approved by them within the highly modified settings.

Legend

Yes = facility or service should be provided.

Preferred = facility should be provided; this option is preferred but not only valid option; local conditions will determine the best option.

Optional = facility or service may be provided, but is not essential.

Acceptable = facility may be provided but there may be a better option; local conditions will determine best option.

No = facility or service will not be provided.

Recreation site definitions and classification guidelines

Major recreation site

Major recreation sites are primary recreation nodes catering for a broad range of visitors with facilities and interpretation hubs. Most visitors entering the park/reserve will be directed to these sites, considered to be the main attractions within the park/reserve. High recreation sites are provided in the ‘highly modified’ visitor management setting only.

Recreation experience	Generally, the recreation experience has opportunities for nature appreciation, a chance to discover a specific feature or experience, and chances for solitude and social interaction in a natural environment with a higher level of access to facilities.
Modifications and development	The site is developed and has parking areas and facilities.
	The local landscape and features are evident although changes have occurred to the vegetation or landform, such as clearings, formed tracks, buildings and other structures. Some levelling of the site may have been undertaken to create developed areas.
Visitation and interaction	The site has a high level of visitation from the local population and visitors to the area.
	Choice in the level of social interaction between staying to oneself or one’s group, however contact with other people will likely be unavoidable.
Services	Degree of self-reliance within a day use setting is low. Needs such as, shelter and toilets are catered for, providing for a high level of comfort and safety to visitors.
Management presence	A high degree of management presence at the site by authority or representative such as ranger patrols.
Interpretation	Moderate to high levels of the natural, cultural and historical interpretation including interpretation displays, brochures, interpretation tracks, guided activity program or access to information through ranger or expert contact.
Recreation experience	Generally, the recreation experience has opportunities for active activity, solitude, independence, closeness to nature, tranquillity in a natural environment, but has access to basic facilities where possible.
Modifications and development	Site is modified with car parking areas and site access, additional facilities may be provided based on visitation.
	The local landscape and features are dominant although there have been some changes to the vegetation or land form, such as clearings and formed tracks.
Visitation and interaction	The site has a moderate level of seasonal visitation from the local population and visitors to the area.
	Choice in the level of social interaction between staying to oneself or groups however contact with other visitors is to be expected.
Services	Moderate degree of self-reliance for essential needs. Some facilities including shelter provided possibility of providing toilet facilities.
Management presence	Some degree of management presence such as ranger patrols at the site depending on site conditions.
Interpretation	Moderate levels of natural, cultural and historical interpretation, which may include interpretation displays and interpretation tracks.

Medium recreation site

Medium recreation sites provide for moderate to low intensity recreation set in mostly natural landscapes. These sites are considered to be secondary sites and offer unique experiences within the park/reserve. They may be provided in either the ‘highly modified’ or ‘recreation’ visitor management settings, with the possible level of development varying according to the setting.

Recreation experience	Generally, the recreation experience has opportunities for active activity, solitude, independence, closeness to nature, tranquillity in a natural environment, but has access to basic facilities where possible.
Modifications and development	Site is modified with car parking areas and site access, additional facilities may be provided based on visitation.
	The local landscape and features are dominant although there have been some changes to the vegetation or land form, such as clearings and formed tracks.

Visitation and interaction	The site has a moderate level of seasonal visitation from the local population and visitors to the area.
Services	Choice in the level of social interaction between staying to oneself or groups however contact with other visitors is to be expected.
Management presence	Moderate degree of self-reliance for essential needs. Some facilities including shelter provided possibility of providing toilet facilities.
Interpretation	Some degree of management presence such as ranger patrols at the site depending on site conditions.
	Moderate levels of natural, cultural and historical interpretation, which may include interpretation displays, interpretation tracks.

Minor recreation site

Minor recreation sites have minimal development and facilities catering specifically for a purpose. They may generally be provided in the 'recreation' and 'natural-recreation' visitor management settings.

Recreation experience	Generally the recreation experience has opportunities for solitude, independence, closeness to nature and tranquillity in a natural environment.
Modifications and development	Some site modification to provide car parking areas and access. Site is dominated by the local landscape and features without major changes to the landform or features.
	Little facilities apart from essential site infrastructure such as car parking, signage and trails.
Visitation and interaction	Experiences a low to moderate level of visitation, visitors are predominantly local. Some likelihood of interaction between users, although the emphasis would be on socialising with own group.
Services	High degree of self-reliance for essential needs such as the provision of shelter and toilet facilities.
Management presence	Some degree of management presence such as ranger patrols at the site depending on site conditions.
Interpretation	No to low levels of natural, cultural and historical interpretation apart from essential information for identification of sites and visitor risk issues. Specific interest site signage for niche user groups may be present.

No facilities, no vehicles camping ('wild' camping)

These areas are accessed by foot. They are referred to as 'wild' or 'remote' camping. No sites will be defined and minimum impact camping techniques will be practiced at all times. Camping group sizes generally will be limited to 10 people. Campfires will not be allowed. Camping will generally occur in the more natural visitor management settings and not within 2km of a formal camping area.

Appendix 11. Ningaloo Coast camping areas and day use sites

The criteria for prioritising site works will be based on:

- protection of cultural values
- management of risk to users (e.g. from the environment or conflict between users)
- protection of natural values (addressing environmental degradation)
- level of visitor use of the site (high use sites will be generally addressed before minor sites unless above criteria apply)
- improvement of visitor experience.

Camping site and day use site numbers will be capped at approximately existing numbers (470 for camping sites) with any site closures being accommodated elsewhere in the planning area where possible. The emphasis will be to maintain the camping areas and day use sites within the nominated management setting and recreation site classification as their maximum limit. If any sites other than below are required and the assigned management setting in maps 2a and 2b do not allow for the new site, then approval from the JMB and Conservation and Parks Commission will be sought (noting that if the site is for overnight stays then it still needs to be within the cap of 470 sites).

The below table is a summary of proposed works in the camping areas and day use sites of the planning area (more site names may change to include *Baiyungu* language over the life of the plan). All sites will be managed at current capacity unless indicated otherwise below with the current footprint assessed and sites lightly delineated where required. The potential provision of water points and/or waste disposal (central transfer stations/trailer/rubbish skips and/or portable camping toilet dump points/toilets) particularly in the Major camping areas will continue to be assessed through the life of the plan. Rehabilitation and stabilisation works will be ongoing.

Camping areas (16)	Management Setting	Approx. no. sites	Access	Proposed works
Major (>25 sites) camping areas (6)				
Winderabandi Point	Recreation	51	4WD	Review campground capacity and footprint Define individual sites Undertake site rehabilitation works Close and rehabilitate duplicate tracks BYO fire rings or consider defined camp fire sites Provide access to portable camping toilet dump point or toilet facilities in the long term Provide central waste transfer area options Provide campground host/caretaker in peak season
North Lefroy Bay	Recreation	52	4WD	Review campground capacity and footprint Define individual camp sites Undertake site rehabilitation works Close and rehabilitate duplicate tracks BYO fire rings or consider defined camp fire sites Provide access to portable camping toilet dump point or toilet facilities in the long term Provide central waste transfer area options Provide campground host/caretaker in peak season
South Lefroy Bay	Recreation	82	4WD	Review campground capacity and footprint Define individual camp sites Undertake site rehabilitation works Close and rehabilitate duplicate tracks BYO fire rings or consider defined camp fire sites Provide access to portable camping toilet dump point or toilet facilities in the long term Provide central waste transfer area options Provide campground host/caretaker in peak season
Janes Bay	Recreation	46	2WD unsealed	Review campground capacity and footprint Undertake site rehabilitation works Close and rehabilitate duplicate tracks Define overall camping footprint BYO fire rings or consider defined camp fire sites Provide access to portable camping toilet dump point or toilet facilities in the long term Provide central waste transfer area options
<i>Walbal Wardu</i> (14 Mile Camp)	Recreation	94	4WD	Review campground capacity and footprint BYO fire rings or consider defined camp fire sites

Camping areas (16)	Management Setting	Approx. no. sites	Access	Proposed works
including The Ridge)				Provide access to portable camping toilet dump point or toilet facilities in the long term Provide central waste transfer area options Provide campground host/caretakers as appropriate Review campground capacity and footprint Undertake site rehabilitation works Define individual camp sites Define boat launching area
Stevens Camp	Recreation	18	4WD	Review campground capacity and footprint BYO fire rings or consider defined camp fire sites Provide access to portable camping toilet dump point Provide central waste transfer area options Undertake site rehabilitation works including stabilising vehicle access tracks Close and rehabilitate duplicate tracks Define pedestrian access points to beach Review campground footprint Define suitable and defined access routes for vehicles
Medium (6 to 25 sites) camping areas (8)				
Point Billie	Recreation	39 reduce to 25	4WD	Review campground capacity and footprint bringing back to Medium classification Define individual camp sites Undertake site rehabilitation works Close and rehabilitate duplicate tracks BYO fire rings or consider defined camp fire sites Provide access to portable camping toilet dump point or toilet facilities in the long term Provide central waste transfer area options
Sandy Point	Recreation	14	4WD	Review campground capacity and footprint Define individual camp sites BYO fire rings or consider defined camp fire sites Undertake site rehabilitation works Provide access to portable camping toilet dump point or toilet facilities in the long term Designate boat launching area
Stans Camp (Sandy Point overflow)	Recreation	14	4WD	Provide access to portable camping toilet dump point Review campground capacity and footprint
Maggies	Recreation	6	4WD	Review campground capacity and footprint Review alignment of vehicle access track into site BYO fire rings or consider defined camp fire sites Define individual camp sites or camping area perimeter Close access track to the north
Elles Beach	Recreation	7	4WD	Review campground capacity and footprint BYO fire rings or consider defined camp fire sites Define suitable and defined access routes for vehicles Rehabilitate duplicate and spur tracks Close boat launching
<i>Jirndal Gumagu</i> (Black Moon Cliff)	Recreation	13	4WD	Review campground capacity and footprint Close sections to protect cultural and/or natural values Undertake site rehabilitation works
The Lagoon	Recreation	20	4WD	Review campground capacity and footprint Undertake site rehabilitation works Define individual camp sites or camping area perimeter BYO fire rings or consider defined camp fire sites Provide portable camping toilet dump point Provide campground host/caretaker in peak season
Amherst Point	Recreation	5	4WD	Review campground capacity and footprint Define individual camp sites or camping area perimeter BYO fire rings or consider defined camp fire sites
Scorpion Ridge	Highly Modified	n/a	2WD unsealed	Gnaraloo Station is proposing to include this area into the 3 Mile Camp tourism lease. However, if site remains in planning area it should be closed and rehabilitated

Minor (1 to 5 sites) camping areas (2)				
Point Edgar	Natural-recreation	5	4WD	Review campground requirement
Bulbarli overflow	Natural-recreation	n/a	4WD	Closed
Nicks Camp	Natural-recreation	5	4WD	Review campground capacity and footprint Define individual campsites or camping area perimeter May be suitable interpretive area on history of rock lobster fishery
Tourism lease area enclaves (3) additional recreation opportunities				
Bruboodjoo	Recreation	70	2WD unsealed	Continue to liaise with lessees to ensure public access is retained to planning area for day use visits and that appropriate day use facilities (including waste management) are provided Improve marine park signage adjacent to lease area
3 Mile Camp (proposal to incorporate Scorpion Ridge)	Highly modified	73	2WD unsealed	Continue to liaise with lessees Define pedestrian beach access paths from lease area Improve marine park signage adjacent to lease area Alternative waste disposal required
Red Bluff	Highly modified	45 including safari tents	2WD unsealed	Continue to liaise with lessees Improve marine park signage adjacent to lease area



Before and after images (digitally altered photo) showing an example of the way in which camp sites may be defined where required. This will vary depending on local conditions, issues and locally available materials. Photos - Emma West/DBCA


Day use areas north to south (52)	Management Setting	Approx. no. cars currently	Access	Proposed works
Major (>30 vehicles) day use areas (5)				
Murlanda (Mauds Landing)	Recreation	>30	4WD	Restrict vehicle access onto beach Redevelop existing parking area Install low key infrastructure such as new pedestrian access paths, seating and signage where required Undertake site rehabilitation works Close and rehabilitate duplicate tracks
Bazs Park including Fletcher Hill	Highly Modified	>100	2WD	Refer to <i>Coral Bay Foreshore management plan</i> (Ecoscape 2010) for proposed works with further recreation planning to be undertaken
Monck Head and surrounds	Highly Modified	80	2WD	Close and rehabilitate duplicate tracks and clearings around the boat launch facility in liaison with the Department of Transport and Shire of Carnarvon Consider trailhead for Baiyungu Trail
Gnaraloo Bay	Recreation	20	2WD unsealed	Provide ongoing beach boat launch area (with dedicated boat trailer car park) Provide day use car parking area with an overall increased capacity Install low key infrastructure such as pedestrian access paths, seating and signage where required
Tombstones	Recreation	40	2WD unsealed	Expand existing parking area to meet visitor demand Install low key infrastructure such as pedestrian access

Day use areas north to south (52)	Management Setting	Approx. no. cars currently	Access	Proposed works
				paths, seating and signage where required Improve vehicle access track to site
Medium (13 to 30 vehicles) day use areas (10)				
Winderabandi Point	Recreation		4WD	Develop day use component of camping area
South Lefroy	Recreation		4WD	Develop day use component of camping area
Ningaloo Shearing Shed	Highly Modified		2WD unsealed	Consider as interpretation area
Nyilleri (Oyster Bridge)	Recreation	20	4WD	Undertake site rehabilitation works Identify sustainable access route for vehicles to the site and parking area set back from beach Restrict vehicle access onto beach
Paradise Beach	Recreation	>12	2WD	Define/review access and parking
Mini Minimara (Five Fingers)	Recreation	30	4WD	Define suitable access for vehicles Undertake site rehabilitation works where required Close and rehabilitate duplicate tracks Restrict vehicle access onto beach
Walbal Wardu (14 Mile Camp)	Recreation		4WD	Develop day use component of camping area
(Homestead Beach)	Recreation		4WD	Define/review future use, access and parking
3 Mile Lagoon	Recreation	15	4WD	Provide defined parking area and access
Majuns (Turtles)	Recreation	18	4WD	Re-establish car park adjacent to coastal access track Define suitable access for vehicles if possible Undertake site rehabilitation works and controls to protect dunes Close and rehabilitate duplicate tracks
Minor (up to 12 vehicles) day use areas (37)				
North Lefroy	Recreation		4WD	Develop day use component of camping area
Point Billie	Recreation	5	4WD	Develop day use component of camping area Undertake site rehabilitation works Close and rehabilitate duplicate tracks
Whaling Station ruins and Norwegian Bay	Natural-recreation	6	4WD	Define suitable access for vehicles Provide interpretative signage on historical whaling station at an appropriate location within the site Provide defined day use parking area Assess visitor risk of remains of whaling station (e.g. asbestos management plan)
Ningaloo Beach	Recreation	10	2WD unsealed	Define suitable access for vehicles Restrict vehicle access onto beach
Point Cloates Lighthouse ruins	Recreation		4WD	Consider interpretation
Janes Bay	Recreation		4WD	Develop day use component of camping area
Juburda (The Sandbar)	Natural-recreation	6	4WD	Some parking area definition required Restrict vehicle access onto beach
Bolman/Cardiac Hill	Natural-recreation	5	4WD	Some parking area definition required Define pedestrian access to a minor lookout point
Gabarlawangganyja (Dog Rock)	Natural-recreation	7	4WD	Provide vehicle parking bays Undertake site rehabilitation and controls to keep 4WDs off beach where required Improve visitor use signage
Lagoon (north of Oyster Bridge)	Natural-recreation	12	4WD	Define suitable access for vehicles Provide suitable vehicle parking bays as required Close and rehabilitate duplicate tracks Restrict vehicle access onto beach
Gurdbardu (Skeleton Bay)	Natural-recreation	7	4WD	Close vehicle access into dunes and rehabilitate area Facilitate pedestrian access to shark nursery along foreshore
Nyarrara Bula (Snapper headland)	Natural-recreation	10	4WD	Define suitable access for vehicles Provide suitable vehicle parking bays as required Close and rehabilitate duplicate tracks
Windura (Turtle Cliffs)	Natural-recreation	5 to 10	4WD	Define suitable access for vehicles Provide suitable vehicle parking bays as required Close and rehabilitate duplicate tracks
Yalabaya (Point Anderson)	Natural-recreation	10	4WD	Investigate suitability of site for day use and ongoing impacts

Day use areas north to south (52)	Management Setting	Approx. no. cars currently	Access	Proposed works
Turtle Rock	Natural-recreation	5	4WD	Define suitable access for vehicles
Sandy Point	Recreation	5	4WD	Formalise day use area
Pelican Point	Natural-recreation	4	4WD	Rehabilitate duplicate tracks Provide suitable vehicle parking bays as required Restrict access onto beach Consider interpretative signage
Maggies	Recreation		4WD	Develop day use component of camping area
Elles Beach	Recreation		4WD	Develop day use component of camping area
Stevens Camp	Recreation		4WD	Develop day use component of camping area
Wedding Hill	Natural-recreation	5	4WD	Define pedestrian access to a minor lookout point Stabilise and rehabilitate degraded areas Review access to beach
<i>Jirndal Gumagu</i> (Black Moon Cliff)	Natural-recreation	5	4WD	Formalise day use area Undertake site rehabilitation works Provide suitable vehicle parking bays as required
Bulbarli	Recreation	4	4WD	Undertake site rehabilitation works to prevent further damage to cultural sites Restrict vehicle access to a defined area Install low key infrastructure such as pedestrian access paths
(Nolans Nook)	Natural-recreation	1	4WD	Convert to day use site only Realign vehicle access to site
6 Mile	Natural-recreation	5	4WD	Provide suitable vehicle parking bays as required
Nature Bay	Recreation	5	2WD unsealed	Provide suitable vehicle parking bays as required Install low key infrastructure such as pedestrian access paths and signage where required Undertake site rehabilitation works
Heart Attacks	Natural-recreation	5	4WD	None
Tombstones kitesurf site	Recreation	5	4WD	Provide suitable vehicle parking bays as required
Midgies	Natural-recreation	15	4WD	Provide suitable vehicle parking bays as required Undertake site rehabilitation works
Magnolia Lookout	Natural-recreation	2 to 5	4WD	Provide suitable vehicle parking bays Undertake site rehabilitation works
Dolphins	Natural-recreation	5	4WD	Provide suitable parking bays as required
The Gallery	Natural-recreation	10	4WD	Provide suitable parking bays as required
Monument Cliffs	Natural-recreation	5	4WD	Define suitable access for vehicles Provide suitable parking bays as required Close and rehabilitate duplicate tracks
Wonderlands	Natural-recreation	2 to 5	4WD	Provide suitable parking bays as required Close and rehabilitate duplicate tracks
Fenceline	Natural-recreation	5	4WD	Provide parking area Install low key infrastructure such as new pedestrian paths and signage Undertake site rehabilitation works
Nappies	Natural-recreation	5	4WD	
Happy Valley	Natural-recreation	10	4WD	Consider defined parking area Undertake site rehabilitation works

Note: The proposed works in this Appendix are based on a preliminary site investigations. The implementation of these proposals will be subject to further detailed assessment and planning, and effective mitigation of potential adverse impacts on ecological or other values.


MAP 2A. Visitor management settings (north)




LEGEND


- Recreation site
- Visitor management settings
 - Highly modified
 - Recreation
 - Natural - Recreation
 - Natural
- Roads*
 - Sealed road (2WD)
 - Unsealed road (2WD)
 - Unsealed road/track (4WD)

*Disclaimer: All geographical material provided on this map is for visual representation only and not intended as a navigation tool.



MAP 3A. Recreation site classification and access





MAP 3D. Recreation site classification and access

