

CONSERVATION CATEGORY DEFINITIONS

for Western Australian Ecological Communities

GENERAL DEFINITIONS

An **ecological community** is a naturally occurring assemblage of organisms that occurs in a particular habitat, as defined in the *Biodiversity Conservation Act 2016* (BC Act). Ecological communities may comprise various life forms including plants, animals and microorganisms.

Note: The scale at which ecological communities are defined will often depend on the level of detail in the information source, therefore no particular scale is specified.

A **threatened ecological community** (TEC) means an ecological community that is listed under section 27(1) of the BC Act as a critically endangered, endangered or vulnerable ecological community, or is a rediscovered ecological community to be regarded as a threatened ecological community under section 33 of the BC Act.

An **assemblage** is a defined group of biological entities.

Habitat, as defined in the BC Act, means the biophysical medium or media —

- a) occupied (continuously, periodically or occasionally) by an organism or group of organisms, or
- b) once occupied (continuously, periodically or occasionally) by an organism, or group of organisms, and into which organisms of that kind have the potential to be reintroduced.

An **occurrence** is a discrete example of an ecological community, separated from other examples of the same community by more than 20 metres with, for example: a different ecological community, a sealed road, a building, a water body (for terrestrial communities), or a terrestrial body (for aquatic communities). There is no minimum size of an occurrence of a threatened or priority ecological community. By ensuring that every discrete occurrence is recognised and recorded, future changes in status can be readily monitored.

Adequately surveyed is defined as an ecological community that has been searched for thoroughly in most likely habitats, by relevant experts.

Community structure is defined as the spatial organisation, construction and arrangement of the biological elements comprising a biological assemblage. For example, the vegetation structure (e.g., *Eucalyptus salmonophloia* woodland over scattered small shrubs over dense herbs) or the trophic structure in a faunal assemblage (e.g., dominance by feeders on detritus as distinct from feeders on live plants).

To **modify** an occurrence of an ecological community, as defined in section 44 of the BC Act, means to take action that results in —

- (a) the modification of the occurrence of the threatened ecological community to such an extent that the occurrence is unlikely to recover —
 - (i) its species composition or structure; or
 - (ii) its species composition and structure; or
- (b) the destruction of the occurrence of the threatened ecological community.

Destruction of an occurrence of an ecological community means modification such that reestablishment of ecological processes, species composition or community structure within the range of variability exhibited by the original community is unlikely within the foreseeable future even with positive human intervention.

Modification and destruction are difficult concepts to quantify, and their application will be determined by scientific judgement. Refer to the document [Guidance note – Modification of an occurrence of a threatened ecological community](#) for more information on what constitutes modification and how to determine whether an action is likely to modify an occurrence of a threatened ecological community.

Threatening process means a process that threatens, or may threaten, the survival, abundance or evolutionary development of a native species or ecological community, as defined under the BC Act. Examples of some of the continuing threatening processes in Western Australia include: vegetation clearance; competition and land degradation by introduced fauna; dieback caused by the root-rot fungus (*Phytophthora cinnamomi*); competition and displacement of native plants by introduced flora; hydrological changes (declining groundwater levels); drying climate, fire regimes that cause declines in biodiversity; direct human exploitation and disturbance of ecological communities.

Restoration is defined as returning an ecological community to its pre-disturbance or natural state in terms of abiotic conditions, community structure and species composition.

Rehabilitation is defined as the re-establishment of ecological attributes in a damaged ecological community although the community will remain modified.

LISTED ECOLOGICAL COMMUNITIES

Assessment of the conservation status of ecological communities is carried out in accordance with the BC Act listing criteria and the requirements of [Ministerial Guideline Number 1](#) and [Ministerial Guideline Number 4](#) that adopt the use of the International Union for Conservation of Nature (IUCN) [Red List of Ecosystems Categories and Criteria](#).

CO Collapsed ecological communities

An ecological community listed by order of the Minister as collapsed under section 31(1) of the BC Act. As determined by criteria set out in section 32 of the BC Act, an ecological community is eligible for listing as a collapsed ecological community at a particular time if, at that time —

- (a) there is no reasonable doubt that the last occurrence of the ecological community has collapsed; or
- (b) the ecological community has been so extensively modified throughout its range that no occurrence of it is likely to recover —
 - (i) its species composition or structure; or
 - (ii) its species composition and structure.

CR Critically endangered ecological communities

A threatened ecological community listed in the category of critically endangered under section 27(1)(a) of the BC Act, as determined by criteria set out in section 28 of the BC Act and the ministerial guidelines. A critically endangered ecological community faces an extremely high risk of becoming eligible for listing as a collapsed ecological community in the immediate future, as determined in accordance with criteria set out in the ministerial guidelines.

Examples of use:

- ‘Assemblages of the organic springs and mound springs of the Mandora Marsh area’ is listed as a critically endangered threatened ecological community under the *Biodiversity Conservation Act 2016*.
- ‘Assemblages of the organic springs and mound springs of the Mandora Marsh area’ is listed as critically endangered under the *Biodiversity Conservation Act 2016*.
- Listing reference in a table – column heading: BC Act; row text: CR.

EN Endangered ecological communities

A threatened ecological community listed in the category of endangered ecological community under section 27(1)(b) of the BC Act, as determined by criteria set out in section 29 of the BC Act and the ministerial guidelines. A threatened ecological community faces a very high risk of becoming eligible for listing as a collapsed ecological community in the near future, as determined in accordance with criteria set out in the ministerial guidelines.

Examples of use:

- ‘Herb rich shrublands in clay pans (floristic community type 8 as originally described in Gibson *et al.* (1994))’ is listed as an endangered threatened ecological community under the *Biodiversity Conservation Act 2016*.
- ‘Herb rich shrublands in clay pans (floristic community type 8 as originally described in Gibson *et al.* (1994))’ is listed as endangered under the *Biodiversity Conservation Act 2016*.
- Listing reference in a table – column heading: BC Act; row text: EN.

VU Vulnerable ecological communities

A threatened ecological community listed in the category of vulnerable ecological community under section 27(1)(c) of the BC Act, as determined by criteria set out in section 30 of the BC Act and the ministerial guidelines. A vulnerable ecological community faces a high risk of becoming eligible for listing as a collapsed ecological community in the medium-term future, as determined in accordance with criteria set out in the ministerial guidelines.

Examples of use:

- 'Calothamnus graniticus subsp. graniticus heaths on south west coastal granites' is listed as a vulnerable threatened ecological community under the *Biodiversity Conservation Act 2016*.
- 'Calothamnus graniticus subsp. graniticus heaths on south west coastal granites' is listed as vulnerable under the *Biodiversity Conservation Act 2016*.
- Listing reference in a table – column heading: BC Act; row text: VU.

PRIORITY ECOLOGICAL COMMUNITIES

Priority is not a listing category under the BC Act. The Priority Ecological Communities list is maintained by the department and is published on the department's website.

All fauna and flora that may be present in an ecological community are protected in WA following the provisions in Part 10 of the BC Act. The protection applies even when these species occur in an ecological community that is not listed as threatened, and regardless of land tenure (State managed land (Crown land), private land, or Commonwealth land).

Possible threatened ecological communities that do not meet survey criteria or are not adequately defined to enable listing are added to the department's [Priority Ecological Communities for Western Australia list](#) under priority 1, 2 or 3. Ecological communities that are adequately known and not threatened but rare, near threatened, or have recently been removed from the threatened list are placed in priority 4. Conservation dependent ecological communities are placed in priority 5.

P1 Priority 1: Poorly known ecological communities – very few occurrences, very restricted distribution

Ecological communities that are known from very few occurrences with a very restricted distribution (generally ≤ 5 occurrences or a total area of ≤ 100 ha). Occurrences are believed to be under threat either due to limited extent, or being on lands under immediate threat (e.g., within agricultural or pastoral lands, urban areas, active mineral leases) or for which current threats exist. May include communities with occurrences on protected lands. Communities may be included if they are comparatively well-known from one or more localities but do not meet adequacy of survey requirements, and/or are not well defined, and appear to be under immediate threat from known threatening processes across their range.

Examples of use:

- 'Banded Ironstone Hills with *Dryandra arborea*' is listed as a Priority 1 ecological community by the Department of Biodiversity, Conservation and Attractions.
- 'Banded Ironstone Hills with *Dryandra arborea*' is listed as Priority 1 on the DBCA Priority Ecological Communities List.
- Listing reference in a table – column heading: DBCA; row text: P1.

P2 Priority 2: Poorly known ecological communities – few occurrences, restricted distribution

Communities that are known from few occurrences with a restricted distribution (generally ≤ 10 occurrences or a total area of ≤ 200 ha). At least some occurrences are not believed to be under immediate threat (within approximately 10 years) of destruction or degradation. Communities may be included if they are comparatively well known from one or more localities but do not meet adequacy of survey requirements, and/or are not well defined, and appear to be under threat from known threatening processes.

Examples of use:

- 'Aquatic invertebrate communities of peat swamps' is listed as a Priority 2 ecological community by the Department of Biodiversity, Conservation and Attractions.
- 'Aquatic invertebrate communities of peat swamps' is listed as Priority 2 on the DBCA Priority Ecological Communities List.
- Listing reference in a table – column heading: DBCA; row text: P2.

P3 Priority 3: Poorly known ecological communities – inadequately surveyed or not well defined

Communities may be included if they are comparatively well known from several localities but do not meet adequacy of survey requirements and/or are not well defined, and known threatening processes exist that could affect them. This category includes three sub-categories:

- (i) Communities that are known from several to many occurrences, a significant number or area of which are not under threat of habitat destruction or degradation.
- (ii) Communities known from a few widespread occurrences, which are either large or with significant remaining areas of habitat in which other occurrences may occur, much of it not under imminent threat (within approximately 10 years).
- (iii) Communities made up of large, and/or widespread occurrences, that may or may not be represented in the reserve system, but are under threat of modification across much of their range from processes such as grazing by domestic and/or feral stock, inappropriate fire regimes, clearing, hydrological change, etc.

Examples of use:

- 'Assemblages of gypsum dunes of the central and southern wheatbelt' is listed as a Priority 3(iii) ecological community by the Department of Biodiversity, Conservation and Attractions.
- 'Assemblages of gypsum dunes of the central and southern wheatbelt' is listed as Priority 3(iii) on the DBCA Priority Ecological Communities List.
- Listing reference in a table – column heading: DBCA; row text: P3(iii).

P4 Priority 4: Adequately known ecological communities – rare, near threatened, or recently removed from the threatened list

Ecological communities that are adequately known and either rare but not threatened, near threatened, or have recently been removed from the threatened list. These communities require regular monitoring.

- (i) Rare: ecological communities known from few occurrences that are considered to have been adequately surveyed, or for which sufficient knowledge is available, and that are considered not currently threatened or in need of special protection, but could be if present circumstances change. These communities are usually represented on conservation lands.
- (ii) Near threatened: ecological communities that are considered to have been adequately surveyed and that do not qualify as conservation dependent, but that are close to qualifying for a higher threat category.
- (iii) Ecological communities that have been removed from the list of threatened communities during the past five years.

Examples of use:

- 'Nimalaica (Nimalarragun) claypan and associated wetland assemblages' is listed as a Priority 4(ii) ecological community by the Department of Biodiversity, Conservation and Attractions.
- 'Nimalaica (Nimalarragun) claypan and associated wetland assemblages' is listed as Priority 4(ii) on the DBCA Priority Ecological Communities List.
- Listing reference in a table: column heading: DBCA, row text: P4(ii).

P5 Priority 5: Conservation dependent ecological communities

Ecological communities that are not threatened but are subject to a specific conservation program, the cessation of which would result in the community becoming threatened within five years.