



Department of Biodiversity,
Conservation and Attractions



Biodiversity and
Conservation Science

*We're working for
Western Australia.*

Swan Canning Estuary Water Quality Monitoring Project

Weekly Water Quality Report


Canning Estuary and Lower Canning River

3rd January 2024

Prepared by

Rivers and Estuaries Science
Biodiversity and Conservation Science
Department of Biodiversity, Conservation and Attractions

Canning Estuary and Lower Canning River - Water Quality Profiles – 3rd January 2024



Date: 3rd January 2024

Weather & tide conditions: Conditions were sunny with an easterly breeze of up to 7.7 knots. The predicted tides at Barrack St were 0.65 m at 9:00 am (low tide) and 0.91 m at 7:51 pm (high tide). Perth recorded no rainfall in the week prior to sampling (Bureau of Meteorology).

Oxygenation: The Bacon St and Nicholson Rd oxygenation plants were triggered to provide oxygen in the 24 hours prior to sampling.

Canning Estuary (SCB2 to CASMID): The Canning Estuary was saline from SCB2 to RIV. RIV bottom waters were low in oxygen. Waters were brackish over saline at CASMID, with anoxic bottom and subsurface waters. Chlorophyll fluorescence was moderate in bottom waters at RIV and low throughout the remainder of sites. Water temperatures ranged from 21.8 °C to 30.6 °C at the time of sampling.

Lower Canning River (KEN to ELL): The Lower Canning River was fresh. Surface waters were oxygenated - well oxygenated, except the bottom and subsurface waters at ELL which were low in oxygen. Chlorophyll fluorescence was moderate in the surface waters of BACD500, bottom waters of BAC, and throughout most of the water column at KS7. Water temperatures ranged from 23.4 °C to 25.3 °C at the time of sampling.

NB: Profile plots are visual interpolations of measured parameters only. Detailed data are available at wir.water.wa.gov.au.

Oxygenation Plant Operational Status:

- ▲ Operating for part or all of the 24 hours prior to sampling
- ▲ Operable but not triggered to operate in the 24 hours prior to sampling
- ▲ Inoperable for part or all of the 24 hours prior to sampling

Definitions:

Salinity – fresh <5, brackish 5-25, saline 25-35, hypersaline >35
Dissolved oxygen – well oxygenated >6 mg L⁻¹, oxygenated >4-6 mg L⁻¹, low oxygen >2-4 mg L⁻¹, hypoxic 0.5-2 mg L⁻¹, anoxic <0.5 mg L⁻¹
Chlorophyll fluorescence (mod/high flow): low < 50 µg L⁻¹, moderate 50-150 µg L⁻¹, high 150-400 µg L⁻¹, extreme > 400 µg L⁻¹