



Department of Biodiversity,
Conservation and Attractions



Biodiversity and
Conservation Science

*We're working for
Western Australia.*

Swan Canning Estuary Water Quality Monitoring Project

Weekly Water Quality Report


Canning Estuary and Lower Canning River

10th September 2024

Prepared by

Rivers and Estuaries Science
Biodiversity and Conservation Science
Department of Biodiversity, Conservation and Attractions

Canning Estuary and Lower Canning River - Water Quality Profiles – 10th September 2024



Date: 10th September 2024

Weather & tide conditions: Conditions were partly cloudy with a southerly breeze of up to 6.8 knots. The predicted tides at Barrack St were 1.05 m at 2:16 am (high tide) and 0.66 m at 3:57 pm (low tide). Perth recorded 26.2 mm of rainfall in the week prior to sampling (Bureau of Meteorology).

Oxygenation: The Bacon St and Nicholson Rd oxygenation plants were operable, but not triggered to provide oxygen in the 24 hours prior to sampling.

Canning Estuary (SCB2 to CASMID): The Canning Estuary was brackish at SCB2, fresh over brackish at SAL and fresh from RIV to CASMID. Waters were oxygenated or well oxygenated, except bottom waters at SCB2 which were hypoxic and SAL which were low in oxygen. Chlorophyll fluorescence was moderate in sub-surface waters of SCB2 and SAL. Water temperatures ranged from 15.8 to 17.8 °C at the time of sampling.

Lower Canning River (KEN to ELL): The Lower Canning River was fresh, waters were well oxygenated and chlorophyll fluorescence was low. Water temperatures ranged from 15.7 to 16.1 °C at the time of sampling.

NB: Profile plots are visual interpolations of measured parameters only. Detailed data are available at wir.water.wa.gov.au.

Oxygenation Plant Operational Status:

- ▲ Operating for part or all of the 24 hours prior to sampling
- ▲ Operable but not triggered to operate in the 24 hours prior to sampling
- ▲ Inoperable for part or all of the 24 hours prior to sampling

Definitions:

Salinity – fresh <5, brackish 5-25, saline 25-35, hypersaline >35
Dissolved oxygen – well oxygenated >6 mg L⁻¹, oxygenated >4-6 mg L⁻¹, low oxygen >2-4 mg L⁻¹, hypoxic 0.5-2 mg L⁻¹, anoxic <0.5 mg L⁻¹
Chlorophyll fluorescence (mod/high flow): low < 60 µg L⁻¹, moderate 60-160 µg L⁻¹, high 160-400 µg L⁻¹, extreme > 400 µg L⁻¹