



Department of Biodiversity,
Conservation and Attractions



Biodiversity and
Conservation Science

*We're working for
Western Australia.*

Swan Canning Estuary Water Quality Monitoring Project

Weekly Water Quality Report


Canning Estuary and Lower Canning River

3 December 2024

Prepared by

Rivers and Estuaries Science
Biodiversity and Conservation Science
Department of Biodiversity, Conservation and Attractions

Canning Estuary and Lower Canning River - Water Quality Profiles – 3 December 2024



Date: 3 December 2024

Weather & tide conditions: Conditions were overcast with a westerly breeze of up to 12.5 knots. The predicted tides at Barrack St were 0.5 m at 9:56 am (low tide) and 1.15 m at 11:50 pm (high tide). Perth recorded 3.6 mm rainfall in the week prior to sampling (Bureau of Meteorology).

Oxygenation: The Bacon St and Nicholson Rd oxygenation plants were triggered to provide oxygen in the 24 hours prior to sampling.

Canning Estuary (SCB2 to CASMID): The Canning Estuary was saline between SCB2 and SAL, brackish at RIV and fresh over brackish at CASMID. Waters were oxygenated or well oxygenated, except bottom waters at RIV which were low in oxygen and CASMID which were anoxic. Chlorophyll fluorescence was low and water temperatures ranged from 21.6 to 26.0 °C at the time of sampling.

Lower Canning River (KEN to ELL): The Lower Canning River was fresh. Waters were oxygenated or well oxygenated, except bottom waters at ELL which were low in oxygen. Chlorophyll fluorescence was low and water temperatures ranged from 21.0 to 23.1 °C at the time of sampling.

NB: Profile plots are visual interpolations of measured parameters only. Detailed data are available at wir.water.wa.gov.au.

Oxygenation Plant Operational Status:

- ▲ Operating for part or all of the 24 hours prior to sampling
- ▲ Operable but not triggered to operate in the 24 hours prior to sampling
- ▲ Inoperable for part or all of the 24 hours prior to sampling

Definitions:

Salinity – fresh <5, brackish 5-25, saline 25-35, hypersaline >35
Dissolved oxygen – well oxygenated >6 mg L⁻¹, oxygenated >4-6 mg L⁻¹, low oxygen >2-4 mg L⁻¹, hypoxic 0.5-2 mg L⁻¹, anoxic <0.5 mg L⁻¹
Chlorophyll fluorescence (low flow): low < 50 µg L⁻¹, moderate 50-150 µg L⁻¹, high 150-400 µg L⁻¹, extreme > 400 µg L⁻¹